

②

```
const http = require('http')
const server = http.createServer((req, res) => {
  if (req.url === '/') {
    res.end("you are at home page")
  } else if (req.url === '/constant') {
    res.end("you are at browser")
  } else {
    res.writeHead(404)
    res.end()
  }
})
server.listen(4002, "127.0.0.1")() => {
  console.log("listening to the graphi's  
era server ....")
}
```

Abby



You are at home page

```
C:\Windows\System32\cmd.exe - node demo.js
wrote to E:\fullstack\package.json:
{
  "name": "fullstack",
  "version": "1.0.0",
  "main": "index.js",
  "scripts": {
    "test": "echo \"Error: no test specified\" && exit 1"
  },
  "keywords": [],
  "author": "",
  "license": "ISC",
  "dependencies": {
    "http": "^0.0.1-security"
  },
  "devDependencies": {},
  "description": ""
}

E:\fullstack>npm i http
up to date, audited 2 packages in 4s
found 0 vulnerabilities

E:\fullstack>node demo.js
listening to the graphic era server....
```

Name - Anubag

Course - MCA 3<sup>rd</sup> (A)

### All stack Practical

Q1

Code

```
<html>
```

```
<head>
```

```
<title> AngularJS Directives </title>
```

```
</head>
```

```
<body>
```

```
<h1> WELCOME 1 </h1>
```

```
<div ng-app = "ng-init = "countries = [{ locale: 'en-India', name: 'India' },
```

```
{ locale: 'en-GB', name: 'United Kingdom' },
```

```
{ locale: 'en-FR', name: 'France' } ]">
```

```
<p> Hello <span ng-bind = "name"></span></p>
```

```
<p> List of Countries with locale </p>
```

```
<ol>
```

```
<li ng-repeat = "country in countries">
  {{ country: ' + country.name + ', locale: ' + country.
  locale }}
```

```
</li>
```

```
</ol>
```

```
</div>
```

```
<script src = "https://ajax.googleapis.com/ajax/
lib/angularJS/1.3.14/angular.min.js">
```

```
</script>
```

```
</body> </html>
```

