```
Cowse > MCA 3C
                 Rd no > 2001033
                   Subject > full stack bractical
Ans >1
          < html >
            < head >
             < tell > Angular J. Directives </ title >
          «Thead>
          < body>
           Chi>Sample </hi>
          2 div ng - app =" " ng- enit = " countries = [ { locat : 'en- India 'name ; India '}
          { local: 'en-GB', nam: 'United Kingdom' }, (local: 'en-f.k', nam: france' 3]">

    LP> hello < Span ng - bind = "name" > </span >! 
        List of Countries with local :

< { Country: ' + Country .nome + 'Local: ' + Country . local }}
</pre>
           21117
          </10/>
          21 din >

    Sexept Suc = "http:/ajax.googloapis.com/ajax/dibs/angulaxis/1.3.1.4/angular.min.js">

          < / script >
          </body>
```

Nome > Anshal Kawat

41 html>



Name > Anshul Rawat

Cowy > MCA 3C

Roll no > 2001033

Subject > feel stack Bratical

An\$>2

Var http = region ("http")

Var Server = http. Create Server ((function (suguest, susponse)

respons. Write Head (200,

¿" Content - Type ": "text / plain" });

supports. end ("My name is Anshul;" I am from graphic Era

hill University: \n");

3)));

Server listen (7000);

Consol lag (" listening to the Sorner");

