
a.	Name: Puohpush Secte Page Men Rollno: 2001ito
Che:	
- Solve:	Var http = vequire ("Http")
+	Var Somer = HHP. Create vocuur (1 function (
1	vequest vesponce)
	1 D 1 D 2
	L'" Content Type": text plain '9: susponce End (" uny I cam brown Graphic ora hill univerity: \n'):
	Conlent Type": text plain 9;
	susponce End (un fram Graphic era hill
	university · \n');
	99;
	Server lister (7000);
	Consale log (" l'istning its Server");

← → C ☆ ⑤ localhost:7000

I am from Graphic Era Hill University.



Name: Pushpush sect c Page	TX.
COURSES MCA Rollnos 2001110	
COORSE: FICH ROMAN CONTROL	
CHeady of the characteristics	
1 title > Oca la Ta Quistire 1/1title >	
L'ittle > Angular Js Directive C/ititle >	
1 heads	
	111
the color than	
2 cliv. ng-app="ng. unit = "Countries":	=[]
locale: en-India, name: Inclia 9:	
l'Icalei en-GiB', name ", united l'ringelan	.4.
{ locale en PR', name: Prance 4] >	
100 Cote warm same (via Out trace	"tost" na
model="name"> LIP>	con ing
LPZ Hello (Span ng-bind = "name" > < 131	mn>1
1100 CSparing-war - name 7215	
LPS diet of Counteries with clocate: <1P>	
2017 COLY	
(li na vocent - " Cauntus in countries"	,
(1i ng-vereat = "Country in Counteries") 28' Country! + Country name + , locale:	1_
Caurty locale 33	
2/li>	
1101	
2101>	
Cclivy	





Q1. Write a program to create an item collection and clones the items using AngularJS directives.

Sample

Enter your Name: hello thereasdfal Hello hello there ... asdfal!

- Country South Korea, Locale ko_KR
 Country Italy, Locale at_IT
 Country China, Locale zh_CN

List of Countries with locale