Naneur Singh MCA >3B Full Stack End Term "Practical: Q17 index html: (1 Loctype html) <htmld lang = "un 39> (moda charset = "UTF-839) <title> </title>
Link href = "animation - (85) rel = "styleshed"


type = "tex +/(51)) Chody ong-app = "me Repeat))>

Kliv ng-controller = "reapeat Controller">>>

Kliv ng-controller = "reapeat Controller">>>

Kliv ng-controller = "remone First ()">>> Remone First </ Button> Shutton mg-click = "updateAge () 19)
Update Age
Shutton mg-click = "copy() > copy

</pre (for) < fulton ng - click = "reset () >>> Reset lit (lautton) < code) track by Tid (friend) </ (ode) Lul class = "example -aminate - containe




Cli class = "animate-repeat ?) ng-repeat = 22 frend name I er 25 prend ogets years old (/li) (code) track by Sid (freend) (Kode) (default) with age one-time tending: <le class = (animate - sopeat) ng-repeat = "freind in friends 33) II frein I . name IJ is II: : frein I - a ge IJ years old -< code > trait by freint. name < / code > gueth age one-time hinding:

(le class = "animate-confamer")

(frein d'in frein de track by freind name ?)


(frein d'in frein de track by freind age is years old. (code) track by Sindex (code), with age Lul dass = " ex ample - animalim - contained" ass = " animate-repeat ? " mg-repeat = Ed preind name z 18 25: preind. age 33



Scope (opy = function () \$ scope friends = angular copy (\$ scope & Scope reset = function () I scope reset = from them () } I scope - freends = angular-copy (freends); & Scope . reset (); [] (window -angular);

Remove First Update Age Copy Reset List track by \$id(friend) (default): track by \$id(friend) (default), with age one-time binding: track by friend.name, with age one-time binding: track by \$index, with age one-time binding: Remove First Update Age Copy Reset List track by \$id(friend) (default): Student 1 is 21 years old. Student 2 is 22 years old. track by \$id(friend) (default), with age one-time binding: Student 1 is 21 years old. Student 2 is 22 years old. track by friend.name, with age one-time binding: Student 1 is 21 years old. Student 2 is 22 years old. track by \$index, with age one-time binding: Student 1 is 21 years old. Student 2 is 22 years old.

Naneen Singh MCA -> 3B Full stack End Term Proctial:



(onet http = require ("http?)

const server = http.createServer ((req. rex) =) \(\frac{1}{2} \)

if (req. whl == "/")

res. and (" You are at home page")

else if (req. unl == "/contact")

res. and (" You are at contacts")

clse

res. writeHead(404)

res. writeHead(404)

res. and ("Listening to the server")

\[
\frac{1}{2} \]

\[
\fr



You are at home page























