Name — Sana Parveen
Roll No — 2001128
Course — MCA 3C
Subject Code — PMC303
Date — 25-01-22

Ans 1 —

```html
<html>
    <head>
    <title>Angular js directive</title>
    </head>

    <body>
    <h1>Full Stack Question 1 </h1>

    <div ng-app = "" ng-init = "countries = [{
    local:'en-India', name:'India'},
    {locale: 'en-GB', name:'United Kingdom'},
    {locale:'en-FR', name:'France'}]">

    <p>Hello <span ng-bind="name"></span>!</p>
    <p>List of Countries with locale:</p>
    <ol>

    <li ng-repeat="country in countries">
        {{'Country:" + country.name +',Locale:" +
        country.locale }}

    </li>
    </ol>
    </div>

    <script src="https://ajax.googleapis.com/ajax/libs/angularjs/
            1.3.14/angular.min.js">
    </script>
    </body>
    </html>
```

Full Stack Question 1

Hello !

List of Countries with locale:

1. Country: India, Locale: en-India
2. Country: United Kingdom, Locale: en-GB
3. Country: France, Locale: en-FR

Ans 2 –

```
const http = require("http")
const server = http. createServer((req, res) => {
    if (req.url == "/")
    res. end("You are at home page")
    else if (req.url == "/contact")
    res. end("You are at contacts")
    else
    res. writeHead(404)
    res. end()
})

server. listen (4002, "127.0.0.1", () => {
console. log ("Listening to the graphic era server....")
})
```

```
Last login: Mon Jan 31 10:24:10 on ttys000
[→   ~ nano node.js
[→   ~ node node.js
Listening to the graphic era server....
▌
```

You are at home page