

Pattern making using looping statement

```
print(' inverse numbers row-right angled triangle')
print('-'*40)
for i in range(6,0,-1):# for inverse -1
    for j in range(0,i):
        print(i,end=' ')
    print()
```

```
inverse numbers row-right angled triangle
-----
6 6 6 6 6 6
5 5 5 5 5
4 4 4 4
3 3 3
2 2
1
```

```
print('inverse-upper case column-right angled triangle')
print('-'*40)
for i in range(6,0,-1):
    for j in range(0,i):
        print(chr(j+65), end=' ')
    print()
```

```
inverse-upper case column-right angled triangle
-----
A B C D E F
A B C D E
A B C D
A B C
A B
A
```

```
print('inverse lower case column-right angled triangle')
print('-'*40)
for i in range(6,0,-1):
    for j in range(0,i):
        print(chr(j+65+32), end=' ')
    print()
```

```
inverse lower case column-right angled triangle
-----
a b c d e f
a b c d e
a b c d
a b c
a b
a
```

```
print(' inverse numbers column-right angled triangle')
print('-'*40)
for i in range(6,0,-1):# for inverse -1
    for j in range(0,i):
        print(j,end=' ')
    print()
```

```
inverse numbers column-right angled triangle
-----
0 1 2 3 4 5
0 1 2 3 4
0 1 2 3
0 1 2
0 1
0
0
```

```
print('inverse-upper case row-right angled triangle')
print('-'*40)
for i in range(6,0,-1):
    for j in range(0,i):
        print(chr(i+64), end=' ')
    print()
```

```
inverse-upper case row-right angled triangle
-----
F F F F F F
E E E E E
D D D D
C C C C
B B
A
```

Ascii code and bin code

```
print('ascii code and targer management code for KIWI ANTONELLI')
print('_'*60)
for i in 'KIWI ANTONELLI':
    print(i,'-->',ord(i),bin(ord(i)))
```

ascii code and targer management code for KIWI ANTONELLI

```
K --> 75 0b1001011
I --> 73 0b1001001
W --> 87 0b1010111
I --> 73 0b1001001
  --> 32 0b1000000
A --> 65 0b1000001
N --> 78 0b1001110
T --> 84 0b1010100
O --> 79 0b1001111
N --> 78 0b1001110
E --> 69 0b1000101
L --> 76 0b1001100
L --> 76 0b1001100
I --> 73 0b1001001
```

```
print('ascii code and targer management code for KIWI ANTONELLI')
print('_'*60)
for i in 'CARLOS SAINZ':
    print(i,'--> ',ord(i),bin(ord(i)))
```

ascii code and targer management code for KIWI ANTONELLI

```
C --> 67 0b1000011
A --> 65 0b1000001
R --> 82 0b1010010
L --> 76 0b1001100
O --> 79 0b1001111
S --> 83 0b1010011
  --> 32 0b1000000
S --> 83 0b1010011
A --> 65 0b1000001
I --> 73 0b1001001
N --> 78 0b1001110
Z --> 90 0b1011010
```

```
print('ascii code and targer management code for KIWI ANTONELLI')
print('_'*60)
for i in 'CHARLES LECLARC':
    print(i, ('--> '), ord(i), bin(ord(i)))
```

ascii code and targer management code for KIWI ANTONELLI

```
C --> 67 0b1000011
H --> 72 0b1001000
A --> 65 0b1000001
R --> 82 0b1010010
L --> 76 0b1001100
E --> 69 0b1000101
S --> 83 0b1010011
    --> 32 0b1000000
L --> 76 0b1001100
E --> 69 0b1000101
C --> 67 0b1000011
L --> 76 0b1001100
A --> 65 0b1000001
R --> 82 0b1010010
C --> 67 0b1000011
```

```
print('ascii code and targer management code for KIWI ANTONELLI')
print('_'*60)
for i in 'ISAAC HADJAR':
    print(i, ('--> '), ord(i), bin(ord(i)))
```

ascii code and targer management code for KIWI ANTONELLI

```
I --> 73 0b1001001
S --> 83 0b1010011
A --> 65 0b1000001
A --> 65 0b1000001
C --> 67 0b1000011
    --> 32 0b1000000
H --> 72 0b1001000
A --> 65 0b1000001
D --> 68 0b1000100
J --> 74 0b1001010
A --> 65 0b1000001
R --> 82 0b1010010
```

```
print('ascii code and targer management code for KIWI ANTONELLI')
print('_'*60)
for i in 'LINDBALD':
    print(i, ('--> '), ord(i), bin(ord(i)))
```

ascii code and targer management code for KIWI ANTONELLI

```
L --> 76 0b1001100
I --> 73 0b1001001
N --> 78 0b1001110
D --> 68 0b1000100
B --> 66 0b1000010
A --> 65 0b1000001
L --> 76 0b1001100
D --> 68 0b1000100
```