

AI-Powered Security Analysis

Target URL	Scan Date	Scan ID
Total Findings	Powered By	

Executive Summary

0
Critical
0
High
6
Medium
17
Low
23
Total

The security assessment of http://host.docker.internal:8888/ revealed a moderate risk posture with 23 findings, including 6 medium-severity issues. An attacker could potentially exploit these vulnerabilities to gain unauthorized access to sensitive information or disrupt the application. The most significant risks are related to broken access control and security misconfiguration, which could lead to a data breach, compliance issues, and reputational damage. To mitigate these risks, we recommend prioritizing the remediation of medium-severity issues, starting with the missing anti-clickjacking header and content security policy header not set on the login page, as these could allow an attacker to manipulate user interactions and inject malicious content. By addressing these vulnerabilities, we can reduce the risk of a security incident and protect the organization's assets and reputation.

Vulnerability Findings (23 total)

Severity	Vulnerability	OWASP Category	CVSS	Affected URL	Recommendation
Medium	Missing Anti-Clickjacking Header	A05:2021 - Security Misconfiguration	5.3	http://host.docker.internal:8888/login.php	Add the X-Frame-Options header with the value DENY or SAMEORIGIN to your web server configuration. For Nginx, add 'add_header X-Frame-Options DENY;' to your server block. For Apache, add 'Header always...

Business Impact: Without this header, attackers can embed your login page in an invisible iframe to trick users into submitting credentials to a malicious site, leading to potential data breaches and financial losses.

Medium	Content Security Policy Header Not Set	A05:2021 - Security Misconfiguration	5.3	http://host.docker.internal:8888/login.php	Configure your web server to set the Content-Security-Policy header with a suitable policy, such as 'Content-Security-Policy: default-src 'self'; script-src 'self' https://cdn.example.com; object-src ...
--------	--	--------------------------------------	-----	--	---

Business Impact: Without a Content Security Policy, your website is vulnerable to cross-site scripting attacks, which can lead to data theft, financial losses, and damage to your reputation.

Medium	Content Security Policy Header Not Set	A05:2021 - Security Misconfiguration	5.3	http://host.docker.internal:8888/setup.xml	Configure your web server to set the Content-Security-Policy header with a suitable policy, such as: 'Content-Security-Policy: default-src 'self'; script-src 'self' https://cdn.example.com; object-src ...
--------	--	--------------------------------------	-----	--	--

Business Impact: Without a Content Security Policy, your website is vulnerable to cross-site scripting attacks, which can lead to data theft, financial losses, and damage to your reputation.

Medium	Directory Browsing	A01:2021 - Broken Access Control	5.3	http://host.docker.internal:8888/dvwa/css/	Disable directory browsing by configuring your web server to not display directory listings. For Apache, add 'Options -Indexes' to your configuration file. For Nginx, add 'autoindex off;' to your serv...
--------	--------------------	----------------------------------	-----	--	---

Business Impact: With directory browsing enabled, sensitive files and directories may be exposed, potentially leading to data breaches, intellectual property theft, and compliance issues.

Medium	Directory Browsing	A01:2021 - Broken Access Control	5.3	http://host.docker.internal:8888/dvwa/images/	Disable directory browsing by configuring your web server to not display directory listings. For Apache, add 'Options -Indexes' to your configuration file. For Nginx, add 'autoindex off;' to your serv...
--------	--------------------	----------------------------------	-----	---	---

Business Impact: With directory browsing enabled, sensitive files and directories may be exposed, potentially leading to data breaches, intellectual property theft, and compliance issues.

Medium	Directory Browsing	A01:2021 - Broken Access Control	5.3	http://host.docker.internal:8888/dvwa/	Disable directory browsing by setting 'Options -Indexes' in your Apache configuration file or 'index off' in your Nginx configuration file. Ensure that no sensitive files are exposed in the directory....
--------	--------------------	----------------------------------	-----	--	---

Business Impact: If directory browsing is not disabled, an attacker can easily discover and access sensitive files, potentially leading to data breaches and reputational damage.

Low	Cookie No HttpOnly Flag	A05:2021 - Security Misconfiguration	3.1	http://host.docker.internal:8888/	Ensure that the HttpOnly flag is set for all cookies.
-----	-------------------------	--------------------------------------	-----	-----------------------------------	---

Business Impact: This issue represents a low-severity misconfiguration that could aid attackers in reconnaissance.

Low	Cookie No HttpOnly Flag	A05:2021 - Security Misconfiguration	3.1	http://host.docker.internal:8888/	Ensure that the HttpOnly flag is set for all cookies.
Business Impact: This issue represents a low-severity misconfiguration that could aid attackers in reconnaissance.					

Low	Cookie No SameSite Attribute	A05:2021 - Security Misconfiguration	3.1	http://host.docker.internal:8888/	Ensure that the SameSite attribute is set to either 'lax' or ideally 'strict' for all cookies.
Business Impact: This issue represents a low-severity misconfiguration that could aid attackers in reconnaissance.					

Low	Cookie No SameSite Attribute	A05:2021 - Security Misconfiguration	3.1	http://host.docker.internal:8888/	Ensure that the SameSite attribute is set to either 'lax' or ideally 'strict' for all cookies.
Business Impact: This issue represents a low-severity misconfiguration that could aid attackers in reconnaissance.					

Low	Server Leaks Version Information	A05:2021 - Security Misconfiguration	3.1	http://host.docker.internal:8888/	Ensure that your web server, application server, load balancer, etc. is configured to suppress the "Server" header or provide generic details.
Business Impact: This issue represents a low-severity misconfiguration that could aid attackers in reconnaissance.					

Low	Server Leaks Version Information	A05:2021 - Security Misconfiguration	3.1	http://host.docker.internal:8888/login.php	Ensure that your web server, application server, load balancer, etc. is configured to suppress the "Server" header or provide generic details.
-----	-------------------------------------	---	-----	--	--

Business Impact: This issue represents a low-severity misconfiguration that could aid attackers in reconnaissance.

Low	X-Content-Type-Options Header Missing	A05:2021 - Security Misconfiguration	3.1	http://host.docker.internal:8888/login.php	Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages. If possible, ensure that the end u...
-----	--	---	-----	--	---

Business Impact: This issue represents a low-severity misconfiguration that could aid attackers in reconnaissance.

Low	Server Leaks Version Information	A05:2021 - Security Misconfiguration	3.1	http://host.docker.internal:8888/dywa/css/login.css	Ensure that your web server, application server, load balancer, etc. is configured to suppress the "Server" header or provide generic details.
-----	-------------------------------------	---	-----	---	--

Business Impact: This issue represents a low-severity misconfiguration that could aid attackers in reconnaissance.

Low	Server Leaks Version Information	A05:2021 - Security Misconfiguration	3.1	http://host.docker.internal:8888/robots.txt	Ensure that your web server, application server, load balancer, etc. is configured to suppress the "Server" header or provide generic details.
-----	-------------------------------------	---	-----	---	--

Business Impact: This issue represents a low-severity misconfiguration that could aid attackers in reconnaissance.

Low	In Page Banner Information Leak	A05:2021 - Security Misconfiguration	3.1	http://host.docker.internal:8888/sitemap.xml	Configure the server to prevent such information leaks. For example: Under Tomcat this is done via the "server" directive and implementation of custom error pages. Under Apache this is done via the "S...
-----	------------------------------------	---	-----	--	---

Business Impact: This issue represents a low-severity misconfiguration that could aid attackers in reconnaissance.

Low	Server Leaks Version Information	A05:2021 - Security Misconfiguration	3.1	http://host.docker.internal:8888/dywa/images/RandomStorm	Ensure that your web server, application server, load balancer, etc. is configured to suppress the "Server" header or provide generic details.
-----	-------------------------------------	---	-----	--	--

Business Impact: This issue represents a low-severity misconfiguration that could aid attackers in reconnaissance.

Low	Server Leaks Version Information	A05:2021 - Security Misconfiguration	3.1	http://host.docker.internal:8888/dywa/images/login_logo.png	Ensure that your web server, application server, load balancer, etc. is configured to suppress the "Server" header or provide generic details.
-----	-------------------------------------	---	-----	---	--

Business Impact: This issue represents a low-severity misconfiguration that could aid attackers in reconnaissance.

Low	X-Content-Type-Options Header Missing	A05:2021 - Security Misconfiguration	3.1	http://host.docker.internal:8888/dywa/css/login.css	Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages. If possible, ensure that the end u...
-----	--	---	-----	---	---

Business Impact: This issue represents a low-severity misconfiguration that could aid attackers in reconnaissance.

Low	X-Content-Type-Options Header Missing	A05:2021 - Security Misconfiguration	3.1	http://host.docker.internal:8888/dywa/robots.txt	Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages. If possible, ensure that the end u...
-----	--	---	-----	--	---

Business Impact: This issue represents a low-severity misconfiguration that could aid attackers in reconnaissance.

Low	X-Content-Type-Options Header Missing	A05:2021 - Security Misconfiguration	3.1	http://host.docker.internal:8888/	Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages. If possible, ensure that the end u...
-----	---------------------------------------	--------------------------------------	-----	-----------------------------------	---

Business Impact: This issue represents a low-severity misconfiguration that could aid attackers in reconnaissance.

Low	X-Content-Type-Options Header Missing	A05:2021 - Security Misconfiguration	3.1	http://host.docker.internal:8888/	Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages. If possible, ensure that the end u...
-----	---------------------------------------	--------------------------------------	-----	-----------------------------------	---

Business Impact: This issue represents a low-severity misconfiguration that could aid attackers in reconnaissance.

Low	Server Leaks Version Information	A05:2021 - Security Misconfiguration	3.1	http://host.docker.internal:8888/	Ensure that your web server, application server, load balancer, etc. is configured to suppress the "Server" header or provide generic details.
-----	----------------------------------	--------------------------------------	-----	-----------------------------------	--

Business Impact: This issue represents a low-severity misconfiguration that could aid attackers in reconnaissance.