

This is a copy of a shared ChatGPT chat. It won't be added to memory.

Report conversation

Wednesday 1:15 AM

📎 Uploaded a file 📎 Uploaded a file 📎 Uploaded a file

i have attached 2 pdf's that have the details of my SIH problem statement, it's solution and the tech stack + methodology/guide to build it.

The attached ppt is the template with instructions given in it. I need content to make the ppt and submit it.

Generate the content for each slide that i can copy paste and the content should match what's in the attached pdf's. DO NOT add anything on your own or search from the web.



is this image 2 looking too much AI ?



is this good for image 1 ?



What about this?

Today 12:15 AM

 Uploaded a file

This is for the prototype. I have scrapped person4 and all topics related to it.

Now 3 people work hand in hand for backend + Ai/OCR.

Split the task for them. and create a plan. I have created a supabase project, shared the supabase url, anon key and secret role key.

Give prompts for the Ai/ocr part

Today 12:51 PM



"OCR/extraction/evidence complete and pushed to feature/ocr , tested end-to-end with real Tesseract + Gemini, contract change flagged for sign-off." ... i've attached the branches i've made in the github repository, tell me how to combine them once the work is done for backend and frontend.

Yes — this diff is exactly the change we intended. It only adds `.env` loading to the standalone OCR test; it does **not** modify the OCR implementation itself.

The important addition is:

```
from dotenv import load_dotenv

REPO_ROOT = Path(__file__).resolve().parents[2]
load_dotenv(REPO_ROOT / ".env")
```

That fixed your test without hard-coding the Tesseract path into the source.

Commit this change

Run:

```
git add backend/scripts/test_ocr_service.py
```

</> cmd



Then verify:

</> cmd



You want:

```
nothing to commit, working tree clean
```



Then push `develop` :

</> cmd



One important point

`python-dotenv` is now a dependency of the test script, so **someone cloning the repo will need it installed**.

We still haven't added a dependency manifest because the repository doesn't currently have one. Don't worry about that immediately—we can address the complete dependency

setup after checking the backend branch, since `feature/backend` may introduce its own dependency expectations.

After pushing

Run the remaining OCR tests on `develop` :

```
</> cmd
```



```
</> cmd
```



```
</> cmd
```



Don't merge `feature/backend` **yet**. Get those three results first. If they all pass, then we'll have a properly verified OCR/extraction/evidence implementation before bringing the backend into `develop` .

```
(.venv) C:\PROJECTS\decision-provenance-  
platform>python backend/scripts/test_evidence_service.py  
Traceback (most recent call last):  
  File "C:\PROJECTS\decision-provenance-  
platform\backend\scripts\test_evidence_service.py", line  
19, in <module>  
    from app.services import evidence_service  
  File "C:\PROJECTS\decision-provenance-  
platform\backend\app\services\evidence_service.py", line  
37, in <module>  
    from rapidfuzz import fuzz
```

Show more ▾

That's another **missing Python dependency**, and this time it's for the evidence-linking layer.

The traceback is clear:

```
backend/app/services/evidence_service.py
from rapidfuzz import fuzz

ModuleNotFoundError: No module named 'rapidfuzz'
```



So the situation is:

- OCR test →  passed
- Evidence test →  missing `rapidfuzz`
- Integration test →  same missing dependency
- This is **not an evidence-service logic failure** yet.

1. Install RapidFuzz

Run:

```
</> cmd
```



Then verify:

```
</> cmd
```



You should get:

```
100.0
```



2. Rerun both failing tests

```
</> cmd
```



then:

```
</> cmd
```



If either produces another `ModuleNotFoundError`, paste that output.

Don't commit `rapidfuzz` manually yet

We're still discovering the actual dependency set. So **install it into your `.venv` for testing, but don't create a requirements file or commit anything yet.**

At this point your dependency discovery looks like:

PyMuPDF	✓
opencv-python	✓
pytesseract	✓
Pillow	✓
Pydantic	✓
python-dotenv	✓
rapidfuzz	⌚ ← install now
Tesseract	✓

Once the OCR → extraction → evidence tests are all passing, we'll collect the **actual imports from the merged code** and create one proper dependency manifest rather than continuing this one-package-at-a-time process.

Run:

```
python -m pip install rapidfuzz
```

</> cmd

and send me the result.

```
(.venv) C:\PROJECTS\decision-provenance-  
platform>python  
backend/scripts/test_integration_ocr_extraction_evidence.p  
y  
warning: The fitz API is deprecated and will be removed  
in future. Use import pymupdf instead.  
Generating synthetic sample PDF at C:\PROJECTS\decision-  
provenance-  
platform\backend\scripts\_integration_sample.pdf  
  
[1/3] Running REAL Tesseract OCR via  
Show more ▾
```

Good — this is actually useful progress. The **OCR portion of the full integration test passed:**

```
[1/3] Running REAL Tesseract OCR via process_document()...  
-> 2 pages, overall_mean_confidence=0.9567
```



So Tesseract + OCR + the pipeline are working.

The failure is now only because the Gemini Python SDK isn't installed:

```
ModuleNotFoundError: No module named 'google'
```



The code is doing:

```
</> Python
```



▶ Run

1. Install the Gemini SDK

Run:

```
</> cmd
```



Then verify:

```
</> cmd
```



You should see:

```
google-genai OK
```



2. Rerun the integration test

```
</> cmd
```



This time you should get past:

```
[1/3] REAL Tesseract OCR
```



and reach:

[2/3] GEMINI_API_KEY is set – calling the REAL Gemini API...



Then Gemini will actually process the OCR output.

Important

Don't change the code because of this error. This is a missing environment dependency, not a bug in `extraction_service.py`.

Your current pipeline status is:

PDF



Tesseract OCR



OCRDocumentResult



Gemini structured extraction



google-genai missing



Evidence linking



Validation



Install `google-genai` and rerun the **same integration test**. If Gemini then gives an API/configuration error, paste that output—we'll handle that separately rather than changing the implementation prematurely.

ChatGPT can make mistakes. Check important info.