

```

<!DOCTYPE html>

<html>

<head>

  <meta charset="utf-8" />

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <meta name="author" content="Anusha">

  <meta name="description" content="This is my fist web page ">

  <title>Home Page</title>

  <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-Vkoo8x4CGsO3+Hhvx8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">

  <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Open+Sans">

  <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-awesome/4.7.0/css/font-
awesome.min.css">

  <script src="https://ajax.googleapis.com/ajax/libs/jquery/1.12.4/jquery.min.js"></script>

  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>

  <link rel="stylesheet" href="https://code.jquery.com/ui/1.12.1/themes/base/jquery-ui.css">

  <meta name="viewport" content="width=device-width, initial-scale=1">

<!--modal concept-->

<style>

  body {font-family: Arial, Helvetica, sans-serif;}

  /* The Modal (background) */

  .modal {

    display: none; /* Hidden by default */

    position: fixed; /* Stay in place */

    z-index: 1; /* Sit on top */

    padding-top: 100px; /* Location of the box */

    left: 0;

    top: 0;

    width: 100%; /* Full width */

```

```
height: 100%; /* Full height */  
overflow: auto; /* Enable scroll if needed */  
background-color: rgb(0,0,0); /* Fallback color */  
background-color: rgba(0,0,0,0); /* Black w/ opacity */  
}
```

```
/* Modal Content */  
.modal-content {  
background-color: #fe8;  
margin: auto;  
padding: 20px;  
border: 1px solid #888;  
width: 80%;  
}
```

```
/* The Close Button */  
.close {  
color: #aaaaaa;  
float: right;  
font-size: 28px;  
font-weight: bold;  
}
```

```
.close:hover,  
.close:focus {  
color: #000;  
text-decoration: none;  
cursor: pointer;  
}
```

```
</style>
```

```
<style>
```

```
body {font-family: Arial, Helvetica, sans-serif;}
```

```
/* The Modal (background) */
```

```
.modal1 {
```

```
display: none; /* Hidden by default */
```

```
position: fixed; /* Stay in place */
```

```
z-index: 1; /* Sit on top */
```

```
padding-top: 100px; /* Location of the box */
```

```
left: 0;
```

```
top: 0;
```

```
width: 100%; /* Full width */
```

```
height: 100%; /* Full height */
```

```
overflow: auto; /* Enable scroll if needed */
```

```
background-color: rgb(0,0,0); /* Fallback color */
```

```
background-color: rgba(0,0,0,0.4); /* Black w/ opacity */
```

```
}
```

```
/* Modal Content */
```

```
.modal1-content {
```

```
background-color: #fe8;
```

```
margin: auto;
```

```
padding: 20px;
```

```
border: 1px solid #888;
```

```
width: 80%;
```

```
}
```

```
/* The Close Button */
```

```
.close {  
  
color: #aaaaaa;  
  
float: right;  
  
font-size: 28px;  
  
font-weight: bold;  
  
}
```

```
.close:hover,  
.close:focus {  
  
color: #000;  
  
text-decoration: none;  
  
cursor: pointer;  
  
}
```

```
</style>
```

```
<style>
```

```
body {font-family: Arial, Helvetica, sans-serif;}
```

```
/* The Modal (background) */  
.modal2 {  
  
display: none; /* Hidden by default */  
  
position: fixed; /* Stay in place */  
  
z-index: 1; /* Sit on top */  
  
padding-top: 100px; /* Location of the box */  
  
left: 0;  
  
top: 0;  
  
width: 100%; /* Full width */  
  
height: 100%; /* Full height */  
  
overflow: auto; /* Enable scroll if needed */  
  
background-color: rgb(0,0,0); /* Fallback color */
```

```
background-color: rgba(0,0,0,0.4); /* Black w/ opacity */  
}
```

```
/* Modal Content */  
.modal2-content {  
background-color: #fe8;  
margin: auto;  
padding: 20px;  
border: 1px solid #888;  
width: 80%;  
}
```

```
/* The Close Button */  
.close {  
color: #aaaaaa;  
float: right;  
font-size: 28px;  
font-weight: bold;  
}
```

```
.close:hover,  
.close:focus {  
color: #000;  
text-decoration: none;  
cursor: pointer;  
}
```

```
</style>
```

```
<style>  
.accordion {
```

```
background-color: #eee;
```

```
color: #444;
```

```
cursor: pointer;
```

```
padding: 18px;
```

```
width: 100%;
```

```
border: none;
```

```
text-align: left;
```

```
outline: none;
```

```
font-size: 15px;
```

```
transition: 0.4s;
```

```
}
```

```
.active, .accordion:hover {
```

```
background-color: #ccc;
```

```
}
```

```
.panel {
```

```
padding: 0 18px;
```

```
display: none;
```

```
background-color: white;
```

```
overflow: hidden;
```

```
}
```

```
</style>
```

```
<!--blink-->
```

```
<style>
```

```
.blink {
```

```
animation: blinker 2.5s linear infinite;
```

```
color: #1c87c9;
```

```
font-size: 23px;
```

```
font-weight: bold;
```

```
font-family:"Palatino Linotype", "Book Antiqua", Palatino, serif;

}

@keyframes blinker {

50% { opacity: 0; }

}

.blink-one {

animation: blinker-one 1s linear infinite;

}

@keyframes blinker-one {

0% { opacity: 0; }

}

.blink-two {

animation: blinker-two 2.4s linear infinite;

}

@keyframes blinker-two {

100% { opacity: 1; }

}

</style>
```

```
<!--table-->
```

```
<style>

    table, td, th {

        border: 1px solid black;

    }


    table {

        border-collapse: collapse;

        width: 100%;

    }

    th {
```

```

        background-color: #000080;

        color: white;

        height: 50px;
    }

</style>

<!--vertical tab-->

        <style>

* {box-sizing: border-box}

body {font-family: "Lato", sans-serif;}

/* Style the tab */
.tab {

    float: left;

    border: 1px solid #ccc;

    background-color: #f1f1f1;

    width: 20%;

    height: 300px;

}

/* Style the buttons inside the tab */
.tab button {

    display: block;

    background-color: inherit;

    color: black;

    padding: 22px 16px;

    width: 100%;

    border: none;

    outline: none;

    text-align: left;

```



```

    cursor: pointer;

    transition: 0.3s;

    font-size: 17px;
}

/* Change background color of buttons on hover */
.tab button:hover {
    background-color: #ddd;
}

/* Create an active/current "tab button" class */
.tab button.active {
    background-color: #ccc;
}

/* Style the tab content */
.tabcontent {
    float: left;
    padding: 0px 12px;
    border: 1px solid #ccc;
    width: 80%;
    border-left: none;
    height: 300px;
}

</style>

<!--pagination-->

<style>
    .center {
        text-align: center;

```

```
}
```

```
.pagination {  
  display: inline-block;  
}
```

```
.pagination a {  
  color: black;  
  float: left;  
  padding: 8px 16px;  
  text-decoration: none;  
  transition: background-color .3s;  
  border: 1px solid #ddd;  
  margin: 0 4px;  
}
```

```
.pagination a.active {  
  background-color: #4682B4;  
  color: white;  
  border: 1px solid #4CAF50;  
}
```

```
.pagination a:hover:not(.active) {background-color: #ddd;}
```

```
</style>
```

```
<!-- <style >
```

```
body {  
  background-image:url(backkk.jpg);  
}
```

</style> -->

</head>

<body style="background-color:#E2EDF5">

<header>

<nav class="navbar">

<div class="navbar-brand">

</div>

<ul class="navbar nav">

<!-- <div class="row"> -->

<div class="search-container">

<input type="text" size="40px" placeholder="Book your seats now.." >

<button type="submit" style="background-color:#C99"> <i class="fa fa-search"></i></button>

</div>

<ul class="navbar nav">

<li class="nav-item"> Home

<li class="nav-item"> Rates and Inventory

</nav>

</header>

<p class="blink" style="color:#F03" align="center" style="font-family:'Comic Sans MS', cursive">HOTEL OCTAVE..!!</p>

```
<div class="tab">

    <button class="tablinks" onclick="openCity(event, 'London')" id="defaultOpen"> Rates and Inventory</button>

    <button class="tablinks" onclick="openCity(event, 'Paris')"> Bookings </button>

    <button class="tablinks" onclick="openCity(event, 'Tokyo')" id="defaultOpen"> Price</button>

</div>
```

```
<div id="London" class="tabcontent">
```

```
<h3>Rates and Inventory</h3>
```

```
<p> Live bookings</p>
```

```
<div class="row" >
```

```
    <div class="col-6" >
```

```
        <form action="/action_page.php">
```

```
        <label for="birthdaytime">Checkin Date</label>
```

```
        <input type="datetime-local" id="birthdaytime" name="birthdaytime">
```

```
        <input type="submit">
```

```
    </form>
```

```
</div>
```

```
<div class="col-6" >
```

```
    <form action="/action_page.php">
```

```
    <label for="birthdaytime">Checkout Date</label>
```

```
    <input type="datetime-local" id="birthdaytime" name="birthdaytime">
```

```
    <input type="submit">
```

```
</form>
```

```
</div>
```

```
</div>
```

```
<br>
```

```

<table>

<tr>

<th>Channel</th>

<th>Booking ID</th>

<th>Booked On</th>

<th>Customer Name</th>

<th>No. of rooms</th>

<th>Total price</th>

<th>Total tax</th>

<th>Total payment</th>

<th>Status</th>

<th>Source</th>

<th>Comment</th>

</tr>

<tr>

<td>Booking.com</td>

<td>87654321</td>

<td>2020-06-10 06:30:19</td>

<td>Arun S</td>

<td>2</td>

<td>3000</td>

<td>300</td>

<td>3300</td>

<td>New</td>

<td>ezee</td>

<td>I want tea bags,Need breakfast.</td>

</tr>

</table>

```

```
<div class="center">

  <div class="pagination">

    <a href="#">&laquo;</a>

    <a href="#" class="active">1</a>

    <a href="#" >2</a>


    <a href="#">&raquo;</a>

  </div>

</div>


</div>

<div id="Paris" class="tabcontent">

  <h3>Bookings</h3>

  <br>

  <table>

    <tr>


      <th>Booking ID</th>

      <th>First Name</th>

      <th>Last Name</th>

      <th>Address</th>

      <th>Email id</th>

      <th>Phone</th>

    </tr>

    <tr>


      <td>87654321</td>

      <td>Arun</td>

      <td>S</td>

      <td>India</td>
```

```
<td>one@test.com</td>

<td>+91-9999999999</td>
```

```
</tr>

</table>

</div>
```

```
<div id="Tokyo" class="tabcontent">

<h3>Rates</h3>

<p>Rooms and their price.</p>
```

```
<table>

<tr>

<th>Booking ID</th>

<th>Room Name</th>

<th>Adult</th>

<th>Child</th>

<th>Sell Rate</th>

<th>Tax</th>

</tr>

<tr>
```

```
<td>87654321</td>

<td>Deluxe</td>

<td>2</td>

<td>0</td>

<td>1000.0</td>

<td>100.0</td>
```

```
</tr>

<tr>

<td>87654321</td>

<td>Suite</td>

<td>2</td>

<td>2</td>

<td>2000.0</td>

<td>200.0</td>
```

```
</tr>

</table>

</div>
```

```
<script>

function openCity(evt, cityName) {
    var i, tabcontent, tablinks;
    tabcontent = document.getElementsByClassName("tabcontent");
    for (i = 0; i < tabcontent.length; i++) {
        tabcontent[i].style.display = "none";
    }
    tablinks = document.getElementsByClassName("tablinks");
    for (i = 0; i < tablinks.length; i++) {
        tablinks[i].className = tablinks[i].className.replace(" active", "");
    }
    document.getElementById(cityName).style.display = "block";
    evt.currentTarget.className += " active";
}
```

```
// Get the element with id="defaultOpen" and click on it
```



```
document.getElementById("defaultOpen").click();
```

```
</script>
```

```
<br>
```

```
<br>
```

```
<br>
```

```
<br>
```

```
<br>
```

```
<br>
```

```
<br>
```

```
<br>
```

```
<br>
```

```
<br>
```

```
<br>
```

```
<br>
```

```
<br>
```

```
<footer style="background-color:#999">
```

```
<br>
```

```
<div class="row">
```

```
<div class="col-3">
```

```
<h5>Customer Care</h5>
```

```
<!--modal(pop up) code-->
```

```
<a id="myBtn" style="background-color:#999">Contact us</a>
```

```
<!-- The Modal -->
```

```
<div id="myModal" class="modal">
```

```
<!-- Modal content -->
```

```
<div class="modal-content">
```

```
<span class="close">&times;</span>
```

```
<p style="color:#FFF"> <h3 align="center" style="color:#603">Contact us</h3>
```

```
<br>
```

For any queries regarding the website, availability of room or issues in accessing, please contact

```
<br>
```

```
<br>
```

```
<h6> Administrator,</h6>
```

```
IC & SR, 3rd floor<br>
```

```
Jayanagar 7th Block<br>
```

```
Bangalore - 560050<br>
```

```
Tel : (044) 2257 5905 ; (044) 2257 5908<br>
```

```
support@hoteloctave.ac.in<br>
```

```
</p>
```

```
</div>
```

```
</div>
```

```
<script>
```

```
// Get the modal
```

```
var modal = document.getElementById("myModal");
```

```
// Get the button that opens the modal
```

```
var btn = document.getElementById("myBtn");
```

```
// Get the <span> element that closes the modal
var span = document.getElementsByClassName("close")[0];

// When the user clicks the button, open the modal
btn.onclick = function() {
    modal.style.display = "block";
}

// When the user clicks on <span> (x), close the modal
span.onclick = function() {
    modal.style.display = "none";
}

// When the user clicks anywhere outside of the modal, close it
window.onclick = function(event) {
    if (event.target == modal) {
        modal.style.display = "none";
    }
}

</script>
<br>

<a id="myBtn1" style="background-color:#999">About us</a>

<!-- The Modal -->
<div id="myModal1" class="modal" >

    <!-- Modal content -->
    <div class="modal1-content">
```

×

<p style="color:#FFF"> <h3 align="center" style="color:#603"> About us</h3>

We are one of the leading hospitality chains in India. Headquartered in New Delhi, the company opened its first hotel here in 1988.

Our hotel is a safe, gender agnostic place. Our message to the world is #PureLove and we welcome everyone without any discrimination on the basis of gender, sexual preferences, religion, physical abilities. We respect everyone's choices and celebrate diversity!

We believe every individual working with us possesses certain strengths and the organization should strive to leverage them.

We maintain open communication with each other and consciously communicate in a pleasant manner in order to have a positive impact.

</p>

</div>

</div>

<script>

// Get the modal

var modal1 = document.getElementById("myModal1");

// Get the button that opens the modal

var btn1 = document.getElementById("myBtn1");

// Get the element that closes the modal

var span1 = document.getElementsByClassName("close")[1];

// When the user clicks the button, open the modal

```
btn1.onclick = function() {  
    modal1.style.display = "block";  
}
```

```
// When the user clicks on <span> (x), close the modal  
span1.onclick = function() {  
    modal1.style.display = "none";  
}
```

```
// When the user clicks anywhere outside of the modal, close it  
window.onclick = function(event) {  
    if (event.target == modal1) {  
        modal1.style.display = "none";  
    }  
}
```

```
</script>
```

```
<br>
```

```
<a id="myBtn2" style="background-color:#999">Help/FAQ</a>
```

```
<!-- The Modal -->
```

```
<div id="myModal2" class="modal" >
```

```
<!-- Modal content -->
```

```
<div class="modal2-content">
```

```
<span class="close">&times;</span>
```

```
<p> <h3 align="center" style="color:#000"> Help/FAQ</h3>
```

```
<button class="accordion">Are taxes, service charges and other additional costs included in the  
total price?</button>
```

```
<div class="panel">
```

```
<h6>Yes. The taxes, service charges and other additional costs included in the total price.</h6>

</div>

<br>

<button class="accordion">Can i cancel my booking?</button>

<div class="panel">

    <h6>Yes. Cancellation of an booking must be requested at least 72 hours in advance.</h6>

</div>

<br>

<button class="accordion">Is the air conditioning free?</button>

<div class="panel">

    <h6>Yes, the air conditioning is free.</h6>

</div>

<button class="accordion">Does the hotel have wifi facility?</button>

<div class="panel">

    <h6>Yes, the hotel has wifi facility.</h6>

</div>

<button class="accordion">Does all the rooms hava a pool view?</button>

<div class="panel">

    <h6>No, all the rooms does not have a pool view. </h6>

</div>

<button class="accordion">How far is the hotel from the shopping area in the town?</button>

<div class="panel">

    <h6> It is about 2 km from our hotel to the shopping areas in town, it is a pleasant walk which
    goes past the public park. </h6>

</div>

<script>

var acc = document.getElementsByClassName("accordion");

var i;
```

```
for (i = 0; i < acc.length; i++) {  
    acc[i].addEventListener("click", function() {  
        this.classList.toggle("active");  
        var panel = this.nextElementSibling;  
        if (panel.style.display === "block") {  
            panel.style.display = "none";  
        } else {  
            panel.style.display = "block";  
        }  
    });  
}  
</script>
```

</p>

</div>

</div>

<script>

// Get the modal

var modal2 = document.getElementById("myModal2");

// Get the button that opens the modal

var btn2 = document.getElementById("myBtn2");

// Get the element that closes the modal

var span2 = document.getElementsByClassName("close")[2];

// When the user clicks the button, open the modal

```
btn2.onclick = function() {  
    modal2.style.display = "block";  
}
```

```
// When the user clicks on <span> (x), close the modal
```

```
span2.onclick = function() {  
    modal2.style.display = "none";  
}
```

```
// When the user clicks anywhere outside of the modal, close it
```

```
window.onclick = function(event) {  
    if (event.target == modal2) {  
        modal2.style.display = "none";  
    }  
}
```

</script>

</div>

<div class="col-3">

Reach us

For any query please email us

customer@hoteloctave.com

</div>

<div class="col-3">

Find us on

```
<div class="row">
```

```
<span class="fa fa-facebook fa-2x"></span>
```


[illegible]

</div>

</div>

</div>

<div class="row bg-dark text-light">

<div class="col-12 text-center">

<h6 class="text-center">©HotelOctave 2020 ®all rights reserved</h6>

</div>

</div>

<script src="https://code.jquery.com/jquery-3.3.1.slim.min.js" integrity="sha384-q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo" crossorigin="anonymous"></script>

<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js" integrity="sha384-UO2eT0CpHqdSJQ6hJty5KVphtPhzWj9WO1clHTMGa3JDZwrnQq4sF86dIHNDz0W1" crossorigin="anonymous"></script></script>

<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js" integrity="sha384-JjSmVgyd0p3pXB1rRibZUAYoIlly6OrQ6VrjIEaFf/njGzlxFDsf4x0xIM+B07jRM" crossorigin="anonymous"></script>

</footer>

</body>

</html>