

SE - LAB 7

Name: Akshay Anil Kumar
SRN: PES2UG24CS049
Section: A

Step 2 Screenshot (Doesn't handle unexpected inputs):





Step 4 Screenshots (Test Cases failing):

```
Akki@Ajays-MacBook Lab 7 % python3 -m pytest -v test_mobile_data_plan.py
============================================= test session starts ==============================================
platform darwin -- Python 3.14.7, pytest-9.2.0, pluggy-1.7.0 -- /Library/Frameworks/Python.framework/Versions/3.14/bin/python3
cachedir: .pytest_cache
hypothesis profile 'default'
rootdir: /Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7
plugins: hypothesis-6.170.14, anyio-4.14.2
collected 3 items

test_mobile_data_plan.py::test_parse_plan_no_crash FAILED                                              [ 33%]
test_mobile_data_plan.py::test_usage_average_no_crash FAILED                                           [ 66%]
test_mobile_data_plan.py::test_payable_bill_no_crash FAILED                                            [100%]
```

```
================================================= FAILURES =================================================
_____________________________________________ test_parse_plan_no_crash _____________________________________________
  + Exception Group Traceback (most recent call last):
  |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/test_mobile_data_plan.py", line 8, in test_parse_plan_no_crash
  |     def test_parse_plan_no_crash(s):
  |                ^^^
  | ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
  +-+---------------- 1 ----------------
    | Traceback (most recent call last):
    |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/test_mobile_data_plan.py", line 10, in test_parse_plan_no_crash
    |     parse_plan(s)
    |     ~~~~~~~~~~^^^
    |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/mobile_data_plan.py", line 3, in parse_plan
    |     return plan.strip().title(), float(gb)
    |                          ~~~~~^^^^
    | ValueError: could not convert string to float: ''
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/test_mobile_data_plan.py", line 12, in test_parse_plan_no_crash
    |     assert False, f"parse_plan crashed with input {s!r}: {e}"
    | AssertionError: parse_plan crashed with input ':': could not convert string to float: ''
    | assert False
    | Failing test case: test_parse_plan_no_crash(
    |     s=':',
    | )
    +---------------- 2 ----------------
    | Traceback (most recent call last):
    |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/test_mobile_data_plan.py", line 10, in test_parse_plan_no_crash
    |     parse_plan(s)
    |     ~~~~~~~~~~^^^
    |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/mobile_data_plan.py", line 2, in parse_plan
    |     plan, gb = text.split(':')
    |     ^^^^^^^^
    | ValueError: not enough values to unpack (expected 2, got 1)
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/test_mobile_data_plan.py", line 12, in test_parse_plan_no_crash
    |     assert False, f"parse_plan crashed with input {s!r}: {e}"
    | AssertionError: parse_plan crashed with input '': not enough values to unpack (expected 2, got 1)
    | assert False
    | Failing test case: test_parse_plan_no_crash(
    |     s='',  # or any other generated value
    | )
    +---------------- 3 ----------------
    | Traceback (most recent call last):
    |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/test_mobile_data_plan.py", line 10, in test_parse_plan_no_crash
    |     parse_plan(s)
    |     ~~~~~~~~~~^^^
    |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/mobile_data_plan.py", line 2, in parse_plan
    |     plan, gb = text.split(':')
    |                ^^^^^^^^^^
    | AttributeError: 'NoneType' object has no attribute 'split'
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/test_mobile_data_plan.py", line 12, in test_parse_plan_no_crash
    |     assert False, f"parse_plan crashed with input {s!r}: {e}"
    | AssertionError: parse_plan crashed with input None: 'NoneType' object has no attribute 'split'
    | assert False
    | Failing test case: test_parse_plan_no_crash(
    |     s=None,  # or any other generated value
    | )
    +------------------------------------
```


```
_____________________________________________ test_usage_average_no_crash _____________________________________________
  + Exception Group Traceback (most recent call last):
  |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/test_mobile_data_plan.py", line 17, in test_usage_average_no_crash
  |     def test_usage_average_no_crash(s):
  |                ^^^
  | ExceptionGroup: Hypothesis found 2 distinct failures. (2 sub-exceptions)
  +-+---------------- 1 ----------------
    | Traceback (most recent call last):
    |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/test_mobile_data_plan.py", line 19, in test_usage_average_no_crash
    |     usage_average(s)
    |     ~~~~~~~~~~~~~^^^
    |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/mobile_data_plan.py", line 6, in usage_average
    |     values = [int(r) for r in usage_csv.split(',')]
    |                  ~~~^^^
    | ValueError: invalid literal for int() with base 10: ''
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/test_mobile_data_plan.py", line 21, in test_usage_average_no_crash
    |     assert False, f"usage_average crashed with input {s!r}: {e}"
    | AssertionError: usage_average crashed with input '': invalid literal for int() with base 10: ''
    | assert False
    | Failing test case: test_usage_average_no_crash(
    |     s='',
    | )
    | Explanation:
    |     These lines were always and only run by failing test cases:
    |         /Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/test_mobile_data_plan.py:20
    +---------------- 2 ----------------
    | Traceback (most recent call last):
    |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/test_mobile_data_plan.py", line 19, in test_usage_average_no_crash
    |     usage_average(s)
    |     ~~~~~~~~~~~~~^^^
    |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/mobile_data_plan.py", line 6, in usage_average
    |     values = [int(r) for r in usage_csv.split(',')]
    |                             ^^^^^^^^^^^^^^^
    | AttributeError: 'NoneType' object has no attribute 'split'
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/test_mobile_data_plan.py", line 21, in test_usage_average_no_crash
    |     assert False, f"usage_average crashed with input {s!r}: {e}"
    | AssertionError: usage_average crashed with input None: 'NoneType' object has no attribute 'split'
    | assert False
    | Failing test case: test_usage_average_no_crash(
    |     s=None,
    | )
    | Explanation:
    |     These lines were always and only run by failing test cases:
    |         /Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/test_mobile_data_plan.py:20
    +-----------------------------------
```

```
_____________________________________________ test_payable_bill_no_crash _____________________________________________
  + Exception Group Traceback (most recent call last):
  |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/test_mobile_data_plan.py", line 26, in test_payable_bill_no_crash
  |     def test_payable_bill_no_crash(s):
  |                    ^^^
  | ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
  +-+---------------- 1 ----------------
    | Traceback (most recent call last):
    |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/test_mobile_data_plan.py", line 28, in test_payable_bill_no_crash
    |     payable_bill(s)
    |     ~~~~~~~~~~~~^^^
    |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/mobile_data_plan.py", line 11, in payable_bill
    |     total = float(bill) * 1.18 - float(discount)
    |             ~~~~~^^^^^^
    | ValueError: could not convert string to float: ''
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/test_mobile_data_plan.py", line 30, in test_payable_bill_no_crash
    |     assert False, f"payable_bill crashed with input {s!r}: {e}"
    | AssertionError: payable_bill crashed with input '|': could not convert string to float: ''
    | assert False
    | Failing test case: test_payable_bill_no_crash(
    |     s='|',
    | )
    +---------------- 2 ----------------
    | Traceback (most recent call last):
    |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/test_mobile_data_plan.py", line 28, in test_payable_bill_no_crash
    |     payable_bill(s)
    |     ~~~~~~~~~~~~^^^
    |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/mobile_data_plan.py", line 10, in payable_bill
    |     bill, discount = text.split('|')
    |     ^^^^^^^^^^^^^^
    | ValueError: not enough values to unpack (expected 2, got 1)
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/test_mobile_data_plan.py", line 30, in test_payable_bill_no_crash
    |     assert False, f"payable_bill crashed with input {s!r}: {e}"
    | AssertionError: payable_bill crashed with input '': not enough values to unpack (expected 2, got 1)
    | assert False
    | Failing test case: test_payable_bill_no_crash(
    |     s='',  # or any other generated value
    | )
    +---------------- 3 ----------------
    | Traceback (most recent call last):
    |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/test_mobile_data_plan.py", line 28, in test_payable_bill_no_crash
    |     payable_bill(s)
    |     ~~~~~~~~~~~~^^^
    |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/mobile_data_plan.py", line 10, in payable_bill
    |     bill, discount = text.split('|')
    |                      ^^^^^^^^^^
    | AttributeError: 'NoneType' object has no attribute 'split'
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "/Users/Akki/Documents/SE/L6_L7_45_mobile_data_plan/Lab 7/test_mobile_data_plan.py", line 30, in test_payable_bill_no_crash
    |     assert False, f"payable_bill crashed with input {s!r}: {e}"
    | AssertionError: payable_bill crashed with input None: 'NoneType' object has no attribute 'split'
    | assert False
    | Failing test case: test_payable_bill_no_crash(
    |     s=None,  # or any other generated value
    | )
    +------------------------------------
```

```
    +------------------------------------
============================================= warnings summary =============================================
../../../../../../Library/Frameworks/Python.framework/Versions/3.14/lib/python3.14/site-packages/anyio/pytest_plugin.py:14
  /Library/Frameworks/Python.framework/Versions/3.14/lib/python3.14/site-packages/anyio/pytest_plugin.py:14: PytestRemovedIn10Warning: _pytest.python.CallSpec2 has been renamed to CallSpec.
  The CallSpec2 alias will be removed in pytest 10.
  Update imports to use CallSpec instead.
  See https://docs.pytest.org/en/stable/deprecations.html#callspec2-renamed
    from _pytest.python import CallSpec2

-- Docs: https://docs.pytest.org/en/stable/how-to/capture-warnings.html
========================================= short test summary info ==========================================
FAILED test_mobile_data_plan.py::test_parse_plan_no_crash - ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
FAILED test_mobile_data_plan.py::test_usage_average_no_crash - ExceptionGroup: Hypothesis found 2 distinct failures. (2 sub-exceptions)
FAILED test_mobile_data_plan.py::test_payable_bill_no_crash - ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
======================================== 3 failed, 1 warning in 1.39s ========================================
```

Step 5 ScreenShot (Handles unexpected inputs):



Step 6 Screenshot (Test cases passing):

