

Deloitte – Front End Foundation Assessment: Core Skills

Company Name

Deloitte

Employee Name

akgupta4

Date of Attempt

16-Mar-2026

Employee ID

Index

Score Analysis

Your scores, a quick overview of your performance and your overall percentage.

Section Score Analysis

A quick overview of sectional performance along with percentages.

Section Skill Analysis

An overview of your proficiency in specific skills.

Individual Development Plan – IDP

Focus on your strengths and the areas of improvement, along with developmental tips to work on.

Difficulty Level Analysis

A comprehensive insight into the candidate's performance at 3 difficulty levels.

Proctoring Analysis

A quick overview of the proctoring-related aspects of the assessment.

Test Log

A quick overview of the test status, timestamp, and recorded IP address.

Question Details

An overview of each question and the candidate's response, offering a thorough assessment of their performance.

Disclaimer


Disclaimer on subjective customised assessments.

Score Analysis

Score: 57 / 60

Time Taken: 32 min 18 sec / 95 min

Pass (95%)



akgupta4 scored 95% and completed assessment in 34% of the allotted time

Test Navigation Mode: Fixed Section Order

Section Score Analysis

Section Percentage

Web Dev Basics	5/6 (83%)
Testing and Debugging	3/3 (100%)
JavaScript Coding	10/10 (100%)
HTML & CSS	9/10 (90%)
JavaScript	10/11 (91%)
HTML & CSS AI-LogicBox	20/20 (100%)

Section Skill Analysis

Section 1: Web Dev Basics

Total Score: 5.0 / 6

Negative Points: 0

Time Taken: 4 min 50 sec/12 min

Question Analysis:

Total Question: 6

Correct: 5

Wrong: 1

Skipped: 0

Not Answered: 0

Skills	#Questions	Skill Score
Web Accessibility Principles	1	1/1
Web Development	3	3/3
Git	2	1/2

Section 2: Testing and Debugging

Total Score: **3.0 / 3** Negative Points: **0** Time Taken: **53 sec/6 min**

Question Analysis:

Total Question: **3** Correct: **3** Wrong: **0** Skipped: **0** Not Answered: **0**

Skills	#Questions	Skill Score
STLC – System Testing Life Cycle	2	2/2
Software Testing	1	1/1

Section 3: JavaScript Coding

Total Score: **10.0 / 10** Negative Points: **0** Time Taken: **5 min 40 sec/15 min**

Question Analysis:

Total Question: **1** Correct: **1** Wrong: **0** Skipped: **0** Not Answered: **0**

Skills	#Questions	Skill Score
JavaScript Coding	1	10/10

Section 4: HTML & CSS

Total Score: **9.0 / 10** Negative Points: **0** Time Taken: **7 min 2 sec/20 min**

Question Analysis:

Total Question: **10** Correct: **9** Wrong: **1** Skipped: **0** Not Answered: **0**

Skills	#Questions	Skill Score
HTML5	5	5/5
CSS3	5	4/5

Section 5: JavaScript

Total Score: **10.0 / 11** Negative Points: **0** Time Taken: **5 min 45 sec/22 min**

Question Analysis:

Total Question: **11** Correct: **10** Wrong: **1** Skipped: **0** Not Answered: **0**

Skills	#Questions	Skill Score
JavaScript 6	11	10/11

Section 6: HTML & CSS AI-LogicBox

Total Score: **20.0 / 20** Negative Points: **0** Time Taken: **8 min 8 sec/20 min**

Question Analysis:

Total Question: 2 Correct: 2 Wrong: 0 Skipped: 0 Not Answered: 0

Skills	#Questions	Skill Score
HTML5 AI-LogicBox	1	10/10
CSS3 AI_LogicBox	1	10/10

A guide to get started on your Individual Development Plan (IDP) :

Identification of strengths and skill improvement needs

● Strength

Congratulations! We have identified **CSS, HTML, JavaScript, Software Testing, Web Development, CSS 3, HTML5** as your strengths.

● Improvement area

Based on your score, **Git** are the identified areas of improvement.

Difficulty Level Analysis

Level	Number of Questions	Correct Attempts	Correctness
Easy	16	16	100%
Medium	11	9	81.82%
Hard	6	5	83.33%

Proctoring Analysis

Image or Video Proctoring is not enabled for this test.

Window Violation: 4

Time Violation: 0 min 48 sec



Window violations detected up to 1 min, within tolerable limit.

Time Flag: **Early Finisher Flag**



This candidate completed the test in 32 min 18 sec which is significantly faster than the average test time of 0 min.

Test Log

Test Status	Date & Time	Captured IP address
Appeared On	16 Mar 2026, 06:04 PM	24.239.131.30

Test Status	Date & Time	Captured IP address
Completed On	16 Mar 2026, 06:38 PM	24.239.131.30
Report Generated On	16 Mar 2026, 06:38 PM	24.239.131.30

Question Details

Question: #1	Type: MCQ	Skill: Web Development	Status: Answered
Result: Correct	Level: Easy	Time Taken: 26 sec	Average Time: 1 min 12 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #1

Niall is creating a web application that will need to speak to a distant server to retrieve data. The server makes its functionality available through a web service. He is considering using SOAP (Simple Object Access Protocol) for communication during the development process. Which option accurately describes the primary characteristic of SOAP?

Answer:

SOAP uses a platform-independent XML-based format for exchanging structured data.

Question: #2	Type: Coding	Skill: JavaScript Coding	Status: Answered
Result: Correct	Level: Easy	Time Taken: 5 min 40 sec	Average Time: 8 min 8 sec
Score: 10 / 10	Window Violation: 2 times	Time Violation: 28 sec	

Question #2

Mathematics: Quantity Change

While using any e-commerce website, the "+" and "-" signs would change the quantities of the product you want to buy.

Given an input value N , write the code to increase the value by 1 if you receive an "inc" command or decrease the value by 1 if you receive a "dec" command.

You are given M commands.

Print the final value.

Note

The value should not be less than 0.

Function Description

In the provided code snippet, implement the provided `quantityChange(...)` method to print the final value. You can write your code in the space below the phrase "WRITE YOUR LOGIC HERE".

There will be multiple test cases running so the Input and Output should match exactly as provided.

The base Output variable `result` is set to a default value of `-404` which can be modified. Additionally, you can add or remove these output variables.

Input Format

The first line contains an integer N , denoting the initial value.

The second line contains an integer M , denoting the number of commands.

The next M lines contain strings denoting the commands "inc" or "dec".

Sample Input

```
5      -- denotes N
3      -- denotes M
inc    -- denotes the commands
inc    --
inc    --
```

Output Format

The output contains a single integer denoting the final value.

Sample Output

```
8
```

Explanation

You are given 5 as N , the initial value.

There are $M = 3$ commands, "*inc*" only.

The value of the integer N becomes $5 + 1 + 1 + 1 = 8$.

Hence, the output is **8**.

Answer:

Coding Language: Javascript

Candidate Code:

//For optimizing code, You are free to make changes to "return type", "variables" and "Libraries".

//alert() method cannot be used to print/display alertbox

//use console.log() method to print e.g. console.log('Hello world!');

```
function quantityChange(N,M,A){
```

```
    //this is default OUTPUT. You can change it.
```

```
    var result=N;
```

```
    for (var i = 0; i < M; i++) {
```

```
        if (A[i] === "inc") {
```

```
            result = result + 1;
```

```
        }
```

```
        else if (A[i] === "dec") {
```

```
            if (result > 0) {
```

```
                result = result - 1;
```

```
            }
```

```
        }
```

```
    }
```

```
    return result;
```

```
}
```

```
//INPUT [uncomment & modify if required]
```

```
var N=parseInt(gets());
```

```
var M=parseInt(gets());
```

```
var A=[];
```

```
for(var i=0;i<M;i++){
```

```
    A.push(gets());
```

```
}
```

```
//OUTPUT [uncomment & modify if required]
```

```
console.log(quantityChange(N,M,A));
```

Compilation Summary:

Compilation Status: **Compile Successfully**

No Of Compilations: **1**

Default Input:

5
3
inc
inc
inc

Candidate Output:

8

Test Case Summary:

Test Case: 1 Status: **Pass** Score:0

Test Case Input

3
inc
inc
inc

5

Expected Output

8

Actual Output

8

Test Case: 2 Status: **Pass** Score:2

Test Case Input

4
dec
dec
dec
dec

19

Expected Output

15

Actual Output

15

Test Case: 3 Status: **Pass** Score:2

Test Case Input

3

5
dec
inc
dec
dec
dec

Expected Output

0

Actual Output

0

Test Case: 4 Status: **Pass** Score:2

Test Case Input

4

3
inc
dec
dec

Expected Output

3

Actual Output

3

Test Case: 5 Status: **Pass** Score:2

Test Case Input

4

4
inc
inc
inc
dec

Expected Output

6

Actual Output

6

Test Case: 6 Status: **Pass** Score:2

Test Case Input

1
inc

4

Expected Output

5

Actual Output

5

Question: #3	Type: MCQ	Skill: Web Development	Status: Answered
Result: Correct	Level: Medium	Time Taken: 18 sec	Average Time: 52 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #3

You are creating a web application that interacts with a distant online service to get private user information. You must make sure that the communication between your application and the web service is secure as part of the development process. Which statement most truly characterises a frequently employed security method for safeguarding online services here?

Answer:

Implementing transport-layer security through HTTPS (Hypertext Transfer Protocol Secure)

Question: #4	Type: MCQ	Skill: Web Development	Status: Answered
Result: Correct	Level: Hard	Time Taken: 26 sec	Average Time: 57 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #4

You are working on a web development project that follows the MVC (Model-View-Controller) architecture. As part of the project, you are investigating the request-response cycle in the MVC architecture. You want to understand the sequence of events that occur when a user sends a request to the web application. Which option accurately describes the sequence of events in the request-response cycle in the MVC architecture?

Answer:

The user sends a request to the Controller, which updates the Model and then updates the View to generate a response sent back to the user.

Question: #5	Type: MCQ	Skill: Web Accessibility Principles	Status: Answered
Result: Correct	Level: Hard	Time Taken: 2 min 42 sec	Average Time: 2 min 13 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #5

A developer wants to make the Hamburger menu accessible with the help of DOM. Which code snippet shows the correct method of doing so (assuming "togglemenu" is the DOM element of the Hamburger icon, "menu" is the DOM element of the menu, and "active" is the class representing an open menu)?

Answer:

```
toggleMenu.addEventListener("click", function(event) {
var isOpenMenu = menu.classList.contains("active");
var menuStatus = !isOpenMenu;
toggleMenu.setAttribute("aria-expanded", menuStatus);
menu.classList.toggle("active");
});
```

Question: #6	Type: MCQ	Skill: Git	Status: Answered
Result: Correct	Level: Easy	Time Taken: 37 sec	Average Time: 1 min 23 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #6

You want to update the value of the environment variable "action_state" to "green," which is scheduled to run next. Which code should update an environment variable?

Answer:

```
echo "action_state=green" >> $GITHUB_ENV
```

Question: #7	Type: MCQ	Skill: Git	Status: Answered
Result: Wrong	Level: Medium	Time Taken: 21 sec	Average Time: 1 min 13 sec
Score: 0 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #7

Susan needs to resolve conflicts that occurred during a merge. Which command should she use to view the conflicts in the files?

Answer:

```
git diff --base --ours --theirs
```

Question: #8	Type: MCQ	Skill: STLC - System Testing Life Cycle	Status: Answered
Result: Correct	Level: Easy	Time Taken: 18 sec	Average Time: 1 min 1 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #8

Adam has completed the system testing for a banking app. To complete the test closure and analysis phase, which critical activity should he perform to ensure thorough and comprehensive testing?

Answer:

Prepare the final test closure report and hold a "Lessons Learned" meeting with the project team.

Question: #9	Type: MCQ	Skill: STLC - System Testing Life Cycle	Status: Answered
Result: Correct	Level: Medium	Time Taken: 17 sec	Average Time: 56 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #9

As a system test lead on a banking project, Nathan must prepare a test plan for a new banking feature that includes transaction limits. How should he ensure the test plan is comprehensive and covers all possible scenarios?

Answer:

By referring to the business requirements and the use cases to identify the scenarios

Question: #10	Type: MCQ	Skill: Software Testing	Status: Answered
Result: Correct	Level: Easy	Time Taken: 18 sec	Average Time: 48 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #10

Which option is commonly used for API testing and supports scripting and automation?

Answer:

Postman

Question: #11	Type: MCQ	Skill: HTML5	Status: Answered
Result: Correct	Level: Easy	Time Taken: 15 sec	Average Time: 49 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #11

You decide to add videos to your web page to make it more appealing. Which video format is not supported by the <video> tag?

Answer:

WMV

Question: #12	Type: MCQ	Skill: HTML5	Status: Answered
Result: Correct	Level: Easy	Time Taken: 14 sec	Average Time: 46 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #12

You decide to add audio to your web page. Which video format is not accepted by the <audio> tag?

Answer:

WebM

Question: #13	Type: MCQ	Skill: HTML5	Status: Answered
Result: Correct	Level: Medium	Time Taken: 1 min 4 sec	Average Time: 1 min 18 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #13

You're building a form field for a user's full name. The markup must:

properly associate the label with the input for accessibility,

enforce that the field is required via HTML5 validation, and

provide an additional hint that assistive technologies can read without it being treated as the label.

Which snippet best satisfies all three?

Answer:

```
<label for="full-name">Full name</label>
```

```
<input id="full-name" name="full_name" type="text" required aria-describedby="name-hint">
```

```
<small id="name-hint">As on ID</small>
```

Question: #14	Type: MCQ	Skill: HTML5	Status: Answered
Result: Correct	Level: Medium	Time Taken: 15 sec	Average Time: 55 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #14

You want to horizontally center a <div> within its container using CSS. The <div> has a defined width and is block-level. Which property should you apply on the <div>?

Answer:

margin

Question: #15	Type: MCQ	Skill: HTML5	Status: Answered
Result: Correct	Level: Hard	Time Taken: 18 sec	Average Time: 1 min 14 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #15

You are using localStorage in your HTML5-based application to store client-side content. The application has been running smoothly for quite some time, but lately, some users have reported errors with a particular functionality involving local storage. You identified that only Firefox 37 (OSX) users are facing the issue, while others are not.

After further investigation, you discovered that the localStorage quota is being exceeded. What code would be generated for this error in Firefox 37 (OSX)?

Answer:

1014

Question: #16	Type: MCQ	Skill: CSS3	Status: Answered
Result: Correct	Level: Easy	Time Taken: 31 sec	Average Time: 1 min 20 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #16

You must store the text value of x displayed on the x-axis in DOM HTML. Which property will you use?

Answer:

x.innerHTML

Question: #17	Type: MCQ	Skill: CSS3	Status: Answered
Result: Correct	Level: Easy	Time Taken: 26 sec	Average Time: 44 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #17

Which CSS property can Alan use to position an image element within a container element and make it remain fixed in its position, even when scrolling?

Answer:

position: fixed;

Question: #18	Type: MCQ	Skill: CSS3	Status: Answered
Result: Correct	Level: Easy	Time Taken: 16 sec	Average Time: 37 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #18

While working on a website, you come across many units. Which unit will you use for indicating relative lengths?

Answer:

vw

Question: #19	Type: MCQ	Skill: CSS3	Status: Answered
Result: Correct	Level: Medium	Time Taken: 2 min 16 sec	Average Time: 1 min 54 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #19

You must change the background color of the body element to blue through the DOM onclick event. Which script can you use?

Answer:

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<input type="button" onclick="document.body.style.backgroundColor='blue';"
```

```
value="Change Background" />
```

```
</body>
```

```
</html>
```


Question: #20	Type: MCQ	Skill: CSS3	Status: Answered
Result: Wrong	Level: Hard	Time Taken: 1 min 27 sec	Average Time: 2 min 16 sec
Score: 0 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #20

Noah must style his website using CSS properties to display the number "321" on the left side. Which code should he include inside the <style> tag?

```
<!DOCTYPE HTML>
<html>
<head>
<style>
</style>
</head>
<body>
<div>1</div>
<div>2</div>
<div>3</div>
</body>
</html>
```

Answer:

```
body{
display: flex;
flex-direction: row-reverse;

}
```

Question: #21	Type: MCQ	Skill: JavaScript 6	Status: Answered
Result: Correct	Level: Easy	Time Taken: 18 sec	Average Time: 1 min 8 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #21

Lauren, a web developer, wants to use JavaScript DOM to remove a child element with the class "child" from its parent element with the ID "parentElement." Which DOM API method should she use?

Answer:

```
document.getElementById("parentElement").removeChild(document.querySelector(".child"));
```

Question: #22	Type: MCQ	Skill: JavaScript 6	Status: Answered
Result: Correct	Level: Easy	Time Taken: 16 sec	Average Time: 37 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #22

Which array method should be used to remove the first element from an array in JavaScript?

Answer:

shift()

Question: #23	Type: MCQ	Skill: JavaScript 6	Status: Answered
Result: Correct	Level: Easy	Time Taken: 48 sec	Average Time: 1 min 34 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #23

What will be the output of the given code?

```
const map = new Map();
map.set("length", 100);
const keys = map.keys();
```

```
keys.push("width");
console.log(keys)
```

Answer:

TypeError

Question: #24	Type: MCQ	Skill: JavaScript 6	Status: Answered
Result: Correct	Level: Easy	Time Taken: 25 sec	Average Time: 34 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #24

Which array method should be used to determine whether a particular element is present in an array?

Answer:

includes()

Question: #25	Type: MCQ	Skill: JavaScript 6	Status: Answered
Result: Correct	Level: Easy	Time Taken: 54 sec	Average Time: 1 min 14 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #25

What will be the output of the given code?

```

Let re = /(\w+)\s(\w+)/;
let str = 'john smith';
let newstr = str.Replace(re, '$2, $1');
console.Log(newstr);

```

Answer:

Error

Question: #26	Type: MCQ	Skill: JavaScript 6	Status: Answered
Result: Correct	Level: Medium	Time Taken: 19 sec	Average Time: 1 min 7 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #26

Dorothea is creating a date object for a specific time zone and needs to calculate the difference between two dates in JavaScript. Which method should she use to perform this calculation?

Answer:

Date.getTime()

Question: #27	Type: MCQ	Skill: JavaScript 6	Status: Answered
Result: Wrong	Level: Medium	Time Taken: 34 sec	Average Time: 1 min 25 sec
Score: 0 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #27

What will be the output of the following JavaScript code?

```
let champs = [ "roman", "brock", "balar", "cena" ];
```

```
let [ firstChamp, , ...restChamp ] = champs;
```

```
console.log(firstChamp);
console.log(restChamp.length);
console.log(restChamp[0]);
console.log(restChamp[1]);
```

Answer:

```
roman
3
brock
balar
```

Question: #28	Type: MCQ	Skill: JavaScript 6	Status: Answered
Result: Correct	Level: Medium	Time Taken: 46 sec	Average Time: 1 min 25 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #28

Penny is creating software to determine a city's typical weekday temperature. Which function definition should she use to calculate the average temperature?

Answer:

```
def calculate_average_temperature(city, week_temperatures):
```

Question: #29	Type: MCQ	Skill: JavaScript 6	Status: Answered
Result: Correct	Level: Medium	Time Taken: 30 sec	Average Time: 1 min 13 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #29

Analyze the codes and choose the correct option.

```
a) var arraylist = ['a', 'b', 'c', 'd', 'e', 'f'];
var anotherarraylist = arraylist;
arraylist.Length = 0;
console.Log(anotherarraylist);
```

```
b) arraylist.Splice(0, arraylist.Length);
```

Answer:

The codes will make the array's length zero

Question: #30	Type: MCQ	Skill: JavaScript 6	Status: Answered
Result: Correct	Level: Hard	Time Taken: 28 sec	Average Time: 1 min 18 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #30

What will be the output of the given code?

```
const obj = {
  name: 'John',
  printName: function() {
    console.log(this.name);
  }
};
const print = obj.printName;
print();
```

Answer:

undefined

Question: #31	Type: MCQ	Skill: JavaScript 6	Status: Answered
Result: Correct	Level: Hard	Time Taken: 27 sec	Average Time: 1 min 11 sec
Score: 1 / 1	Window Violation: 0 times	Time Violation: 0 sec	

Question #31

As a senior web developer, which DOM API method would you suggest a citizen developer use to retrieve the computed CSS value of the "color" property for the element with the class "mySpan" using JavaScript?

Answer:

```
window.getComputedStyle(document.querySelector(".mySpan")).getPropertyValue("color");
```

Question: #32	Type: AI-LogicBox	Skill: HTML5 AI-LogicBox	Status: Answered
Result: Correct	Level: Easy	Time Taken: 5 min 4 sec	Average Time: 9 min 24 sec
Score: 10 / 10	Window Violation: 2 times	Time Violation: 20 sec	

Question #32

A given code creates a web page using HTML semantic elements to create a meaningful and accessible structure. It groups headings to provide a clear hierarchical layout and uses input fields to accept date and time values accurately. Additionally, the code includes sections that organize content logically for better readability and user experience.

You must follow semantic HTML practices, enhancing the page's SEO and accessibility. You must maintain a structured and standardized HTML format.

Complete the code as per the given instructions:

At Blank 1: Create a group of headings that contains two headings, A and B.

At Blank 2: Assign a hyperlink to the anchor tag.

At Blank 3: Mention the code to accept the date and time as the input.

At Blank 4: Mention the code to display the date of publication of the nearest <article> ancestor.

At Blank 5: Create a section with the heading "Section".

A few lines in the Sample Script are missing (Enter your code here). You need to complete the code as per the given instructions.

Sample Script:

```
<header>
```

Blank 1: Enter your code here

```
</header>
```

```
<nav>
```

```
<ul>
```

```
<li><a
```

Blank 2: Enter your code here

```
>Home</a></li>
```

```
</ul>
```

```
</nav>
```

```
<article>
```

```
<header>
```

```
<time
```

Blank 3: Enter your code here

```
= "2010-01-12"
```

Blank 4: Enter your code here

```
>
```

```
<span>Jan</span> 12
```

```
</time>
```

```
</header>
```

Blank 5: Enter your code here

```
</article>
```

```
<footer>
```

```
<p> 2009 </p>
```

```
</footer>
```

Answer:

Answer1  Correct Points: 2 Score: 2

```
<hgroup> <h1>A</h1> <h2>B</h2> </hgroup>
```

Answer2  Correct Points: 2 Score: 2

```
href="#"
```

Answer3  Correct Points: 2 Score: 2

```
datetime
```

Answer4  Correct Points: 2 Score: 2

```
pubdate
```

Answer5  Correct Points: 2 Score: 2

```
<section> <h2>Section</h2> </section>
```


Question: #33	Type: AI-LogicBox	Skill: CSS3 AI_LogicBox	Status: Answered
Result: Correct	Level: Medium	Time Taken: 3 min 4 sec	Average Time: 2 min 39 sec
Score: 10 / 10	Window Violation: 0 times	Time Violation: 0 sec	

Question #33

You are working on a web project that must remain visually consistent and functional across all devices. The site uses a CSS-based accordion component for interactivity. Your task is to complete the CSS code to enhance layout, accessibility, and responsiveness. The required HTML elements are already defined and referenced in the styles.

Complete the code as per the given instructions:

At Blank 1: Set the outline so the element does not stand out from other elements.

At Blank 2: Set the display so the child and the element can be treated as a block element.

At Blank 3: Set the background color to white.

At Blank 4: Denote the attribute used when the printing effects need to be handled.

At Blank 5: Set the display to show and hide the elements without recreating or deleting them.

A few lines in the Sample Script are missing (Enter your code here). You need to complete the code as per the given instructions.

Sample Script:

```
.pcssc-accordion .accordion-section
.accordion-section-selector {
```

Blank 1: Enter your code here

```
}
.pcssc-accordion .accordion-section
.accordion-section-selector:checked ~
.accordion-section-content {
```

Blank 2: Enter your code here

```
}
.pcssc-accordion .accordion-section
.accordion-section-selector:checked +
.accordion-section-header {
```

Blank 3: Enter your code here

```
color: gray;
}
.pcssc-accordion .accordion-section
.accordion-section-header {
  cursor: pointer;
  padding: 10px;
  background-color: lightgray;
  margin-right: -2px;
  display: block;
}
.pcssc-accordion .accordion-section
.accordion-section-content {
  margin-top: 14px;
  display: none;
  width: 100%;
```

```
}
```

Blank 4: Enter your code here

```
only screen and (min-width: 320px) {  
  .pcssc-dropdown .focus-toggle {
```

Blank 5: Enter your code here

```
}  
}
```

Answer:

Answer1  Correct Points: 2 Score: 2

```
outline: none;
```

Answer2  Correct Points: 2 Score: 2

```
display: block;
```

Answer3  Correct Points: 2 Score: 2

```
background-color: white;
```

Answer4  Correct Points: 2 Score: 2

```
@media
```

Answer5  Correct Points: 2 Score: 2

```
visibility: hidden;
```

Disclaimer

This report is generated electronically based on the information provided by the assessment participants. It also includes flags, especially when proctoring services are utilized. However, it is important to emphasize that this report should not be the sole basis for making any business, selection, entrance, or employment-related decisions. iMocha assumes no responsibility for any consequences arising from the use of this report or any actions taken or refrained from as a result of it. This includes all business decisions made in reliance on the information, advice, or AI flags contained in this report, as well as any sources of information mentioned or referred to in the report.