```sql
CREATE TABLE cars (
    car_id INT NOT NULL AUTO_INCREMENT PRIMARY KEY,
    make VARCHAR(25) NOT NULL,
    model VARCHAR(40) NOT NULL,
    price FLOAT NOT NULL,
    yom INT NOT NULL
);
```

```sql
INSERT INTO cars
(car_id , make , model , price , yom)
VALUES
(NULL, 'Holden', 'Astra', '14000', '2009'),
(NULL, 'BMW', 'X3', '35000', '2010'),
(NULL, 'Ford', 'Falcon', '39000', '2013'),
(NULL, 'Toyota', 'Corolla', '20000', '2012'),
(NULL, 'Holden', 'Commodore', '28000', '2009')
```

	car_id	make	model	price	yom
Edit Copy Delete	1	Holden	Astra	14000	2009
Edit Copy Delete	2	BMW	X3	35000	2010
Edit Copy Delete	3	Ford	Falcon	39000	2013
Edit Copy Delete	4	Toyota	Corolla	20000	2012
Edit Copy Delete	5	Holden	Commodore	28000	2009

```
1 SELECT * FROM cars;
```

	car_id	make	model	price	yom
Edit Copy Delete	1	Holden	Astra	14000	2009
Edit Copy Delete	2	BMW	X3	35000	2010
Edit Copy Delete	3	Ford	Falcon	39000	2013
Edit Copy Delete	4	Toyota	Corolla	20000	2012
Edit Copy Delete	5	Holden	Commodore	28000	2009

```
1 SELECT make, model, price FROM cars ORDER BY make, model;
```

	make ▲ 1	model ▲ 2	price
Edit Copy Delete	BMW	X3	35000
Edit Copy Delete	Ford	Falcon	39000
Edit Copy Delete	Holden	Astra	14000
Edit Copy Delete	Holden	Commodore	28000
Edit Copy Delete	Toyota	Corolla	20000

```sql
SELECT make, model FROM cars WHERE price >= 20000;
```

	make	model
Edit Copy Delete	BMW	X3
Edit Copy Delete	Ford	Falcon
Edit Copy Delete	Toyota	Corolla
Edit Copy Delete	Holden	Commodore

```sql
SELECT make, AVG(price) FROM cars GROUP BY make;
```

	make	AVG(price)
Edit Copy Delete	BMW	35000
Edit Copy Delete	Ford	39000
Edit Copy Delete	Holden	21000
Edit Copy Delete	Toyota	20000

```sql
SELECT make, model FROM cars WHERE price < 15000 AND price > 10000;
```

	make	model
Edit Copy Delete	Holden	Astra