# MTaaS

Move your app forward with the MTaas API

Version 1.0.0

Paths

/sessioncheck

GET /sessioncheck

MTaas

Summary

session on server

Description

Check session on server

Responses

Code	Description	Schema
200	An object of session	⇄ ▾ { }
default	Unexpected error	⇄ ▾**Error {** code: ▸ integer message: string fields: string }

Try this operation

/sessiondestroy

GET /sessiondestroy

MTaas

Summary

Kill the sesson

Description

Destroy the session on the server .

Responses

Code	Description	Schema
200	An array of Cities	⇄ string

default	Unexpected error	⇄

```
▾Error {
    code:      ▸ integer
    message: string
    fields:  string
}
```

Try this operation

/usersignup

POST /usersignup

MTaas

Summary

User signup request

Description

New user can register with this API.

Responses

Code	Description	Schema
200	An array of Cities	⇄ string

default	Unexpected error	⇄

```
▾Error {
    code:      ▸ integer
    message: string
    fields:  string
}
```

Try this operation

/authuser

POST /authuser

MTaas

Summary

Check user Login

Description

Check user login

Responses

Code	Description	Schema
200	response	⇄ string
default	Unexpected error	⇄ ▾**Error {** code: ▸ integer message: string fields: string **}**

Try this operation

/addproject

POST /addproject

MTaas

Summary

Add new project

Description

Create new project on the server .

Responses

Code	Description	Schema
200	response	⇄ string
default	Unexpected error	⇄ ▾**Error {** code: ▸ integer message: string fields: string **}**

Try this operation

/viewprojectlist

GET /viewprojectlist

Summary

get all the projects

Description

get list of all the projects from the server .

Responses

Code	Description	Schema
200	response	⇄ ▼[▸**Project { }**]
default	Unexpected error	⇄ ▼**Error {** code: ▸ integer message: string fields: string }

[Try this operation]

Models

Session

⇄ ▼**Session {**
   username: ▸ string
}

User

⇄ ▼**User {**
  Name: ▸ string
  username: ▸ string
  email: ▸ string
  role: ▸ string
  password: ▸ string
}

Project

▾Project {
    name: ► string
    startdate: ► string
⇄   enddate: ► string
    description: ► string
}

Error

▾Error {
    code: ► integer
⇄   message: string
    fields: string
}