Name: Akshay Mahajan

Roll No:437

PRN No :202201030013

AIM:

Take/Prepare any text files for any real life application. For Ex. “Stud.txt” , “Placement.csv” and “Result.csv” files for result Analysis Combine into “StudentDetails.csv”. Perform all statistical analysis(Average , Max , Min , Count ,Sum ,Percentage) on it .

INPUT:

```
import csv
  f1=open("/content/stud.csv","r")
      f2=open("/content/cg (1).csv","r")
f3=open("/content/student detail.csv","w")
d1=list(csv.reader(f1,delimiter=","))
d2=list(csv.reader(f2,delimiter=","))
 print("\nFile 1 contents: ",d1) print("\nFile 2
contents: ",d2) d3=[] for i in range (len(d1)): d3.append(d1[i]+d2[i])
 print(d3) cw=csv.writer(f3)
cw.writerows(d3)
 print(max(d3))   f1.close()
f2.close()
```

```
f3.close() cgpa=[] with open('/content/student detail.csv', mode
='r')as file: csvFile = csv.reader(file)

  for lines in csvFile:
    cgpa.append(float(lines[4]))
  print("\nMaximum   cgpa:",   max(cgpa))   print("Minimum      cgpa:",
min(cgpa)) print("Sum  of  cgpa:",sum(cgpa))
print("Average cgpa:",sum(cgpa)/len(cgpa))
```

Output:

```
File 1 contents: [['1', 'shravani', '101'], ['2', 'divya', '102'],
['3', 'supriya', '103'], ['4', 'janvi', '104'], ['5', 'rohini', '105']]

File 2 contents: [['1', '9.9'], ['2', '9.8'], ['3', '9.7'], ['4',
'8.2'], ['5', '7.9']]
[['1', 'shravani', '101', '1', '9.9'], ['2', 'divya', '102', '2',
'9.8'], ['3', 'supriya', '103', '3', '9.7'], ['4', 'janvi', '104', '4',
'8.2'], ['5', 'rohini', '105', '5', '7.9']]
['5', 'rohini', '105', '5', '7.9']

Maximum cgpa: 9.9
Minimum cgpa: 7.9
Sum of cgpa: 45.5
Average cgpa: 9.1
```



Stud.csv file



Cg.csv file