Cucumber Report

| Start : Mar 27, 9:58:04.001 pm	End : Mar 27, 9:58:07.855 pm	Duration : 3.854 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 3

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Google Drive API Authentication & Authorization	*3.854 s*	*1*	*0*	*1*	*0*	*4*	*0*	*1*	*3*

| Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Auth	1	0	1	0	1	0	1	0

| #	Feature Name	T	P	F	S	Duration
1	Google Drive API Authentication & Authorization	1	0	1	0	3.854 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Google Drive API Authentication & Authorization	Fetch files from Google Drive	4	0	1	3	3.847 s

Google Drive API Authentication & Authorization

FAILED	DURATION - 3.854 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 9:58:04.001 pm // 9:58:07.855 pm /		Pass - 0		Pass - 0	
		Fail - 1	1	Fail - 1	4
		Skip - 0		Skip - 3	

Fetch files from Google Drive

FAILED	DURATION - 3.847 s		Steps	
/ 9:58:04.008 pm // 9:58:07.855 pm /			Total - 4	
			Pass - 0	
Google Drive API Authentication & Authorization			Fail - 1	4
@Auth			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given I have a valid OAuth 2.0 token	FAILED	3.816 s

	java.lang.RuntimeException: Failed to refresh token: { "error": "invalid_client", "error_description": "The OAuth client was not found." }
	    at utils.TokenManager.refreshAccessToken(TokenManager.java:36)
	    at utils.TokenManager.getToken(TokenManager.java:15)
	    at stepdefinations.AuthStep.i_have_a_valid_oauth_token(AuthStep.java:16)
	    at ?.I have a valid OAuth 2.0 token(file:///C:/Users/Admin/testAutomation/apiAutomationTest/src/test/java/features/authentication.feature:5)
	 * Not displayable characters are replaced by '?'.		

2	When I send a GET request to fetch Google Drive files	SKIPPED	0.003 s
3	Then the response status code should be 200	SKIPPED	0.003 s
4	And the response should contain a list of files	SKIPPED	0.001 s