

# YOUR PROFESSIONAL-CLASS PRODUCT

## Legacy 20-Gauge Smooth Steel Entry Door



OUTSIDE VIEW



INSIDE VIEW



800.669.4711  
2150 State Route 39  
Sugar Creek, OH 44681

### QUOTE INFORMATION

Job: Door 1 Ls

Order #14476808-1

Qty: 1

### DETAILS

#### Legacy Single Entry Door in FrameSaver Frame

36" x 80" Nominal Size

Unit Size: 37 9/16" x 81 11/16"

Frame Depth: 4 9/16"

2" Standard Brickmold

Right Hand Inswing - Inside Looking Out

002-440 Style 20-Gauge Smooth Steel Door

With High-Definition Embossing

Rustic Bronze Inside and Outside

#### Hardware

Satin Nickel Hoppe Dallas Lever (1 3/4" Backset)

Key Order Alike

#### Frame

Textured Rustic Bronze Aluminum Frame Cladding

Rustic Bronze Inside Frame

2 Tubes of Rustic Bronze Caulk

Bronze ZAC Auto-Adjusting Threshold (5 5/8" Depth)

Satin Nickel Ball Bearing Hinges


Security Plate

**Sell Price: \$2,903.73**


Labor / Installation: \$625.00

**Total: \$3,528.73**

### SIZING



### HANDING



Installation Instructions



### ENERGY

#### ENERGY PERFORMANCE RATINGS

U-Factor (U.S./I-P) Solar Heat Gain Coefficient

0.17

0.01

#### ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance

0.00

Air Infiltration (cfm/ft2)

<= 0.04



ENERGY STAR® Certified  
In All 50 States.

CPD: PRD-N-88-33275-00001

# YOUR PROFESSIONAL-CLASS PRODUCT

Legacy 20-Gauge Smooth Steel Entry Door with Clear Glass



OUTSIDE VIEW



INSIDE VIEW



800.669.4711  
2150 State Route 39  
Sugar Creek, OH 44681

## QUOTE INFORMATION

Job: Door 4 Lsg  
Order #14476978-1  
Qty: 1

## DETAILS

### Legacy Single Entry Door in FrameSaver Frame

36" x 84" Nominal Size

Unit Size: 37 9/16" x 85 11/16"

Frame Depth: 4 9/16"

2" Standard Brickmold

Right Hand Inswing - Inside Looking Out

110 Style 20-Gauge Smooth Steel Door

Clear Glass with ComforTech DC

Plugged Trim

Eggshell Inside and Outside

### Hardware

Black Hoppe Dallas Lever (1 3/4" Backset)

Key Order Alike

### Frame

Textured Eggshell Aluminum Frame Cladding

Eggshell Inside Frame


2 Tubes of Eggshell Caulk

Bronze ZAC Auto-Adjusting Threshold (5 5/8" Depth)


Black Ball Bearing Hinges

Security Plate

## SIZING



## HANDING



Installation Instructions



## ENERGY

### ENERGY PERFORMANCE RATINGS

U-Factor (U.S./I-P) Solar Heat Gain Coefficient

0.24

0.10

### ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance

0.10

Air Infiltration (cfm/ft2)

<= 0.04

CPD: PRD-N-88-33314-00001

**Sell Price: \$3,273.99**

Labor / Installation: \$625.00

**Total: \$3,898.99**

# YOUR PROFESSIONAL-CLASS PRODUCT

Legacy 20-Gauge Smooth Steel Entry Door with Privacy Glass



800.669.4711  
2150 State Route 39  
Sugar Creek, OH 44681

## QUOTE INFORMATION

Job: Door 5 Lsg  
Order #14476989-1  
Qty: 1

## DETAILS

### Legacy Single Entry Door in FrameSaver Frame

36" x 84" Nominal Size  
Unit Size: 37 9/16" x 85 11/16"  
Frame Depth: 4 9/16"  
2" Standard Brickmold  
Right Hand Inswing - Inside Looking Out  
1 Panel 437 Style 20-Gauge Smooth Steel Door  
With High-Definition Embossing  
ComforTech DC (with Obscure Privacy Glass)  
Plugged Trim  
Vallis Red Inside and Outside

### Hardware

All Hardware in Black Finish  
Plymouth Grip Entrance Handle Outside  
Georgian Handle Inside  
Thumbturn Deadbolt  
Key Order Alike

### Frame

Textured Vallis Red Aluminum Frame Cladding  
Vallis Red Inside Frame  
2 Tubes of Vallis Red Caulk  
Bronze ZAC Auto-Adjusting Threshold (5 5/8" Depth)  
Black Ball Bearing Hinges  
Security Plate

**Sell Price: \$3,769.02**

Labor / Installation: \$625.00

**Total: \$4,394.02**




OUTSIDE VIEW




INSIDE VIEW

## SIZING



## HANDING



Installation Instructions



## ENERGY

### ENERGY PERFORMANCE RATINGS

U-Factor (U.S./I-P) Solar Heat Gain Coefficient

0.30

0.19

### ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance

0.19

Air Infiltration (cfm/ft2)

<= 0.04

CPD: PRD-N-88-33473-00001

# YOUR PROFESSIONAL-CLASS PRODUCT

Legacy 20-Gauge Smooth Steel Entry Door with Clear Glass




OUTSIDE VIEW




INSIDE VIEW

## SIZING



## HANDING



Installation Instructions



## ENERGY

### ENERGY PERFORMANCE RATINGS

U-Factor (U.S./I-P) Solar Heat Gain Coefficient

0.30

0.19

### ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance

0.19

Air Infiltration (cfm/ft2)

<= 0.04

CPD: PRD-N-88-33473-00001



800.669.4711  
2150 State Route 39  
Sugar Creek, OH 44681

## QUOTE INFORMATION

Job: Door 6 Lsg

Order #14477018-1

Qty: 1

## DETAILS

### Legacy Single Entry Door in FrameSaver Frame

36" x 84" Nominal Size

Unit Size: 37 9/16" x 85 11/16"

Frame Depth: 4 9/16"

2" Standard Brickmold

Right Hand Inswing - Inside Looking Out

350 Style 20-Gauge Smooth Steel Door

Clear Glass with ComforTech DC

Plugged Trim

Pistachio Inside and Outside

### Hardware

All Hardware in Black Finish

Plymouth Grip Entrance Handle Outside

Georgian Handle Inside

Thumbturn Deadbolt

Key Order Alike

### Frame

Textured Sandpiper Beige Aluminum Frame Cladding

Pistachio Inside Frame

2 Tubes of Sandpiper Beige Caulk

Bronze ZAC Auto-Adjusting Threshold (5 5/8" Depth)

Black Ball Bearing Hinges

Security Plate

**Sell Price: \$4,208.44**

Labor / Installation: \$625.00

**Total: \$4,833.44**

# YOUR PROFESSIONAL-CLASS PRODUCT

Legacy 20-Gauge Woodgrain Textured Steel Entry Door with Privacy Glass



800.669.4711  
2150 State Route 39  
Sugar Creek, OH 44681

## QUOTE INFORMATION

Job: Door 8 Lstg  
Order #14477066-1  
Qty: 1

## DETAILS

### Legacy Single Entry Door in FrameSaver Frame


36" x 84" Nominal Size  
Unit Size: 37 9/16" x 85 11/16"  
Frame Depth: 4 9/16"  
2" Standard Brickmold  
Right Hand Inswing - Inside Looking Out  
350 Style 20-Gauge Woodgrain Textured Steel Door  
ComforTech DLA-UV (with Obscure Privacy Glass)  
Plugged Trim  
Dark Mahogany Inside and Outside

### Hardware

All Hardware in Black Finish  
Plymouth Grip Entrance Handle Outside  
Georgian Handle Inside  
Thumbturn Deadbolt  
Key Order Alike

### Frame

Textured Tudor Brown Aluminum Frame Cladding  
Dark Mahogany Inside Frame (Painted)  
2 Tubes of Tudor Brown Caulk  
Bronze ZAC Auto-Adjusting Threshold (5 5/8" Depth)  
Black Ball Bearing Hinges  
Security Plate




OUTSIDE VIEW




INSIDE VIEW

## SIZING



## HANDING



Installation Instructions



## ENERGY

ENERGY PERFORMANCE RATINGS  
U-Factor (U.S./I-P) Solar Heat Gain Coefficient

0.24 0.07

ADDITIONAL PERFORMANCE RATINGS  
Visible Transmittance

0.15 -

Air Infiltration (cfm/ft2)

<= 0.04

CPD: PRD-N-88-33484-00001

Sell Price: \$5,872.56

Labor / Installation: \$625.00

Total: \$6,497.56

## INFORMATION AND WARNINGS

The woodgrain pattern on the door slab will be all vertical.

# YOUR PROFESSIONAL-CLASS PRODUCT

Legacy 20-Gauge Smooth Steel Entry Door with Privacy Glass




OUTSIDE VIEW




INSIDE VIEW

## SIZING



## HANDING



Installation Instructions



## ENERGY

### ENERGY PERFORMANCE RATINGS

U-Factor (U.S./I-P) Solar Heat Gain Coefficient

0.30

0.19

### ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance

0.19

-

Air Infiltration (cfm/ft2)

<= 0.04

CPD: PRD-N-88-33473-00001



800.669.4711  
2150 State Route 39  
Sugar Creek, OH 44681

## QUOTE INFORMATION

Job: Door 7 Lsg

Order #14477063-1

Qty: 1

## DETAILS

### Legacy Single Entry Door in FrameSaver Frame

36" x 84" Nominal Size

Unit Size: 37 9/16" x 85 11/16"

Frame Depth: 4 9/16"

2" Standard Brickmold

Right Hand Inswing - Inside Looking Out

2 Panel 240 Style 20-Gauge Smooth Steel Door

ComforTech DC (with Obscure Privacy Glass)

Plugged Trim

Pistachio Inside and Outside

### Hardware

All Hardware in Black Finish

Plymouth Grip Entrance Handle Outside

Georgian Handle Inside

Thumbturn Deadbolt

Key Order Alike

### Frame

Textured Sandpiper Beige Aluminum Frame Cladding

Pistachio Inside Frame

2 Tubes of Sandpiper Beige Caulk

Bronze ZAC Auto-Adjusting Threshold (5 5/8" Depth)

Black Ball Bearing Hinges

Security Plate

**Sell Price: \$4,596.33**

Labor / Installation: \$625.00

**Total: \$5,221.33**



# YOUR PROFESSIONAL-CLASS PRODUCT

Legacy 20-Gauge Woodgrain Textured Steel Entry Door




OUTSIDE VIEW




INSIDE VIEW

## SIZING



## HANDING



Installation Instructions



## ENERGY

### ENERGY PERFORMANCE RATINGS

U-Factor (U.S./I-P) Solar Heat Gain Coefficient

0.17

0.01

### ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance

0.00

Air Infiltration (cfm/ft2)

<= 0.04



ENERGY STAR® Certified  
In All 50 States.

CPD: PRD-N-88-33275-00001

STC: 25; OITC: 26; Acoustic Test Report: G0177.01



800.669.4711  
2150 State Route 39  
Sugar Creek, OH 44681

## QUOTE INFORMATION

Job: Door 9 Lst

Order #14477102-1

Qty: 1

## DETAILS

### Legacy Single Entry Door in FrameSaver Frame

36" x 84" Nominal Size

Unit Size: 37 9/16" x 85 11/16"

Frame Depth: 4 9/16"

2" Standard Brickmold

Right Hand Inswing - Inside Looking Out

006 Style 20-Gauge Woodgrain Textured Steel Door

Dark Mahogany Inside and Outside

### Hardware

All Hardware in Lifetime Bright Brass Finish

Plymouth Grip Entrance Handle Outside

Georgian Handle Inside

Thumbturn Deadbolt

Key Order Alike

### Frame

Textured Tudor Brown Aluminum Frame Cladding

Dark Mahogany Inside Frame (Painted)

2 Tubes of Tudor Brown Caulk

Bronze ZAC Auto-Adjusting Threshold (5 5/8" Depth)

Zinc Chromate Ball Bearing Hinges (Complements Bright and Antique Brass)

Security Plate

**Sell Price: \$3,522.18**

Labor / Installation: \$625.00

**Total: \$4,147.18**

# YOUR PROFESSIONAL-CLASS PRODUCT

Legacy 20-Gauge Woodgrain Textured Steel Entry Door with Privacy Glass



OUTSIDE VIEW



INSIDE VIEW



800.669.4711  
2150 State Route 39  
Sugar Creek, OH 44681

## QUOTE INFORMATION

Job: Door 10 Lstg

Order #14477111-1

Qty: 1

## DETAILS

### Legacy Single Entry Door in FrameSaver Frame

36" x 84" Nominal Size

Unit Size: 37 9/16" x 85 11/16"

Frame Depth: 4 9/16"

2" Standard Brickmold

Right Hand Inswing - Inside Looking Out

4 Panel 419 Style 20-Gauge Woodgrain Textured Steel Door

ComforTech DLA-UV (with Obscure Privacy Glass)

Plugged Trim

Dark Mahogany Inside and Outside

### Hardware

All Hardware in Lifetime Bright Brass Finish

Plymouth Grip Entrance Handle Outside

Georgian Handle Inside

Thumbturn Deadbolt

Key Order Alike

### Frame

Textured Tudor Brown Aluminum Frame Cladding

Dark Mahogany Inside Frame (Painted)

2 Tubes of Tudor Brown Caulk

Bronze ZAC Auto-Adjusting Threshold (5 5/8" Depth)

Zinc Chromate Ball Bearing Hinges (Complements Bright and Antique Brass)


Security Plate

**Sell Price: \$4,934.04**


Labor / Installation: \$625.00

**Total: \$5,559.04**

## SIZING



## HANDING



Installation Instructions



## ENERGY

### ENERGY PERFORMANCE RATINGS

U-Factor (U.S./I-P) Solar Heat Gain Coefficient

0.22

0.04

### ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance

0.08

Air Infiltration (cfm/ft2)

<= 0.04



ENERGY STAR® Certified  
In All 50 States.

CPD: PRD-N-88-33325-00001



# YOUR PROFESSIONAL-CLASS PRODUCT

## Heritage Smooth Fiberglass Entry Door



OUTSIDE VIEW



INSIDE VIEW



800.669.4711  
2150 State Route 39  
Sugarcreek, OH 44681

### QUOTE INFORMATION

Job: Door 11 Hf

Order #14477173-1

Qty: 1

### DETAILS

#### Heritage Single Entry Door in PermaTech Composite Frame

36" x 84" Nominal Size

Unit Size: 37 9/16" x 85 11/16"

Frame Depth: 4 9/16"

2" PermaTech Brickmold

Right Hand Inswing - Inside Looking Out

006 Style Heritage Smooth Fiberglass Door

Rustic Bronze Inside and Outside

#### Hardware

All Hardware in Satin Nickel Finish

Camelot Grip Entrance Handle Outside

Accent Handle Inside

Thumbturn Deadbolt

Key Order Alike

#### Frame

Textured Rustic Bronze Aluminum Frame Cladding

Rustic Bronze Inside Frame

2 Tubes of Rustic Bronze Caulk

Mill Finish ZAI Adjustable Threshold (5 5/8" Depth)

Satin Nickel Ball Bearing Hinges

Security Plate

**Sell Price: \$3,245.51**


Labor / Installation: \$625.00

**Total: \$3,870.51**


### INFORMATION AND WARNINGS

Additional height over a standard 80 is added to the bottom rail which will affect the appearance of the door. Please see the technical drawing.

#### SIZING



#### HANDING



Installation Instructions



#### ENERGY

##### ENERGY PERFORMANCE RATINGS

U-Factor (U.S./I-P) Solar Heat Gain Coefficient

0.12

0.01

##### ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance

0.00

Air Infiltration (cfm/ft2)

<= 0.03



**ENERGY STAR® Certified**  
In All 50 States.

CPD: PRD-N-84-50434-00001

STC: 21; OITC: 22; Acoustic Test Report: 88191.01B-113-11

# YOUR PROFESSIONAL-CLASS PRODUCT

Heritage Smooth Fiberglass Entry Door with Privacy Glass



OUTSIDE VIEW



INSIDE VIEW



800.669.4711  
2150 State Route 39  
Sugarcreek, OH 44681

## QUOTE INFORMATION

Job: Door 13 Hfg  
Order #14477228-1  
Qty: 1

## DETAILS

### Heritage Single Entry Door in PermaTech Composite Frame

36" x 80" Nominal Size

Unit Size: 37 9/16" x 81 11/16"

Frame Depth: 4 9/16"

2" PermaTech Brickmold

Right Hand Inswing - Inside Looking Out

112 Style Heritage Smooth Fiberglass Door

ComforTech DC (with Waterfall Privacy Glass)

Plugged Trim

Rustic Bronze Inside and Outside

### Hardware

All Hardware in Antique Brass Finish

Camelot Grip Entrance Handle Outside

Accent Handle Inside

Thumbturn Deadbolt

Key Order Alike

### Frame

Textured Rustic Bronze Aluminum Frame Cladding

Rustic Bronze Inside Frame

2 Tubes of Rustic Bronze Caulk

Mill Finish ZAI Adjustable Threshold (5 5/8" Depth)

Zinc Chromate Ball Bearing Hinges (Complements Bright and Antique Brass)


Security Plate

**Sell Price: \$4,306.09**


Labor / Installation: \$625.00

**Total: \$4,931.09**

## SIZING



## HANDING



Installation Instructions



## ENERGY

### ENERGY PERFORMANCE RATINGS

U-Factor (U.S./I-P) Solar Heat Gain Coefficient

0.24

0.19

### ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance

0.19

Air Infiltration (cfm/ft2)

<= 0.03

CPD: PRD-N-84-50629-00001

# YOUR PROFESSIONAL-CLASS PRODUCT

## Heritage Smooth Fiberglass Entry Door




OUTSIDE VIEW




INSIDE VIEW

### SIZING



### HANDING



Installation Instructions



### ENERGY

#### ENERGY PERFORMANCE RATINGS

U-Factor (U.S./I-P) Solar Heat Gain Coefficient

0.12

0.01

#### ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance

0.00

Air Infiltration (cfm/ft2)

<= 0.03



ENERGY STAR® Certified  
In All 50 States.

CPD: PRD-N-84-50434-00001



800.669.4711  
2150 State Route 39  
Sugar Creek, OH 44681

### QUOTE INFORMATION

Job: Door 12 Hf

Order #14477215-1

Qty: 1

### DETAILS

#### Heritage Single Entry Door in PermaTech Composite Frame

36" x 80" Nominal Size

Unit Size: 37 9/16" x 81 11/16"

Frame Depth: 4 9/16"

2" PermaTech Brickmold

Right Hand Inswing - Inside Looking Out

002 Style Heritage Smooth Fiberglass Door

Rustic Bronze Inside and Outside

#### Hardware

All Hardware in Antique Brass Finish

Camelot Grip Entrance Handle Outside

Accent Handle Inside

Thumbturn Deadbolt

Key Order Alike

#### Frame

Textured Rustic Bronze Aluminum Frame Cladding

Rustic Bronze Inside Frame

2 Tubes of Rustic Bronze Caulk

Mill Finish ZAI Adjustable Threshold (5 5/8" Depth)

Zinc Chromate Ball Bearing Hinges (Complements Bright and Antique Brass)

Security Plate

**Sell Price: \$3,245.51**

Labor / Installation: \$625.00

**Total: \$3,870.51**

# YOUR PROFESSIONAL-CLASS PRODUCT

Heritage Smooth Fiberglass Entry Door with Clear Glass



OUTSIDE VIEW



INSIDE VIEW



800.669.4711  
2150 State Route 39  
Sugar Creek, OH 44681

## QUOTE INFORMATION

Job: Door 14 Hfg

Order #14477258-1

Qty: 1

## DETAILS

### Heritage Single Entry Door in PermaTech Composite Frame

36" x 80" Nominal Size

Unit Size: 37 9/16" x 81 11/16"

Frame Depth: 4 9/16"

2" PermaTech Brickmold

Right Hand Inswing - Inside Looking Out

114 Style Heritage Smooth Fiberglass Door

Clear Glass with ComforTech DLA-UV

Plugged Trim

Mountain Berry Red Inside and Outside

### Hardware

All Hardware in Antique Brass Finish

Camelot Grip Entrance Handle Outside

Accent Handle Inside

Thumbturn Deadbolt

Key Order Alike

### Frame

Textured Mountain Berry Red Aluminum Frame Cladding

Mountain Berry Red Inside Frame

2 Tubes of Mountain Berry Red Caulk

Mill Finish ZAl Adjustable Threshold (5 5/8" Depth)

Zinc Chromate Ball Bearing Hinges (Complements Bright and Antique Brass)


Security Plate

**Sell Price: \$4,175.89**


Labor / Installation: \$625.00

**Total: \$4,800.89**

## SIZING



## HANDING



Installation Instructions



## ENERGY

### ENERGY PERFORMANCE RATINGS

U-Factor (U.S./I-P)

Solar Heat Gain Coefficient

0.19

0.07

### ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance

0.15

Air Infiltration (cfm/ft2)

<= 0.03



ENERGY STAR® Certified  
In All 50 States.

CPD: PRD-N-84-50640-00001

# YOUR PROFESSIONAL-CLASS PRODUCT

## Legacy 20-Gauge Smooth Steel Entry Door



OUTSIDE VIEW



INSIDE VIEW



800.669.4711  
2150 State Route 39  
Sugarcreek, OH 44681

### QUOTE INFORMATION

Job: Door 2 Ls

Order #14476882-1

Qty: 1

### DETAILS

#### Legacy Single Entry Door in FrameSaver Frame

36" x 80" Nominal Size

Unit Size: 37 9/16" x 81 11/16"

Frame Depth: 4 9/16"

2" Standard Brickmold

Right Hand Inswing - Inside Looking Out

003 Style 20-Gauge Smooth Steel Door

With High-Definition Embossing

Snow Mist White Inside and Outside

#### Hardware

Black Hoppe Dallas Lever (1 3/4" Backset)

Key Order Alike

#### Frame

Textured Snow Mist White Aluminum Frame Cladding

Snow Mist White Inside Frame

2 Tubes of Snow Mist White Caulk

Bronze ZAC Auto-Adjusting Threshold (5 5/8" Depth)

Black Ball Bearing Hinges


Security Plate

#### Sell Price: \$2,903.73


Labor / Installation: \$625.00

**Total: \$3,528.73**

### SIZING



### HANDING



Installation Instructions



### ENERGY

#### ENERGY PERFORMANCE RATINGS

U-Factor (U.S./I-P)

0.17

Solar Heat Gain Coefficient

0.01

#### ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance

0.00

Air Infiltration (cfm/ft2)

<= 0.04



ENERGY STAR® Certified  
In All 50 States.

CPD: PRD-N-88-33275-00001

# YOUR PROFESSIONAL-CLASS PRODUCT

## Legacy 20-Gauge Smooth Steel Entry Door



OUTSIDE VIEW



INSIDE VIEW



800.669.4711  
2150 State Route 39  
Sugar Creek, OH 44681

### QUOTE INFORMATION

Job: Door 3 Ls

Order #14502524-1

Qty: 1

### DETAILS

#### Legacy Single Entry Door in FrameSaver Frame

36" x 80" Nominal Size

Unit Size: 37 9/16" x 81 11/16"

Frame Depth: 4 9/16"

2" Standard Brickmold

Right Hand Inswing - Inside Looking Out

002C-437 Style 20-Gauge Smooth Steel Door

With High-Definition Embossing

Evergreen Inside and Outside

#### Hardware

Satin Nickel Hoppe Dallas Lever (1 3/4" Backset)

Key Order Alike

#### Frame

Textured Evergreen Aluminum Frame Cladding

Evergreen Inside Frame


2 Tubes of Evergreen Caulk

Bronze ZAC Auto-Adjusting Threshold (5 5/8" Depth)


Satin Nickel Ball Bearing Hinges

Security Plate

### SIZING



### HANDING



Installation Instructions



### ENERGY

#### ENERGY PERFORMANCE RATINGS

U-Factor (U.S./I-P) Solar Heat Gain Coefficient

0.17

0.01

#### ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance

0.00

Air Infiltration (cfm/ft2)

<= 0.04



ENERGY STAR® Certified  
In All 50 States.

CPD: PRD-N-88-33275-00001

**Sell Price: \$2,903.73**

Labor / Installation: \$625.00

**Total: \$3,528.73**



# YOUR PROFESSIONAL-CLASS PRODUCT

Heritage Smooth Fiberglass Entry Door with Clear Glass



OUTSIDE VIEW



INSIDE VIEW



800.669.4711  
2150 State Route 39  
Sugar Creek, OH 44681

## QUOTE INFORMATION

Job: Door 15 Hfg

Order #14477318-1

Qty: 1

## DETAILS

### Heritage Single Entry Door in PermaTech Composite Frame

36" x 80" Nominal Size

Unit Size: 37 9/16" x 81 11/16"

Frame Depth: 4 9/16"

2" PermaTech Brickmold

Right Hand Inswing - Inside Looking Out

1 Panel 440 Style Heritage Smooth Fiberglass Door

Clear Glass with ComforTech DLA-UV

Plugged Trim

Desert Inside and Outside

### Hardware

All Hardware in Antique Brass Finish

Camelot Grip Entrance Handle Outside

Accent Handle Inside

Thumbturn Deadbolt

Key Order Alike

### Frame

Textured Cafe Cream Aluminum Frame Cladding

Desert Inside Frame

2 Tubes of Cafe Cream Caulk

Mill Finish ZAI Adjustable Threshold (5 5/8" Depth)

Zinc Chromate Ball Bearing Hinges (Complements Bright and Antique Brass)


Security Plate

**Sell Price: \$4,468.84**


Labor / Installation: \$625.00

**Total: \$5,093.84**

## SIZING



## HANDING



Installation Instructions



## ENERGY

### ENERGY PERFORMANCE RATINGS

U-Factor (U.S./I-P) Solar Heat Gain Coefficient

0.20

0.09

### ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance

0.21

Air Infiltration (cfm/ft2)

<= 0.03



ENERGY STAR® Certified  
In All 50 States.

CPD: PRD-N-84-50806-00001