



KAU Agri-Infotech Portal

**Centre for e-
Learning**
*Kerala Agricultural
University*



08:20:11 Mon, June 15,
2026 (GMT +05:30)




Rice (*Oryza sativa*)

Brown leaf spot(*Helminthosporium oryzae*)

Symptoms







- The symptoms of the disease are found on leaves, glumes, coleoptile, leaf sheaths, and panicle branches and rarely on roots of young seedlings and stems.
- Typical spots are small, oval or circular in shape and are dark brown or purplish in colour.
- Fully developed lesions are oval, brown with gray or whitish centre of about 1 cm long, with dark reddish brown margin.
- Numerous such spots occurring on leaves cause withering.
- Glumes also show similar dark brown spots. In such grains, the endosperm turns black in colour.
- The disease is usually seen in the last stages of the first crop. However, in the second crop, the disease can be found under the nursery stage itself.
- The infected seed on germination shows black spots on the coleoptile and causes death of the seedlings (seedling blight).
- The disease is transmitted through seeds and air.

Management

- Use certified and healthy seeds.
- Use resistant varieties Kanchana, Remya, IR-36 etc.
- Treat seeds with hot water (53-54°C) for 10-12 minutes.

Chemical Control

Sl.No	Generic Name	Trade Name	Color code	Dosage/litre	Knapsack Sprayer (Capacity 10L)	Dose (g)
1	Mancozeb 75 WP	Devidayal M-45, Dhanuka M 45, Dhanuka M-45, Dithane, Dithane M-45, Hilthane,	Green	3 - 4 g/ litre of water	30 - 40 g	0.6

Sl.No	Generic Name	Trade Name	Color code	Dosage/litre	Knapsack Sprayer (Capacity 10L)	Dosage (g/ml)
		Hindustan M 45, Indofil M 45, Izeb M-45, Manzate, Luzen-45, Macoban, Macoban M-45, Mancosaan, Mancosaan M-45, Maneb, Manzane, M-Guard, Saviour M 45, Tata M-45 Eurofil-NT, Uthane M-45, Veera, Zinthane				
2	Propineb 70 WP	Antracol 50 WP	Blue	2.5 g/ litre of water	25 g	
3	Carbendazim 12 + Mancozeb 63 WP	Companion, Dasma, Hi-Jip, Kuber, Macoban , Macoban C Trophy, Merger, Nagarjuna Combi+, Revive 750, Riper, Saaf, Sixer, Sprint, Stuff	Green	2 g/ litre of water	20 g	
4	Hexaconazole 5 EC	Alert Creeper, Contaf, Corazole, Danzole, Force 5C,	Blue	1 ml/ litre of water	10 ml	2

SI.No	Generic Name	Trade Name	Color code	Dosage/litre	Knapsack Sprayer (Capacity 10L)	Dosage (l/ha)
		Hexaan, Hexacone, Hexadhan, Hexamax, Hexan, Hexazole, Mainex EC, Sitara, Strike, Titan, Topper, Topper plus EC, Xantho				




Extremely Toxic



Highly Toxic



Moderately Toxic



Slightly Toxic

Copyright © 2026. Developed and Maintained by Centre for e-Learning, Kerala Agricultural University | Disclaimer

