
Say-Barber-Biesecker Syndrome

https://medlineplus.gov/genetics/condition/ohdo-syndrome-say-barber-biesecker-young-simpson-varial	nt/
You Are Here:	
Home	
→	
Genetics	
→	
Genetic Conditions	
& #8594;	
Ohdo syndrome, Say-Barber-Biesecker-Young-Simpson variant	



Description

The Say-Barber-Biesecker-Young-Simpson (SBBYS) variant of Ohdo syndrome is a rare condition characterized by genital abnormalities in males, missing or underdeveloped kneecaps (patellae), intellectual disability, distinctive facial features, and abnormalities affecting other parts of the body. Males with the SBBYS variant of Ohdo syndrome typically have undescended testes (cryptorchidism). Females with this condition have normal genitalia. Missing or underdeveloped patellae is the most common skeletal abnormality associated with the SBBYS variant of Ohdo syndrome. Affected individuals also have joint stiffness involving the hips, knees, and ankles that can impair movement. Although joints in the lower body are stiff, joints in the arms and upper body may be unusually loose (lax). Many people with this condition have long thumbs and first (big) toes. The SBBYS variant of Ohdo syndrome is also associated with delayed development and intellectual disability, which are often severe. Many affected infants have weak muscle tone


(hypotonia) that leads to breathing and feeding difficulties. The SBBYS variant of Ohdo syndrome is characterized by a mask-like, non-expressive face. Additionally, affected individuals may have distinctive facial features such as prominent cheeks, a broad nasal bridge or a nose with a rounded tip, a narrowing of the eye opening (blepharophimosis), droopy eyelids (ptosis), and abnormalities of the tear (lacrimal) glands. About one-third of affected individuals are born with an opening in the roof of the mouth called a cleft palate. The SBBYS variant of Ohdo syndrome can also be associated with heart defects and dental problems.


Frequency


The SBBYS variant of Ohdo syndrome is estimated to occur in fewer than 1 per million people. At least 19 cases have been reported in the medical literature.

Causes

The SBBYS variant of Ohdo syndrome is caused by mutations in the KAT6B gene. This gene provides instructions for making a type of enzyme called a histone acetyltransferase. These enzymes modify histones, which are structural proteins that attach (bind) to DNA and give chromosomes their shape. By adding a small molecule called an acetyl group to histones, histone acetyltransferases control the activity of certain genes. Little is known about the function of the histone acetyltransferase produced from the KAT6B gene. It appears to regulate genes that are important for early development, including development of the skeleton and nervous system. The mutations that cause the SBBYS variant of Ohdo syndrome likely prevent the production of functional histone acetyltransferase from one copy of the KAT6B gene in each cell. Studies suggest that the resulting shortage of this enzyme impairs the regulation of various genes during early







KAT6B-related disorders genitopatellar syndrome and Ohdo/SBBYS syndrome have

distinct clinical features reflecting distinct molecular mechanisms. Hum Mutat.

2012 Nov;33(11):1520-5. doi: 10.1002/humu.22141. Epub 2012 Jul 12. Citation on PubMed or Free

article on PubMed Central

Clayton-Smith J, O'Sullivan J, Daly S, Bhaskar S, Day R, Anderson B, Voss AK,

Thomas T, Biesecker LG, Smith P, Fryer A, Chandler KE, Kerr B, Tassabehji M,

Lynch SA, Krajewska-Walasek M, McKee S, Smith J, Sweeney E, Mansour S, Mohammed

S, Donnai D, Black G. Whole-exome-sequencing identifies mutations in histone

acetyltransferase gene KAT6B in individuals with the Say-Barber-Biesecker variant

of Ohdo syndrome. Am J Hum Genet. 2011 Nov 11;89(5):675-81. doi:

10.1016/j.ajhg.2011.10.008. Citation on PubMed or Free article on PubMed Central

Day R, Beckett B, Donnai D, Fryer A, Heidenblad M, Howard P, Kerr B, Mansour

S, Maye U, McKee S, Mohammed S, Sweeney E, Tassabehji M, de Vries BB,

Clayton-Smith J. A clinical and genetic study of the

Say/Barber/Biesecker/Young-Simpson type of Ohdo syndrome. Clin Genet. 2008

Nov;74(5):434-44. doi: 10.1111/j.1399-0004.2008.01087.x. Epub 2008 Sep 16. Citation on PubMed

Lemire G, Campeau PM, Lee BH. KAT6B Disorders. 2012 Dec 13 [updated

2020 Jan 2]. In: Adam MP, Feldman J, Mirzaa GM, Pagon RA, Wallace SE, Bean LJH,

Gripp KW, Amemiya A, editors. GeneReviews(R) [Internet]. Seattle (WA):

University of Washington, Seattle; 1993-2024. Available from

http://www.ncbi.nlm.nih.gov/books/NBK114806/

Citation on PubMed

Masuno M, Imaizumi K, Okada T, Adachi M, Nishimura G, Ishii T, Tachibana K,

Kuroki Y. Young-Simpson syndrome: further delineation of a distinct syndrome with

congenital hypothyroidism, congenital heart defects, facial dysmorphism, and

mental retardation. Am J Med Genet. 1999 May 7;84(1):8-11. doi:

10.1002/(sici)1096-8628(19990507)84:13.0.co;2-2. Citation on PubMed

Verloes A, Bremond-Gignac D, Isidor B, David A, Baumann C, Leroy MA, Stevens R, Gillerot Y, Heron D, Heron B, Benzacken B, Lacombe D, Brunner H, Bitoun P. Blepharophimosis-mental retardation (BMR) syndromes: A proposed clinical classification of the so-called Ohdo syndrome, and delineation of two new BMR syndromes, one X-linked and one autosomal recessive. Am J Med Genet A. 2006 Jun 15;140(12):1285-96. doi: 10.1002/ajmg.a.31270. Citation on PubMed White SM, Ades LC, Amor D, Liebelt J, Bankier A, Baker E, Wilson M, Savarirayan R. Two further cases of Ohdo syndrome delineate the phenotypic variability of the condition. Clin Dysmorphol. 2003 Apr;12(2):109-13. doi: 10.1097/00019605-200304000-00007. Citation on PubMed

Developmental Disabilities
Genetic Disorders
MEDICAL ENCYCLOPEDIA
Genetics
Understanding Genetics
What is the prognosis of a genetic condition?
How can gene variants affect health and development?
What does it mean if a disorder seems to run in my family?

What are the different ways a genetic condition can be inherited?
How are genetic conditions treated or managed?
Disclaimers
MedlinePlus links to health information from the National Institutes of Health and other federal
government agencies. MedlinePlus also links to health information from non-government Web sites.
See our disclaimer about external links and our quality guidelines.
The information on this site should not be used as a substitute for professional medical care or
advice. Contact a health care provider if you have questions about your health.

Learn how to cite this page