Status	Finished
Started	Wednesday, 21 October 2026, 7:17 PM
Completed	Wednesday, 21 October 2026, 7:24 PM
Duration	6 mins 29 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={1:"A",2:"B",3:"C"}
print(a.get(5,4))
```

a. A

b. Invalid Synatx,Error

c. 5

d. 4 ✓

Question **2**

Correct

Mark 1.00 out of 1.00

What will be the Output of the following code?
dl={1:10, 2:20, 3:30, 4:40}
d2={5:50, 6:60, 7:70}
dl.update (d2)
print (dl)

a. [1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70]

b. {1:10, 2: 20, 4: 40, 5: 50, 6: 60, 7: 70}

c. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]

d. {1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70} ✓

this element

Question **3**

Correct

Mark 1.00 out of 1.00

In dictionary Keys and values are separated by _____.

a. dot(.)

b. Semicolon(;)

c. Colon (:) ✓

d. Comma(,)

Question **4**

Correct

Mark 1.00 out of 1.00

Which of the following is not method of dictionary?

a. pop

b. len

c. update

d. del ✓

Question **5**

Correct

Mark 1.00 out of 1.00

Dictionary is a _____ data type.

a. Mapping ✓

b. Ordered

c. None of the mentioned

d. Sequence

Question **6**

Incorrect

Mark 0.00 out of 1.00

We can repeat the values of Key in Dictionary?

a. True

b. False ✗

this element

Question **7**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

- a. A dictionary can have two same values with different keys. ✓
- b. A dictionary can have two same keys or same values but cannot have two same key-value pair
- c. A dictionary can have two same keys with different values.
- d. A python, a dictionary can neither have two same keys nor two same values.

Question **8**

Correct

Mark 1.00 out of 1.00

Dictionaries in python are _____.

- a. Mutable data type
- b. Both Mutable data type and Mapping data type ✓
- c. Mapping data type
- d. Non-Mutable data type

Question **9**

Correct

Mark 1.00 out of 1.00

What is the value of counter after the code is run?

```
phrase = "Cheese!!!! Cheese!!!! Python is a programming Language.Python!!"
counter = 0
letters = {}
for word in phrase.split():
    for letter in word:
        letter = letter.lower()
        if letter not in letters.keys():
            letters[letter] = 0
        letters[letter] += 1
for key in letters.keys():
    if letters[key] > 2:
        counter += 1
print(counter)
```

Answer: 9 ✓

this element

Question **10**

Correct

Mark 1.00 out of 1.00

A = {"A" : "Apple", "B" : "Ball", "C" : "Cat"} Which of the following statement will return : dict_items([('A', 'Apple'), ('B', 'Ball'), ('C', 'Cat')])

a. print(A.get)
b. print(A.values)
c. print(A.Items) ✓
d. print(A.keys)

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

a. dict ✓
b. convert
c. dictionary
d. create

Question **12**

Correct

Mark 1.00 out of 1.00

1,2,3 are the _____ in the following dictionary. D = {1 : "One", 2 : "Two", 3 : "Three"}

a. Items
b. Keys ✓
c. None of the mentioned
d. Values

Question **13**

Correct

Mark 1.00 out of 1.00

All elements in dictionary are separated by _____.

a. dot(.)
b. Colon (
c. Semicolon(;)
d. Comma(,) ✓

this element

Question **14**

Correct

Mark 1.00 out of 1.00

pop function delete and ____ the element of dictionary.

- a. display
- b. not return
- c. add
- d. return ✓

Question **15**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={}
a['a']=1
a['b']=[2,3,4]
print(a)
```

- a. {'b': [2], 'a': 1}
- b. {'b': [2, 3, 4], 'a': 1} ✓
- c. {'b': [2], 'a': [3]}
- d. Error