AI Assisted Coding
Assignment-14.2

Name: J.Akshaya

Ht.No: 2303A51629

Batch: 22

Task Description 1 – (Landing Page Design)

Prompt:

Create a simple modern landing page for a product called "SmartNote" using HTML and CSS.

The page should have:
• A sticky header with the logo "SmartNote" and navigation links (Home, Features, Contact).
• A hero section with a large title, a short description of the product, a "Get Started" button, and a placeholder image beside the text.
• A footer with copyright text and social media links.

Use clean, proper spacing, and a modern color style.

Code:

```html
# Prompt:
# Create a simple modern landing page for a product called "SmartNote" using HTML and CSS.

# The page should have:
# • A sticky header with the logo "SmartNote" and navigation links (Home, Features, Contact).
# • A hero section with a large title, a short description of the product, a "Get Started" bu
# placeholder image beside the text.
# • A footer with copyright text and social media links.

# Use clean, proper spacing, and a modern color style.
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>SmartNote - Your Ultimate Note-Taking App</title>
    <style>
        /* Reset some default styles */
        * {
            margin: 0;
            padding: 0;
            box-sizing: border-box;
        }
        body {
            font-family: 'Arial', sans-serif;
            color: #333;
            background-color: #f9f9f9;
        }
        /* Sticky Header */
        header {
            position: sticky;
            top: 0;
            background-color: #fff;
            padding:20px 40px;
            display: flex;
            justify-content: space-between;
            align-items: center;
            box-shadow: 0 2px 4px rgba(0, 0, 0, 0.1);
        }
        header .logo {
            font-size: 24px;
            font-weight: bold;
            color: #007BFF;
        }
        header nav a {
```

```html
    <html lang="en">
    <head>
        <style>
            header nav a:hover {
            }
            /* Hero Section */
            .hero {
                display: flex;
                align-items: center;
                justify-content: space-between;
                padding: 60px 40px;
            }
            .hero-text {
                max-width: 600px;
            }
            .hero-text h1 {
                font-size: 48px;
                margin-bottom: 20px;
            }
            .hero-text p {
                font-size: 18px;
                margin-bottom: 30px;
            }
            .hero-text button {
                padding: 15px 30px;
                font-size: 16px;
                color: #fff;
                background-color: #007BFF;
                border: none;
                border-radius: 5px;
                cursor: pointer;
            }
            .hero-text button:hover {
                background-color: #0056b3;
            }
            .hero-image img {
                width: 400px;
            }
            /* Footer */
            footer {
                background-color: #333;
                color: #fff;
                text-align: center;
                padding: 20px;
            }
```

Output:


GitHub - Deekshith1064/AI_Assist
AI_Assisted_Coding_1414/A14.2_1
SmartNote - Your Ultimate Note-T
127.0.0.1:5500/A14.html
Chat
Prompt: # Create a simple modern landing page for a product called "SmartNote" using HTML and CSS. # The page should have: # • A sticky header with the logo "SmartNote" and navigation links (Home, Features, Contact). # • A hero section with a large title, a short description of the product, a "Get Started" button, and a # placeholder image beside the text. # • A footer with copyright text and social media links. # Use clean, proper spacing, and a modern color style.
SmartNote
Home
Features
Contact
SmartNote App
SmartNote - Your Ultimate Note-Taking App
Organize your thoughts, ideas, and tasks with SmartNote. The perfect solution for efficient note-taking.
Get Started
© 2023 SmartNote. All rights reserved.
Search
ENG IN
14:51
13-03-2026

Observation:

While creating the SmartNote landing page, I observed how HTML structures the webpage and CSS improves the visual design. The header, hero section, and footer helped organize the content clearly. Using Flexbox made alignment and spacing easier. The sticky header improved navigation while scrolling. The page was made responsive so it works properly on both mobile and desktop screens.

Task Description #2 – Theme Toggle Feature

Prompt:

Add a light and dark theme toggle button to the webpage.

When the button is clicked, switch between light and dark mode.

Use JavaScript to toggle a class on the body element.

Define the colors in CSS and add a smooth transition.

define the html, css, and js code to implement this functionality.

Make sure the theme changes instantly when the button is clicked.

Code:

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Light/Dark Theme Toggle</title>
    <style>
        body {
            font-family: Arial, sans-serif;
            transition: background-color 0.3s, color 0.3s;
        }
        .light-theme {
            background-color: #ffffff;
            color: #000000;
        }
        .dark-theme {
            background-color: #121212;
            color: #ffffff;
        }
        .toggle-button {
            margin: 20px;
            padding: 10px 20px;
            cursor: pointer;
            background-color: #007BFF;
            color: #ffffff;
            border: none;
            border-radius: 5px;
        }
    </style>
</head>
<body class="light-theme">
    <button class="toggle-button" id="theme-toggle">Toggle Theme</button>

    <script>
        const toggleButton = document.getElementById('theme-toggle');
        const body = document.body;

        toggleButton.addEventListener('click', () => {
            body.classList.toggle('light-theme');
            body.classList.toggle('dark-theme');
        });
    </script>
</body>
```

style.css > ...

```css

body {
    transition: background-color 0.5s ease, color 0.5s ease;
}
body.light-theme {
    background-color: #ffffff;
    color: #000000;
}
body.dark-theme {
    background-color: #121212;
    color: #ffffff;
}
/* Style the toggle button */
.theme-toggle-button {
    position: fixed;
    top: 20px;
    right: 20px;
    padding: 10px 20px;
    background-color: #007BFF;
    color: #ffffff;
    border: none;
    border-radius: 5px;
    cursor: pointer;
}
.theme-toggle-button:hover {
    background-color: #0056b3;
}

```

script.js > ...

```js
document.addEventListener('DOMContentLoaded', function() {
    const toggleButton = document.getElementById('theme-toggle');
    const body = document.body;

    toggleButton.addEventListener('click', function() {
        body.classList.toggle('dark-theme');
    });
});

```

Toggle Theme



Observation:

In this task, I observed how JavaScript can change the appearance of a webpage. The theme toggle button switches between light and dark mode by changing CSS classes. This makes the interface more user friendly. CSS controls the colors while JavaScript handles the interaction

Task Description #3 – User

Feedback Form

Prompt:

Create a feedback form with fields: Username, Rating (1–5), and Comments.

Add a submit button and use JavaScript to check if required fields are filled.
If fields are empty, show an error message.
If the form is correct, display a success message.
provide the complete HTML, CSS, and JavaScript code for this form.
Style the form with CSS and keep the layout simple and responsive.

Code:

index.html 1 | style.css | script.js | launch.json

index.html > html > head > style > input > textarea > select

```html

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Feedback Form</title>
    <style>
        body {
            font-family: Arial, sans-serif;
            max-width: 600px;
            margin: 0 auto;
            padding: 20px;
        }
        .form-group {
            margin-bottom: 15px;
        }
        label {
            display: block;
            margin-bottom: 5px;
        }
        input, textarea, select {
            width: 100%;
            padding: 8px;
            border: 1px solid #ccc;
            border-radius: 4px;
        }
        button {
            background-color: #007BFF;
            color: #ffffff;
            padding: 10px 20px;
            border: none;
            border-radius: 4px;
            cursor: pointer;
        }
        button:hover {
            background-color: #0056b3;
        }
        .error {
            color: red;
            font-size: 14px;
        }
        .success {
            color: green;
```

index.html 1 | style.css | script.js | launch.json

style.css > body

```css
body {
    font-family: Arial, sans-serif;
    background-color: #f4f4f4;
    display: flex;
    justify-content: center;
    align-items: center;
    height: 100vh;
    margin: 0;
}
.feedback-form {
    background-color: #fff;
    padding: 20px;
    border-radius: 5px;
    box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
    width: 100%;
    max-width: 400px;
}
.feedback-form h2 {
    margin-bottom: 15px;
}
.feedback-form label {
    display: block;
    margin-bottom: 5px;
}
.feedback-form input[type="text"],
.feedback-form select,
.feedback-form textarea {
    width: 100%;
    padding: 10px;
    border: 1px solid #ccc;
    border-radius: 4px;
    box-sizing: border-box;
}
.feedback-form button {
    background-color: #28a745;
    color: white;
    padding: 10px 15px;
    border: none;
    border-radius: 4px;
    cursor: pointer;
}
.feedback-form button:hover {
    background-color: #218838;
}
@media (max-width: 500px) {
```

Launch Chrome against localhost (assisantcoding - Copy)

```javascript
document.getElementById('feedbackForm').addEventListener('submit', function(event) {
    event.preventDefault(); // Prevent form from submitting and refreshing the page

    const username = document.getElementById('username').value.trim();
    const rating = document.getElementById('rating').value.trim();
    const comments = document.getElementById('comments').value.trim();
    if (!username || !rating || !comments) {
        alert('Please fill in all required fields.');
    } else {
        alert('Thank you for your feedback!');
        // Optionally, you can reset the form here
        // document.getElementById('feedbackForm').reset();
    }
});
```

Output:



Observation:

While creating the feedback form, I observed how forms collect user input on a webpage. JavaScript was used to check whether required fields are filled. It displays error or success messages without reloading the page. CSS helped make the form clean and easy to use.

Task Description #4 – Image

Gallery With JS

Prompt:

Create a small image gallery using HTML, CSS, and JavaScript.

Display one image at a time with Next and Previous buttons.
Store image links in a JavaScript array and change the image when buttons are clicked.
provide html, css, and js code for the gallery.
Style the gallery so it is centered and responsive.

Code:

tempRun.py | script.js | style.css | index.html

Task01 > index.html > html

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Image Gallery</title>
    <link rel="stylesheet" href="styles.css">
</head>
<body>
    <div class="gallery">
        <img id="gallery-image" src="" alt="Gallery Image">
        <div class="buttons">
            <button id="prev-btn">Previous</button>
            <button id="next-btn">Next</button>
        </div>
    </div>
    <script src="script.js"></script>
</body>
</html>
```

tempRun.py | script.js | style.css | index.html

Task01 > style.css > #gallery-image

```css
body {
    display: flex;
    justify-content: center;
    align-items: center;
    height: 100vh;
    margin: 0;
    background-color: #f0f0f0;
}
.gallery {
    text-align: center;
}
#gallery-image {
    max-width: 100%;
    height: auto;
    border: 2px solid #ccc;
    border-radius: 10px;
}
.buttons {
    margin-top: 10px;
}
button {
    padding: 10px 20px;
    margin: 0 5px;
    font-size: 16px;
    cursor: pointer;
    border: none;
    border-radius: 5px;
    background-color: #007BFF;
    color: white;
}
button:hover {
    background-color: #0056b3;
}
```

tempRun.py | script.js | style.css | index.html

Task01 > script.js > ...

```javascript
const images = [
    "img1.jpg",
    "img2.jpg",
    "img3.jpg"
];

let currentIndex = 0;

const galleryImage = document.getElementById("gallery-image");
const prevBtn = document.getElementById("prev-btn");
const nextBtn = document.getElementById("next-btn");

function updateImage() {
    galleryImage.src = images[currentIndex];
}

prevBtn.addEventListener("click", () => {
    currentIndex = (currentIndex - 1 + images.length) % images.length;
    updateImage();
});

nextBtn.addEventListener("click", () => {
    currentIndex = (currentIndex + 1) % images.length;
    updateImage();
});

updateImage();
```

Output:



Observation:

In this task, I observed how JavaScript can control images on a webpage. The images are stored in an array and change when the Next or Previous button is clicked. This makes the gallery interactive. CSS helps align the images and keeps the layout responsive.

Task Description #5 – Notification Banner

Prompt:

Create a notification banner at the top of the webpage.

Show a message like "Welcome to SmartNote".
Add a close (X) button to hide the banner.
Use JavaScript to show and hide the banner.
provide html, css, and js code for the banner.
Style the banner using CSS and add a smooth transition

Code:

index.html | style.css | script.js | launch.json

index.html > ...

```html
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>SmartNote Notification</title>
<link rel="stylesheet" href="style.css">
</head>

<body>

<!-- Notification Banner -->
<div id="banner" class="banner">
    <span>Welcome to SmartNote</span>
    <button id="closeBtn">&times;</button>
</div>

<div class="content">
    <h1>SmartNote</h1>
    <p>Your smart way to organize notes.</p>
</div>

<script src="script.js"></script>

</body>
</html>
```

index.html | style.css | script.js | launch.json

style.css > ...

```
body{
    margin:0;
    font-family:Arial, sans-serif;
}

/* Banner Style */
.banner{
    position:fixed;
    top:0;
    left:0;
    width:100%;
    background: #4a6cf7;
    color: white;
    padding:15px;
    display:flex;
    justify-content:space-between;
    align-items:center;
    font-size:18px;
    transition: transform 0.4s ease;
}

/* Hidden banner */
.banner.hide{
    transform:translateY(-100%);
}

/* Close Button */
#closeBtn{
    background:none;
    border:none;
    color: white;
    font-size:22px;
    cursor:pointer;
}

/* Page Content */
.content{
    padding:80px 20px;
    text-align:center;
}
```

```js
const banner = document.getElementById("banner");
const closeBtn = document.getElementById("closeBtn");

closeBtn.addEventListener("click", function(){
    banner.classList.add("hide");
});
```

Output:



Observation:

While implementing the notification banner, I observed how JavaScript can control the visibility of elements on a webpage. The banner appears at the top when the page loads. When the close button is clicked, JavaScript adds a CSS class that hides the banner with a smooth transition. CSS helps style the banner and make it visually clear for users.