

Insta Share

Complete project structure and source code

Generated on 2026-08-25

Project Structure

Insta Share project documentation

```
index.html
package.json
package-lock.json
public/__test.html
public/insta-share-logo.svg
public/search-not-found.svg
public/website-login.svg
src/App.jsx
src/components/CommentSection.css
src/components/CommentSection.jsx
src/components/FailureView.css
src/components/FailureView.jsx
src/components/Header.css
src/components/Header.jsx
src/components/Home.css
src/components/Home.jsx
src/components/Loader.css
src/components/Loader.jsx
src/components/LoginForm.css
src/components/LoginForm.jsx
src/components/MyProfile.jsx
src/components/NotFound.css
src/components/NotFound.jsx
src/components/Post.css
src/components/Post.jsx
src/components/PostActions.css
src/components/PostActions.jsx
src/components/PostsList.css
src/components/PostsList.jsx
src/components/Profile.css
src/components/Profile.jsx
src/components/ProtectedRoute.jsx
src/components/UserDetails.jsx
src/components/UserStories.css
src/components/UserStories.jsx
src/components/UserStoriesModal.css
src/components/UserStoriesModal.jsx
src/components/UserStory.css
src/components/UserStory.jsx
src/main.jsx
src/styles.css
vite.config.js
```

index.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Insta Share</title>
    <link rel="icon" type="image/svg+xml" href="/insta-share-logo.svg" />
  </head>
  <body>
    <div id="root"></div>
    <script type="module" src="/src/main.jsx"></script>
  </body>
</html>
```

package.json

```
{
  "name": "insta-share",
  "private": true,
  "version": "1.0.0",
  "type": "module",
  "scripts": {
    "dev": "vite",
    "build": "vite build",
    "preview": "vite preview"
  },
  "dependencies": {
    "@vitejs/plugin-react": "latest",
    "axios": "latest",
    "js-cookie": "^3.0.8",
    "react": "latest",
    "react-dom": "latest",
    "react-icons": "latest",
    "react-router-dom": "latest",
    "react-slick": "latest",
    "slick-carousel": "latest"
  },
  "devDependencies": {
    "vite": "^8.2.2"
  }
}
```

package-lock.json

```
{
  "name": "insta-share",
  "version": "1.0.0",
  "lockfileVersion": 3,
  "requires": true,
  "packages": {
    "": {
      "name": "insta-share",
      "version": "1.0.0",
      "dependencies": {
        "@vitejs/plugin-react": "latest",
        "axios": "latest",
        "js-cookie": "^3.0.8",
        "react": "latest",
        "react-dom": "latest",
        "react-icons": "latest",
        "react-router-dom": "latest",
        "react-slick": "latest",
        "slick-carousel": "latest"
      },
      "devDependencies": {
        "vite": "^8.2.2"
      }
    },
    "node_modules/@oxc-project/types": {
      "version": "0.146.0",
      "resolved": "https://registry.npmjs.org/@oxc-project/types/-/types-0.146.0.tgz",
      "integrity": "sha512-XC0QsnhVe7sLIWmYmdPw7x5P0h4W8vUU3Nv1ySghXtvCz8NizoAEpGXA0s0YoJQV2R113LgURAHQ5cI5ILCSA==",
      "license": "MIT",
      "funding": {
        "url": "https://github.com/sponsors/Boshen"
      }
    },
    "node_modules/@rolldown/binding-android-arm-eabi": {
      "version": "1.2.5",
      "resolved": "https://registry.npmjs.org/@rolldown/binding-android-arm-eabi/-/binding-android-arm-eabi-1.2.5.tgz",
      "integrity": "sha512-DLe/i+18ynIBY7XEQ191TeZvCoowIGa18R+dIV30GW7Di0tp74i/xx8hs8GUjW5ARV7VZuie3d6AumSmCwbeRA==",
      "cpu": [
        "arm"
      ],
      "license": "MIT",
      "optional": true,
      "os": [
        "android"
      ],
      "engines": {
        "node": "^20.19.0 || >=22.12.0"
      }
    },
    "node_modules/@rolldown/binding-android-arm64": {
      "version": "1.2.5",
      "resolved": "https://registry.npmjs.org/@rolldown/binding-android-arm64/-/binding-android-arm64-1.2.5.tgz",
      "integrity": "sha512-zXcwKlQApYAOELHd8PwKDFkagYF9Wy4e0RJ+0qnz19Pjnpj75TEG8ufv40p2J7kCEfwZAsNiuzRIyNNMwT38ig==",
      "cpu": [
        "arm64"
      ],
      "license": "MIT",
      "optional": true,
      "os": [
        "android"
      ],
      "engines": {
        "node": "^20.19.0 || >=22.12.0"
      }
    },
    "node_modules/@rolldown/binding-darwin-arm64": {
      "version": "1.2.5",
      "resolved": "https://registry.npmjs.org/@rolldown/binding-darwin-arm64/-/binding-darwin-arm64-1.2.5.tgz",
      "integrity": "sha512-dK4QakI42nzWgJT5sm4y4y/O//D40xM75/ch28RLV+nzIN9AY+YsbuUVRUTj1LjXR6vpyxFbSsbmNuJ6BP9sw==",
      "cpu": [

```

```

    "arm64"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "darwin"
  ],
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  }
},
"node_modules/@rolldown/binding-darwin-x64": {
  "version": "1.2.5",
  "resolved": "https://registry.npmjs.org/@rolldown/binding-darwin-x64/-/binding-darwin-x64-1.2.5.tgz",
  "integrity": "sha512-fqSALaUu1Wjd1nK2uW2kJDWdLCc81xIICy+MTY26Aurfdx19an1zhqX0gCFbBFQn1FDn4TC1/7Nz4B12mLP3A==",
  "cpu": [
    "x64"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "darwin"
  ],
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  }
},
"node_modules/@rolldown/binding-freebsd-x64": {
  "version": "1.2.5",
  "resolved": "https://registry.npmjs.org/@rolldown/binding-freebsd-x64/-/binding-freebsd-x64-1.2.5.tgz",
  "integrity": "sha512-vCnNx1kxs9tKxNDcyWUePpJ/PgTzxIaVhoM5SmG8UV+GR/IcPam4VYxi7GIMo7PSDuNqlJqvprqii9NqqVCMw==",
  "cpu": [
    "x64"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "freebsd"
  ],
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  }
},
"node_modules/@rolldown/binding-linux-arm-gnueabihf": {
  "version": "1.2.5",
  "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-arm-gnueabihf/-/binding-linux-arm-gnueabihf-1.2.5.tgz",
  "integrity": "sha512-abk0NLA519LxRCszmbE0jYKuQ9YPoc0XTi0X0o6Yr+YAT95VH+PtqYAj0JvGKt3viEd/x4qzabAlwd5bH00ARg==",
  "cpu": [
    "arm"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  }
},
"node_modules/@rolldown/binding-linux-arm64-gnu": {
  "version": "1.2.5",
  "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-arm64-gnu/-/binding-linux-arm64-gnu-1.2.5.tgz",
  "integrity": "sha512-Y7eALiJ81r0M2HH103Js+g7V34wf6snlpZLAsHI90uLhr3PVLNsbFVAXJC9d/V6BnPyKtpSwI+NcB/RLxsQxuA==",
  "cpu": [
    "arm64"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  }
},
"node_modules/@rolldown/binding-linux-arm64-musl": {
  "version": "1.2.5",

```

```
"resolved": "https://registry.npmjs.org/@rolldown/binding-linux-arm64-musl/-/binding-linux-arm64-musl-1.2.5.tgz",
"integrity": "sha512-xMvZgNbZg4YVnR/AX2b3o0PDTFYJvUvAJg5FedA/LuvexAtXibZQej4cnTkW3rjsJ/ggUR0B64TdtETiim+FYA=",
"cpu": [
  "arm64"
],
"license": "MIT",
"optional": true,
"os": [
  "linux"
],
"engines": {
  "node": "^20.19.0 || >=22.12.0"
}
},
"node_modules/@rolldown/binding-linux-ppc64-gnu": {
  "version": "1.2.5",
  "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-ppc64-gnu/-/binding-linux-ppc64-gnu-1.2.5.tgz",
  "integrity": "sha512-GRjeqTUDHTo5GwntsLaAMcBahG3nlpjftXWZLN73HiYQlhwEowvarFgQnRnQZtIp4keXX7quXFbG38uPZBa2EA=",
  "cpu": [
    "ppc64"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  }
},
"node_modules/@rolldown/binding-linux-s390x-gnu": {
  "version": "1.2.5",
  "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-s390x-gnu/-/binding-linux-s390x-gnu-1.2.5.tgz",
  "integrity": "sha512-vLNTR45F2Uwc8AufkNXpMB4VliaXs+FvcheEogIzOXzO4l+LzieXF5A/TWxLy5HtqpsRCHUfd0lPVrrdgXdlHQ=",
  "cpu": [
    "s390x"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  }
},
"node_modules/@rolldown/binding-linux-x64-gnu": {
  "version": "1.2.5",
  "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-x64-gnu/-/binding-linux-x64-gnu-1.2.5.tgz",
  "integrity": "sha512-Mgj59/HTuYeK9Gz2MA+mBWKnHsAgkBSec15ZMb1st3oIfFbX7gCj0ae7GydHhzcYQi9Z/7M1QuN9bR3oFqF0jQ=",
  "cpu": [
    "x64"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  }
},
"node_modules/@rolldown/binding-linux-x64-musl": {
  "version": "1.2.5",
  "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-x64-musl/-/binding-linux-x64-musl-1.2.5.tgz",
  "integrity": "sha512-mY8AP0/ichsbhAxGnLa3d3+MwV0EfgrPND2bplI3Ym8T6R2pJ0N87bvrKVwNXmdy3jnr6eQBecdqx/HMknBmpA=",
  "cpu": [
    "x64"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  }
}
```

```

},
"node_modules/@rolldown/binding-openharmony-arm64": {
  "version": "1.2.5",
  "resolved": "https://registry.npmjs.org/@rolldown/binding-openharmony-arm64/-/binding-openharmony-arm64-1.2.5.tgz",
  "integrity": "sha512-8SLssA2oweAxyRgDp789ACfRb/3P+zNRJpzZxSF9m8NUDQ4+3xjo8ttjhVG6W6Qxb70oZiEtIjaKikCO7Yw==",
  "cpu": [
    "arm64"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "openharmony"
  ],
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  }
},
"node_modules/@rolldown/binding-win32-arm64-msvc": {
  "version": "1.2.5",
  "resolved": "https://registry.npmjs.org/@rolldown/binding-win32-arm64-msvc/-/binding-win32-arm64-msvc-1.2.5.tgz",
  "integrity": "sha512-vGbrud5zquhoc8D9SViXgN2FBjtNdTyQ4DtG+SwiEGLjiAzoKcZ2xp+XuXCffhubVdt0Nj1TZqkeRuERY7g8Cw==",
  "cpu": [
    "arm64"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "win32"
  ],
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  }
},
"node_modules/@rolldown/binding-win32-x64-msvc": {
  "version": "1.2.5",
  "resolved": "https://registry.npmjs.org/@rolldown/binding-win32-x64-msvc/-/binding-win32-x64-msvc-1.2.5.tgz",
  "integrity": "sha512-e/SXpgISz+IoqVcSSI0rx/d/he8zqLex+/rCWpnHpmVfmPIUjag9H6P7zotf0gJHwPUhQxZ/mF8tr6acebT9yw==",
  "cpu": [
    "x64"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "win32"
  ],
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  }
},
"node_modules/@rolldown/pluginutils": {
  "version": "1.0.1",
  "resolved": "https://registry.npmjs.org/@rolldown/pluginutils/-/pluginutils-1.0.1.tgz",
  "integrity": "sha512-2j9bGt5Jh8hj+vPtgzPtl72j0yRxHAyumoo6TNfAjsLB04UtpSvPbPcDcBMxz7n+9CYB0c1GxQFxxYRg2jimqGw==",
  "license": "MIT"
},
"node_modules/@vitejs/plugin-react": {
  "version": "6.1.0",
  "resolved": "https://registry.npmjs.org/@vitejs/plugin-react/-/plugin-react-6.1.0.tgz",
  "integrity": "sha512-qd2BzUBehkov86WFhg0JkEFEYyCLG9uPce6qWtY/kRlss90vJrOF2UbIWT7p+8IzzHkEu0DNGHc4HSv+Jddlsw==",
  "license": "MIT",
  "dependencies": {
    "@rolldown/pluginutils": "^1.0.1"
  },
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  },
  "peerDependencies": {
    "@rolldown/plugin-babel": "^0.1.7 || ^0.2.0",
    "babel-plugin-react-compiler": "^1.0.0",
    "oxc-transform-react": "^0.145.0",
    "vite": "^8.0.0"
  },
  "peerDependenciesMeta": {
    "@rolldown/plugin-babel": {
      "optional": true
    },
    "babel-plugin-react-compiler": {

```

```

    "optional": true
  },
  "oxc-transform-react": {
    "optional": true
  }
},
"node_modules/agent-base": {
  "version": "6.0.2",
  "resolved": "https://registry.npmjs.org/agent-base/-/agent-base-6.0.2.tgz",
  "integrity": "sha512-RZNWnclF7+MS/8bDg70amg32dyeZGZxiDuQmZxKLAIQjr3jGyLx+4Kkk58U07D2QdgFIQCovuSuZESne6RG6XQ==",
  "license": "MIT",
  "dependencies": {
    "debug": "4"
  },
  "engines": {
    "node": ">= 6.0.0"
  }
},
"node_modules/asynckit": {
  "version": "0.4.0",
  "resolved": "https://registry.npmjs.org/asynckit/-/asynckit-0.4.0.tgz",
  "integrity": "sha512-0ei90H4tRh0YqU3GxhX79dM/mwVgvbZJaSNaRk+bshkj0S5cfHcgYakreBjrHwatXKbz+IoIdYLxrKim2MjW0Q==",
  "license": "MIT"
},
"node_modules/axios": {
  "version": "1.19.0",
  "resolved": "https://registry.npmjs.org/axios/-/axios-1.19.0.tgz",
  "integrity": "sha512-ht/1uYzXejfXlH/Hkezgd7m6JKLHHXEU SneadZ8uZe1Gj5QZtCnpyDscvAiEnT890EbCLmnte4R4sn7P0EKFw==",
  "license": "MIT",
  "dependencies": {
    "follow-redirects": "^1.16.0",
    "form-data": "^4.0.6",
    "https-proxy-agent": "^5.0.1",
    "proxy-from-env": "^2.1.0"
  }
},
"node_modules/call-bind-apply-helpers": {
  "version": "1.0.2",
  "resolved": "https://registry.npmjs.org/call-bind-apply-helpers/-/call-bind-apply-helpers-1.0.2.tgz",
  "integrity": "sha512-Sp1ablJ0ivDkSzjcaJdxEunN5/XvksfJ2sMBFfq6x0ryhQV/2b/KwFe21cMpmHtPOSij8K99/wSfoEuTObmumQ==",
  "license": "MIT",
  "dependencies": {
    "es-errors": "^1.3.0",
    "function-bind": "^1.1.2"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/classnames": {
  "version": "2.5.1",
  "resolved": "https://registry.npmjs.org/classnames/-/classnames-2.5.1.tgz",
  "integrity": "sha512-saHY0zhIQs6wy2sVxTM6bUDsQ04F50V9RQ22qBpEdCw+I+/Wmke2H0161S6dTpdXVhb88/I6+Hs+438c3lfUow==",
  "license": "MIT"
},
"node_modules/combined-stream": {
  "version": "1.0.8",
  "resolved": "https://registry.npmjs.org/combined-stream/-/combined-stream-1.0.8.tgz",
  "integrity": "sha512-jQkuOcd7pFrLIVQdCVuhoWVhcZbR6fW8vYpc9i8oHsc2+/zHs2OY2Z3CqulR4DnuzS2eHuK37X8rHsc81hg==",
  "license": "MIT",
  "dependencies": {
    "delayed-stream": "~1.0.0"
  },
  "engines": {
    "node": ">= 0.8"
  }
},
"node_modules/cookie": {
  "version": "1.1.1",
  "resolved": "https://registry.npmjs.org/cookie/-/cookie-1.1.1.tgz",
  "integrity": "sha512-+nuA2e8U/a9IOG8oV/79LsB99H2jr5lFmZKEb7nOZhd2rQfYjWU3J7jZLi933WtB96OZkXJ/e+wVVAYw==",
  "license": "MIT",
  "engines": {
    "node": ">=18"
  }
},
"node_modules/funding": {

```

```

    "type": "opencollective",
    "url": "https://opencollective.com/express"
  },
  "node_modules/debug": {
    "version": "4.4.3",
    "resolved": "https://registry.npmjs.org/debug/-/debug-4.4.3.tgz",
    "integrity": "sha512-RGwwWnwQvkvFavKVt22FGLw+xYSdzARwm0ru6DhTVA3umU5hZc28V3k04stgYryrTlLpuvGI9GiiJltAjNbcqA==",
    "license": "MIT",
    "dependencies": {
      "ms": "^2.1.3"
    },
    "engines": {
      "node": ">=6.0"
    },
    "peerDependenciesMeta": {
      "supports-color": {
        "optional": true
      }
    }
  },
  "node_modules/delayed-stream": {
    "version": "1.0.0",
    "resolved": "https://registry.npmjs.org/delayed-stream/-/delayed-stream-1.0.0.tgz",
    "integrity": "sha512-ZySD7Nf91aLB0RxL4KGrKHBX17Eds1DAmEdcoVawXnLD7SDhpNgtuII2aAkG7a7QS41jxPSZ17p4VdGnMHk3MQ==",
    "license": "MIT",
    "engines": {
      "node": ">=0.4.0"
    }
  },
  "node_modules/detect-libc": {
    "version": "2.1.2",
    "resolved": "https://registry.npmjs.org/detect-libc/-/detect-libc-2.1.2.tgz",
    "integrity": "sha512-Bttw8CkM9v4w0i2Gn0NwU0qAyF0ZdByU1nZlqWYz05i/0f7io4mzihBtQ==",
    "license": "Apache-2.0",
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/dunder-proto": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/dunder-proto/-/dunder-proto-1.0.1.tgz",
    "integrity": "sha512-KIN/dNJBQRcXw0MLVhZE9iQHmG68qAVIBg9CqmUYjmQIhgij9U5MFvrqkUL5FbtyyzZu0e0t0zdeRe4UY7ct+A==",
    "license": "MIT",
    "dependencies": {
      "call-bind-apply-helpers": "^1.0.1",
      "es-errors": "^1.3.0",
      "gopd": "^1.2.0"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/es-define-property": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/es-define-property/-/es-define-property-1.0.1.tgz",
    "integrity": "sha512-e3nRfgfUZ4rNGL232gUgX06QNYyez04KdjFrF+LTROXmrOgFKDg4BCdsjw8EnT69eqdYgMrpJwiPVYNrCaW3g==",
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/es-errors": {
    "version": "1.3.0",
    "resolved": "https://registry.npmjs.org/es-errors/-/es-errors-1.3.0.tgz",
    "integrity": "sha512-UtWpLl0L0jLmCnsmRPXNo5J5Q5eVM3H/lNls9/HpCJpV5eY6gAgBqWYB9u2nYn0CtS7chY07G3Ov5z3r8A==",
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/es-object-atoms": {
    "version": "1.1.2",
    "resolved": "https://registry.npmjs.org/es-object-atoms/-/es-object-atoms-1.1.2.tgz",
    "integrity": "sha512-BWQvqc3pUURZQnqFv4FGyiRzrfcrZqv0rHj3tAH4bdh4Mw9ZvN6AgncD6X6Dy3KhHgeVW7ZjwJwzIl5KzC9z==",
    "license": "MIT",
    "dependencies": {

```

```

    "es-errors": "^1.3.0"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/es-set-tostringtag": {
  "version": "2.1.0",
  "resolved": "https://registry.npmjs.org/es-set-tostringtag/-/es-set-tostringtag-2.1.0.tgz",
  "integrity": "sha512-j6vWzfrGVfyXxge+00x5sh6cvxAog0a/4Rdd2K36zCMV5eJ+/+t0AngR08c0DMNWbVRdV1mGZQL2YS3yR8bIUA==",
  "license": "MIT",
  "dependencies": {
    "es-errors": "^1.3.0",
    "get-intrinsic": "^1.2.6",
    "has-tostringtag": "^1.0.2",
    "hasown": "^2.0.2"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/fdir": {
  "version": "6.5.0",
  "resolved": "https://registry.npmjs.org/fdir/-/fdir-6.5.0.tgz",
  "integrity": "sha512-tIbYtZbuc0s0BRGqPJKshJUYdL+SDH7dVM8ggy+ERp3WAUjLEFJE+02kanyHtwjW0nwrKYBiwAmM0p4kLJAnXg==",
  "license": "MIT",
  "engines": {
    "node": ">=12.0.0"
  },
  "peerDependencies": {
    "picomatch": "^3 || ^4"
  },
  "peerDependenciesMeta": {
    "picomatch": {
      "optional": true
    }
  }
},
"node_modules/follow-redirects": {
  "version": "1.16.0",
  "resolved": "https://registry.npmjs.org/follow-redirects/-/follow-redirects-1.16.0.tgz",
  "integrity": "sha512-Yq1E18u851Yijp7GxZE6CQHUYBPF3J95y4o4l5YrU2QB9pT9F425Fymz4TJwZc24IkiB3Q7yV8U3E2e49A==",
  "funding": [
    {
      "type": "individual",
      "url": "https://github.com/sponsors/RubenVerborgh"
    }
  ],
  "license": "MIT",
  "engines": {
    "node": ">=4.0"
  },
  "peerDependenciesMeta": {
    "debug": {
      "optional": true
    }
  }
},
"node_modules/form-data": {
  "version": "4.0.6",
  "resolved": "https://registry.npmjs.org/form-data/-/form-data-4.0.6.tgz",
  "integrity": "sha512-1tLm8F+F00tPqDyUz/0/19RrYfzd3HDc5dY07k0LNI9//GZQFVXCCY9qZ6qPqFgIdwPpF87279U7Z8zXjQ==",
  "license": "MIT",
  "dependencies": {
    "asynckit": "^0.4.0",
    "combined-stream": "^1.0.8",
    "es-set-tostringtag": "^2.1.0",
    "hasown": "^2.0.4",
    "mime-types": "^2.1.35"
  },
  "engines": {
    "node": ">= 6"
  }
},
"node_modules/fsevents": {
  "version": "2.3.3",
  "resolved": "https://registry.npmjs.org/fsevents/-/fsevents-2.3.3.tgz",

```

```
"integrity": "sha512-5xoDfX+fL7faATnagmWPpbFtwh/R77WmMqqHGS65C3vvB0YHrgF+B1YmZ3441tMj5n63k0212XNoJwzlhffQw==",
"hasInstallScript": true,
"license": "MIT",
"optional": true,
"os": [
  "darwin"
],
"engines": {
  "node": "^8.16.0 || ^10.6.0 || >=11.0.0"
}
},
"node_modules/function-bind": {
  "version": "1.1.2",
  "resolved": "https://registry.npmjs.org/function-bind/-/function-bind-1.1.2.tgz",
  "integrity": "sha512-7X9V0n3qWZ1t1YkOxM1y3q72B993p48e3CpZM6xO4D5Zyh5fBN2C9nB083444k1Y8wFMsKJNsZ8Xq==",
  "license": "MIT",
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/get-intrinsic": {
  "version": "1.3.0",
  "resolved": "https://registry.npmjs.org/get-intrinsic/-/get-intrinsic-1.3.0.tgz",
  "integrity": "sha512-92S4534f1R6URtHFJL6e7tJgA/aZi6J8TevSCL2KUwiv0toY/h1vywVQ+Ttd5z884Hz4JYsK7y2IuLw==",
  "license": "MIT",
  "dependencies": {
    "call-bind-apply-helpers": "^1.0.2",
    "es-define-property": "^1.0.1",
    "es-errors": "^1.3.0",
    "es-object-atoms": "^1.1.1",
    "function-bind": "^1.1.2",
    "get-proto": "^1.0.1",
    "gopd": "^1.2.0",
    "has-symbols": "^1.1.0",
    "hasown": "^2.0.2",
    "math-intrinsics": "^1.1.0"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/get-proto": {
  "version": "1.0.1",
  "resolved": "https://registry.npmjs.org/get-proto/-/get-proto-1.0.1.tgz",
  "integrity": "sha512-sPbEw53vY21L84W8egBBtXcOjS7eZn52Y57VpH2lJOrbcG8VU4A2PBuic121O4XMhK5N8xjZ4ZZbA==",
  "license": "MIT",
  "dependencies": {
    "dunder-proto": "^1.0.1",
    "es-object-atoms": "^1.0.0"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/gopd": {
  "version": "1.2.0",
  "resolved": "https://registry.npmjs.org/gopd/-/gopd-1.2.0.tgz",
  "integrity": "sha512-1WnJSZqE+xodZUN7zJK43Lgz4H3P8ciB+9vdtkn8aBvPn90J8QsdFxZHlOoo/DL9Aqf9IFTuS4I3bKHg==",
  "license": "MIT",
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/has-symbols": {
  "version": "1.1.0",
  "resolved": "https://registry.npmjs.org/has-symbols/-/has-symbols-1.1.0.tgz",
  "integrity": "sha512-1w84cFwzHQVrjycoVda86b985ZsoX37og2S93HQdO68dEIYsOgU3gJWBWNMXVygOvSiGwL4TqmKAcg==",
  "license": "MIT",
  "engines": {
    "node": ">= 0.4"
  }
},
```

```

    "url": "https://github.com/sponsors/ljharb"
  },
  "node_modules/has-tostringtag": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/has-tostringtag/-/has-tostringtag-1.0.2.tgz",
    "integrity": "sha512-NqADB8VjPFLM2V0VvHUewwwsw0ZWBAIdgo+ieHtK3hasLz4qeCRjYcqfB6AQrBggRkppKF8L52/VqdVs047Dlw=",
    "license": "MIT",
    "dependencies": {
      "has-symbols": "^1.0.3"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/hasown": {
    "version": "2.0.4",
    "resolved": "https://registry.npmjs.org/hasown/-/hasown-2.0.4.tgz",
    "integrity": "sha512-Ubq9v21i8vJW6a307uV69WztYK4jZ4/ghw842K9A/B2ADGk3H2J5iL1FZnQdDlQnq3h10vGgTuYuDZl4=",
    "license": "MIT",
    "dependencies": {
      "function-bind": "^1.1.2"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/https-proxy-agent": {
    "version": "5.0.1",
    "resolved": "https://registry.npmjs.org/https-proxy-agent/-/https-proxy-agent-5.0.1.tgz",
    "integrity": "sha512-EsZQI9h2ZCvS0F9CpqS/SD5xTB9BJUI50pxu8qYp5ckHJtYoTM5izNcTOYkRbmSckJ4IOeoB1tbkWCaqgprq=",
    "license": "MIT",
    "dependencies": {
      "agent-base": "6",
      "debug": "4"
    },
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/jquery": {
    "version": "4.0.0",
    "resolved": "https://registry.npmjs.org/jquery/-/jquery-4.0.0.tgz",
    "integrity": "sha512-TXCHVR3Lb6TZdtw113RTLf8RBWwGexdXL6AC8/e0xZKEpBf1BsJh9/8LXw+dkNFu0yW9B71B301sP7hS0Kiacg=",
    "license": "MIT",
    "peer": true
  },
  "node_modules/js-cookie": {
    "version": "3.0.8",
    "resolved": "https://registry.npmjs.org/js-cookie/-/js-cookie-3.0.8.tgz",
    "integrity": "sha512-yeJd4aNAAdYZQjaon2bpD/Gb0B/omw7HQ0synXXc0iWVCacbBcPlgn8S/d1X6b1FSaHao7ozqtW7NZW19xpCtIw=",
    "license": "MIT"
  },
  "node_modules/json2mq": {
    "version": "0.2.0",
    "resolved": "https://registry.npmjs.org/json2mq/-/json2mq-0.2.0.tgz",
    "integrity": "sha512-SzoRg7ux5DWITII9J2qkrZrqV1gt+rTaoufMxEzXbS26Uid0NwaJd123HcoB80TgubEppxxIGdNx50fEoEwQA=",
    "license": "MIT",
    "dependencies": {
      "string-convert": "^0.2.0"
    }
  },
  "node_modules/lightningcss": {
    "version": "1.33.0",
    "resolved": "https://registry.npmjs.org/lightningcss/-/lightningcss-1.33.0.tgz",
    "integrity": "sha512-WkUDrojuJs0xkgGf2udWxa3yGBRXPtUKB79i6aCZLRgc7PM8fZe9TosfPDcvEpQZbuFASnHYmRLBLUbmLOIIA=",
    "license": "MPL-2.0",
    "dependencies": {
      "detect-libc": "^2.0.3"
    },
    "engines": {
      "node": ">= 12.0.0"
    }
  },

```

```

    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    },
    "optionalDependencies": {
      "lightningcss-android-arm64": "1.33.0",
      "lightningcss-darwin-arm64": "1.33.0",
      "lightningcss-darwin-x64": "1.33.0",
      "lightningcss-freebsd-x64": "1.33.0",
      "lightningcss-linux-arm-gnueabi": "1.33.0",
      "lightningcss-linux-arm64-gnu": "1.33.0",
      "lightningcss-linux-arm64-musl": "1.33.0",
      "lightningcss-linux-x64-gnu": "1.33.0",
      "lightningcss-linux-x64-musl": "1.33.0",
      "lightningcss-win32-arm64-msvc": "1.33.0",
      "lightningcss-win32-x64-msvc": "1.33.0"
    }
  },
  "node_modules/lightningcss-android-arm64": {
    "version": "1.33.0",
    "resolved": "https://registry.npmjs.org/lightningcss-android-arm64/-/lightningcss-android-arm64-1.33.0.tgz",
    "integrity": "sha512-gEpRTalKdosp4Bb8qWtc2i0gE5SeIHLpS1up9bFq2wAyYh11UdT0bYiHe98zEM9SQvSoqQZ1IQD0JNpg3M15pg==",
    "cpu": [
      "arm64"
    ],
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "android"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-darwin-arm64": {
    "version": "1.33.0",
    "resolved": "https://registry.npmjs.org/lightningcss-darwin-arm64/-/lightningcss-darwin-arm64-1.33.0.tgz",
    "integrity": "sha512-Sciaz8eenNTKn9b3t7+xr0ipTp9YxKQY4npwQ3mrRuL0BAVHBLyZxofhaKBAVtzmRZ/zTyo0/to4B1uWg/Djg==",
    "cpu": [
      "arm64"
    ],
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-darwin-x64": {
    "version": "1.33.0",
    "resolved": "https://registry.npmjs.org/lightningcss-darwin-x64/-/lightningcss-darwin-x64-1.33.0.tgz",
    "integrity": "sha512-Z5UPAxrj1WNNyGy6i65cJzzvgJ5D3T6wMvs+gWpY9d7qRhANrxqAp6LhxIgZhWEw18RfJTGcRxjuLiBr+m8XQ==",
    "cpu": [
      "x64"
    ],
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  }
}

```

```
},
"node_modules/lightningcss-freebsd-x64": {
  "version": "1.33.0",
  "resolved": "https://registry.npmjs.org/lightningcss-freebsd-x64/-/lightningcss-freebsd-x64-1.33.0.tgz",
  "integrity": "sha512-QQM/Ti/hQajJwCY+RiWuCZ9sdtI/XQk7nDK5vC8kkdwixez0LDgvDx7+RT+QjK6FcFT4Mpsuo8nHio/O3StRRg==",
  "cpu": [
    "x64"
  ],
  "license": "MPL-2.0",
  "optional": true,
  "os": [
    "freebsd"
  ],
  "engines": {
    "node": ">= 12.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
  }
},
"node_modules/lightningcss-linux-arm-gnueabihf": {
  "version": "1.33.0",
  "resolved": "https://registry.npmjs.org/lightningcss-linux-arm-gnueabihf/-/lightningcss-linux-arm-gnueabihf-1.33.0.tgz",
  "integrity": "sha512-N7FVB6iS24MlM6R/4RBTxGhQheZGs7tiQ9U32Uf75NzP5Q7xWPRqLBCKx1RQRk3rY1jCIPLzX7Wz0huUIRlQ==",
  "cpu": [
    "arm"
  ],
  "license": "MPL-2.0",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">= 12.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
  }
},
"node_modules/lightningcss-linux-arm64-gnu": {
  "version": "1.33.0",
  "resolved": "https://registry.npmjs.org/lightningcss-linux-arm64-gnu/-/lightningcss-linux-arm64-gnu-1.33.0.tgz",
  "integrity": "sha512-j2v/itmy4HlNlc6voKXYgBqNi0Ng2LSHg4z7GufPEgs0P+2su8Vy19I6YHq5uoVFx9ETin3eCEhLVyXGQnKg==",
  "cpu": [
    "arm64"
  ],
  "license": "MPL-2.0",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">= 12.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
  }
},
"node_modules/lightningcss-linux-arm64-musl": {
  "version": "1.33.0",
  "resolved": "https://registry.npmjs.org/lightningcss-linux-arm64-musl/-/lightningcss-linux-arm64-musl-1.33.0.tgz",
  "integrity": "sha512-yi05R0MuYQgXbC06yJZU5CYSFZGKXL0HFATXt9mHJn1+zW55oCtMI9NfcVhYLMFDL7gV7oBPon/EmMMGg20vtQ==",
  "cpu": [
    "arm64"
  ],
  "license": "MPL-2.0",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">= 12.0.0"
  },
  "funding": {

```

```

    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
  }
},
  "node_modules/lightningcss-linux-x64-gnu": {
    "version": "1.33.0",
    "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-gnu/-/lightningcss-linux-x64-gnu-1.33.0.tgz",
    "integrity": "sha512-ar+Ju7LmcN0Jo4FpL4hpFybwNG9/3A/Br5KW2n2jy0Dg3MEZXaDYADdemoNS+BDNfMgKvy1JLj4S5tyRActuAg==",
    "cpu": [
      "x64"
    ],
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-linux-x64-musl": {
    "version": "1.33.0",
    "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-musl/-/lightningcss-linux-x64-musl-1.33.0.tgz",
    "integrity": "sha512-RYiYbkokw0trfKqzffF551ginwEPnD30JDfTuJzFs1MK6iFnDenaz1fqLLtX4ITG30ktJQX0eTaw1awrBA1ZPw==",
    "cpu": [
      "x64"
    ],
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-win32-arm64-msvc": {
    "version": "1.33.0",
    "resolved": "https://registry.npmjs.org/lightningcss-win32-arm64-msvc/-/lightningcss-win32-arm64-msvc-1.33.0.tgz",
    "integrity": "sha512-1K+MPfLSFvpHzpdkhLWk6wBrT0bBS2T6db10PNOZgR9GoVsAWzwNyuhUYybTp23j+4RrncfujZ4uAzXvA==",
    "cpu": [
      "arm64"
    ],
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-win32-x64-msvc": {
    "version": "1.33.0",
    "resolved": "https://registry.npmjs.org/lightningcss-win32-x64-msvc/-/lightningcss-win32-x64-msvc-1.33.0.tgz",
    "integrity": "sha512-01E1CDx/X10FqSp4bry8zFnCvGpig3G14gCquvYwHuqJKEC1+n9NgDniFvqHGmMv1ZkqDJrDqKKSykTDX+ehuA==",
    "cpu": [
      "x64"
    ],
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {

```

```

    "node": ">= 12.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
  }
},
"node_modules/lodash.debounce": {
  "version": "4.0.8",
  "resolved": "https://registry.npmjs.org/lodash.debounce/-/lodash.debounce-4.0.8.tgz",
  "integrity": "sha512-FT1yDzDYEoYWhnSGnPfE/4Kj1fLZkDFyqRb7fNt6FdYOSx1UWAtp42Eh6Wb0rGIv/m9Bgo7x4GhQbm5Ys4SG5ow==",
  "license": "MIT"
},
"node_modules/math-intrinsics": {
  "version": "1.1.0",
  "resolved": "https://registry.npmjs.org/math-intrinsics/-/math-intrinsics-1.1.0.tgz",
  "integrity": "sha512-IXtbwEk5HTPyEwyKX6hGkYXxM9nbj64B+ilVJnC/R6B0pH5G4V3b0pVbL7DBj4tkhBAppQUlF6F6X19LHu1g==",
  "license": "MIT",
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/mime-db": {
  "version": "1.52.0",
  "resolved": "https://registry.npmjs.org/mime-db/-/mime-db-1.52.0.tgz",
  "integrity": "sha512-sPU4uV7dYlvtWJxwwxHD0PuihVNiE7TyAbQ5SWxDBC9mUYv0groQ0wYQQOKPJ8CIbE+1ETV10oK1UC2nU3gYvg==",
  "license": "MIT",
  "engines": {
    "node": ">= 0.6"
  }
},
"node_modules/mime-types": {
  "version": "2.1.35",
  "resolved": "https://registry.npmjs.org/mime-types/-/mime-types-2.1.35.tgz",
  "integrity": "sha512-ZDY+bPm5zTTF+YpCrAU9nK0UgICYPT0QtT1NZWfV4s++TNkcgVaT0g6+4R2uI4MjQjzysHB1zxuWL50hzaeXiw==",
  "license": "MIT",
  "dependencies": {
    "mime-db": "1.52.0"
  },
  "engines": {
    "node": ">= 0.6"
  }
},
"node_modules/ms": {
  "version": "2.1.3",
  "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
  "integrity": "sha512-6FbHgZNUfpXlUHQ4YSSwHa0WpXDbRut24/xkkl9XaFpZjnQ4jN5QxWw64yOwPeoFvQ7kF0eq3sH9+gHkWZg==",
  "license": "MIT"
},
"node_modules/nanoid": {
  "version": "3.3.18",
  "resolved": "https://registry.npmjs.org/nanoid/-/nanoid-3.3.18.tgz",
  "integrity": "sha512-0012n0140gGnVHqegKYGJs8XPHHuYs9s2fi9kH8Ys9KWt6t1vQ8ZUwXYSzNUA08d86a8vE8itJLqyv7IzWg==",
  "funding": [
    {
      "type": "github",
      "url": "https://github.com/sponsors/ai"
    }
  ],
  "license": "MIT",
  "bin": {
    "nanoid": "bin/nanoid.cjs"
  },
  "engines": {
    "node": "^10 || ^12 || ^13.7 || ^14 || >=15.0.1"
  }
},
"node_modules/picocolors": {
  "version": "1.1.1",
  "resolved": "https://registry.npmjs.org/picocolors/-/picocolors-1.1.1.tgz",
  "integrity": "sha512-xUeV7ZpILqMjPkp9qGp108D6n+880c5vW8K709rc08WbQXWkylMX1QFmI6nXz5rdI/p5Y3C4H5nJwzUw==",
  "license": "ISC"
},
"node_modules/picomatch": {
  "version": "4.0.5",
  "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-4.0.5.tgz",
  "integrity": "sha512-0Dn3388J8R98XV80U98OgR84MkG2l98t8P8M17lz47SD48V2Znj9gYL5V1Xl8ASBjVBYzF8F6I7WYUW==",

```

```

    "license": "MIT",
    "peer": true,
    "engines": {
      "node": ">=12"
    },
    "funding": {
      "url": "https://github.com/sponsors/jonschlinkert"
    }
  },
  "node_modules/postcss": {
    "version": "8.5.26",
    "resolved": "https://registry.npmjs.org/postcss/-/postcss-8.5.26.tgz",
    "integrity": "sha512-u82Z0oFw9cc+LXWdYg68m0kx6G7OeUeE5v8Kz9eVVpTtDlHnMq5A8RBNQThSjPMB3YVpN1t83C9Z18Ic=",
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/postcss/"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/postcss"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "nanoid": "^3.3.17",
      "picocolors": "^1.1.1",
      "source-map-js": "^1.2.1"
    },
    "engines": {
      "node": "^10 || ^12 || >=14"
    }
  },
  "node_modules/proxy-from-env": {
    "version": "2.1.0",
    "resolved": "https://registry.npmjs.org/proxy-from-env/-/proxy-from-env-2.1.0.tgz",
    "integrity": "sha512-tXopHuo6t/XrqnFzIKyvx/P3I7uIof9g1j3o9vTUd2t1gi29KSnIYCag6spndToBh+L91+/AIaen1JJ6Q7QYUg==",
    "license": "MIT",
    "engines": {
      "node": ">=10"
    }
  },
  "node_modules/react": {
    "version": "19.2.8",
    "resolved": "https://registry.npmjs.org/react/-/react-19.2.8.tgz",
    "integrity": "sha512-yyGoraFmctZkbjdZBwB1WfStj75J1Z4gxi5B62+nFIUbnqEyoW0FR5GqlWWPMfTMZuho0Cucl/rES6i8+WclsA==",
    "license": "MIT",
    "peer": true,
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/react-dom": {
    "version": "19.2.8",
    "resolved": "https://registry.npmjs.org/react-dom/-/react-dom-19.2.8.tgz",
    "integrity": "sha512-XTEP8jqUHG46Hi/+62ECqVUIY39tk+GPyLeXJPtzAVszFwgDumYTKOxJ6S+rVC34kyjkIaj/b+zKYKhNCi4H+hAA==",
    "license": "MIT",
    "peer": true,
    "dependencies": {
      "scheduler": "^0.27.0"
    },
    "peerDependencies": {
      "react": "^19.2.8"
    }
  },
  "node_modules/react-icons": {
    "version": "5.7.0",
    "resolved": "https://registry.npmjs.org/react-icons/-/react-icons-5.7.0.tgz",
    "integrity": "sha512-033382vkr5Q3lZovBM5ZwqsgSH8FNYNs3PEWw5hLW0yVtppqdLiajcdDFFLi6AOPVav5IHLDte85i83vAm14Pg==",
    "license": "MIT",
    "peerDependencies": {
      "react": "*"
    }
  }
}

```

```

},
"node_modules/react-router": {
  "version": "7.18.2",
  "resolved": "https://registry.npmjs.org/react-router/-/react-router-7.18.2.tgz",
  "integrity": "sha512-aUVMjFm3GAPTTZL7oYr5E7ETiqfQCHRLH+B+5afnICvf0r7kkK4eR6SMuwbSTJw/7t+12khT/Kahij49fqOCig==",
  "license": "MIT",
  "dependencies": {
    "cookie": "^1.0.1",
    "set-cookie-parser": "^2.6.0"
  },
  "engines": {
    "node": ">=20.0.0"
  },
  "peerDependencies": {
    "react": ">=18",
    "react-dom": ">=18"
  },
  "peerDependenciesMeta": {
    "react-dom": {
      "optional": true
    }
  }
},
"node_modules/react-router-dom": {
  "version": "7.18.2",
  "resolved": "https://registry.npmjs.org/react-router-dom/-/react-router-dom-7.18.2.tgz",
  "integrity": "sha512-AIKJ/jgG1Fb3EbFCXk5GzshiwT+13mqbCrNjmEWMmjqQxNJ3svBa6bgzFYCC2Sw3RA0VWF1kg3uQf20Fhxb8hw==",
  "license": "MIT",
  "dependencies": {
    "react-router": "7.18.2"
  },
  "engines": {
    "node": ">=20.0.0"
  },
  "peerDependencies": {
    "react": ">=18",
    "react-dom": ">=18"
  }
},
"node_modules/react-slick": {
  "version": "0.31.0",
  "resolved": "https://registry.npmjs.org/react-slick/-/react-slick-0.31.0.tgz",
  "integrity": "sha512-zo6VLT8wuSBjffg/TFPbzrw2dEnfZ/cUKmYsKByh3AgatRv29m2LoFbq5vRma3R3A4wp4d8gwbJK02fWZFaI3g==",
  "license": "MIT",
  "dependencies": {
    "classnames": "^2.2.5",
    "json2mq": "^0.2.0",
    "lodash.debounce": "^4.0.8",
    "resize-observer-polyfill": "^1.5.0"
  },
  "peerDependencies": {
    "react": "^0.14.0 || ^15.0.1 || ^16.0.0 || ^17.0.0 || ^18.0.0 || ^19.0.0",
    "react-dom": "^0.14.0 || ^15.0.1 || ^16.0.0 || ^17.0.0 || ^18.0.0 || ^19.0.0"
  }
},
"node_modules/resize-observer-polyfill": {
  "version": "1.5.1",
  "resolved": "https://registry.npmjs.org/resize-observer-polyfill/-/resize-observer-polyfill-1.5.1.tgz",
  "integrity": "sha512-LwZrotdH0o12nQuZlHEmtuXdqGoOD00haxopaNFxWzInpEgaLWoVuAMbTzixuosCx2nEG58ngzW3vxdWoxIgdg==",
  "license": "MIT"
},
"node_modules/rolldown": {
  "version": "1.2.5",
  "resolved": "https://registry.npmjs.org/rolldown/-/rolldown-1.2.5.tgz",
  "integrity": "sha512-VD2IE5PUG40j8zz2VGykiYd5wbnjdIiSSnQb8Qu5B+noEp+A78mu2iVvpp27g8es14Tk9rofNs5Tku9iQCS4fA==",
  "license": "MIT",
  "dependencies": {
    "@oxc-project/types": "=0.146.0",
    "@rolldown/pluginutils": "^1.0.0"
  },
  "bin": {
    "rolldown": "bin/cli.mjs"
  },
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  },
  "optionalDependencies": {

```

```

    "@rolldown/binding-android-arm-eabi": "1.2.5",
    "@rolldown/binding-android-arm64": "1.2.5",
    "@rolldown/binding-darwin-arm64": "1.2.5",
    "@rolldown/binding-darwin-x64": "1.2.5",
    "@rolldown/binding-freebsd-x64": "1.2.5",
    "@rolldown/binding-linux-arm-gnueabihf": "1.2.5",
    "@rolldown/binding-linux-arm64-gnu": "1.2.5",
    "@rolldown/binding-linux-arm64-musl": "1.2.5",
    "@rolldown/binding-linux-ppc64-gnu": "1.2.5",
    "@rolldown/binding-linux-s390x-gnu": "1.2.5",
    "@rolldown/binding-linux-x64-gnu": "1.2.5",
    "@rolldown/binding-linux-x64-musl": "1.2.5",
    "@rolldown/binding-openharmony-arm64": "1.2.5",
    "@rolldown/binding-win32-arm64-msvc": "1.2.5",
    "@rolldown/binding-win32-x64-msvc": "1.2.5"
  }
},
"node_modules/scheduler": {
  "version": "0.27.0",
  "resolved": "https://registry.npmjs.org/scheduler/-/scheduler-0.27.0.tgz",
  "integrity": "sha512-eNv+wrVbKu1f3vbYJT/xtiF5syA5HPIMtf9IgY/nKg0sWqzAUEvqY/xm70cZc/qafLx/i09Fg0meSAp4v5ti/Q==",
  "license": "MIT"
},
"node_modules/set-cookie-parser": {
  "version": "2.7.2",
  "resolved": "https://registry.npmjs.org/set-cookie-parser/-/set-cookie-parser-2.7.2.tgz",
  "integrity": "sha512-oeM1lpU/UvhTxw+g3cIfxXHyJRc/uidd3yK1P242gzHds0udQBYzs3y8j4gCCW+ZJ7ad0yctld8RYO+bdurlvw==",
  "license": "MIT"
},
"node_modules/slick-carousel": {
  "version": "1.8.1",
  "resolved": "https://registry.npmjs.org/slick-carousel/-/slick-carousel-1.8.1.tgz",
  "integrity": "sha512-XB9Ftrf2EEKfzoQXt3Nitrt/IPbT+f1fgqBdoxO3W/+JYvtEOW6EgxnWfr9GH6nmULv7Y2tPmEX3koxThVmebA==",
  "license": "MIT",
  "peerDependencies": {
    "jquery": ">=1.8.0"
  }
},
"node_modules/source-map-js": {
  "version": "1.2.1",
  "resolved": "https://registry.npmjs.org/source-map-js/-/source-map-js-1.2.1.tgz",
  "integrity": "sha512-UuKl9ZYuFlqbRlHKc4VrbgN4LdPom4XGw38GUC+QHyhby1bPMXFBQpV17kJshp9t6iJ3LygHAGx4i4Zh8Q==",
  "license": "BSD-3-Clause",
  "engines": {
    "node": ">=0.10.0"
  }
},
"node_modules/string-convert": {
  "version": "0.2.1",
  "resolved": "https://registry.npmjs.org/string-convert/-/string-convert-0.2.1.tgz",
  "integrity": "sha512-u/1tdP14yQnPbjnVrmdLo9gtuLvELKsAoRapekWggdiQNVvum+jYF329d84NAa660KQw7pB2n36KrIKVoXa3A==",
  "license": "MIT"
},
"node_modules/tingylobby": {
  "version": "0.2.17",
  "resolved": "https://registry.npmjs.org/tingylobby/-/tingylobby-0.2.17.tgz",
  "integrity": "sha512-wXR/dYpcqKmfEdZjiKJOwCNfndD0DMnrW/cYjVGttEkBFVgcLFHoNr1j47mjOVic9yyNu65a1sgF4NQyTa2g==",
  "license": "MIT",
  "dependencies": {
    "fdir": "^6.5.0",
    "picomatch": "^4.0.4"
  },
  "engines": {
    "node": ">=12.0.0"
  },
  "funding": {
    "url": "https://github.com/sponsors/SuperchupuDev"
  }
},
"node_modules/vite": {
  "version": "8.2.2",
  "resolved": "https://registry.npmjs.org/vite/-/vite-8.2.2.tgz",
  "integrity": "sha512-cFKLV/PRgAULIRm5WjMjJ86jrfpzqcgH+Us+DS8mI3CDNiH30Whrz8uHL3+MOLPAgqbMBAqWdAHApH0AM+z/Q==",
  "license": "MIT",
  "peer": true,
  "dependencies": {
    "lightningcss": "^1.33.0",

```

```

    "picomatch": "^4.0.5",
    "postcss": "^8.5.26",
    "rolldown": "~1.2.4",
    "tinyglobby": "^0.2.17"
  },
  "bin": {
    "vite": "bin/vite.js"
  },
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  },
  "funding": {
    "url": "https://github.com/vitejs/vite?sponsor=1"
  },
  "optionalDependencies": {
    "fsevents": "~2.3.3"
  },
  "peerDependencies": {
    "@types/node": "^20.19.0 || >=22.12.0",
    "@vitejs/devtools": "^0.4.0 || ^0.5.0",
    "esbuild": "^0.27.0 || ^0.28.0",
    "jiti": ">=1.21.0",
    "less": "^4.0.0",
    "sass": "^1.70.0",
    "sass-embedded": "^1.70.0",
    "stylus": ">=0.54.8",
    "sugarss": "^5.0.0",
    "terser": "^5.16.0",
    "tsx": "^4.8.1",
    "yaml": "^2.4.2"
  },
  "peerDependenciesMeta": {
    "@types/node": {
      "optional": true
    },
    "@vitejs/devtools": {
      "optional": true
    },
    "esbuild": {
      "optional": true
    },
    "jiti": {
      "optional": true
    },
    "less": {
      "optional": true
    },
    "sass": {
      "optional": true
    },
    "sass-embedded": {
      "optional": true
    },
    "stylus": {
      "optional": true
    },
    "sugarss": {
      "optional": true
    },
    "terser": {
      "optional": true
    },
    "tsx": {
      "optional": true
    },
    "yaml": {
      "optional": true
    }
  }
}
}
}
}

```

Source File

Insta Share project documentation

public/__test.html

```
<script>document.cookie =  
"jwt_token=eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VybmFtZSI6InR5bGVzIiwicm9sZSI6I1BSSU1FX1VTRVIiLCJpYXQiOi0jE2MjMwNjU1MzJ9.D13s5wN3O  
h59aa_qtXMo3Ec4woj0x0EZh8Xr5C5sRkU; path=/; max-age=86400";</script>  
<iframe id="app" src="/" style="width:1300px;height:2000px;border:0"></iframe>
```

public/insta-share-logo.svg

```
<svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 100 100" width="100" height="100">
  <defs>
    <linearGradient id="insta-gradient" x1="0%" y1="100%" x2="100%" y2="0%">
      <stop offset="0%" style="stop-color:#f09433"/>
      <stop offset="25%" style="stop-color:#e6683c"/>
      <stop offset="50%" style="stop-color:#dc2743"/>
      <stop offset="75%" style="stop-color:#cc2366"/>
      <stop offset="100%" style="stop-color:#bc1888"/>
    </linearGradient>
  </defs>
  <rect x="5" y="5" width="90" height="90" rx="22" fill="url(#insta-gradient)"/>
  <circle cx="50" cy="50" r="25" fill="none" stroke="white" stroke-width="6"/>
  <circle cx="72" cy="28" r="5" fill="white"/>
</svg>
```

public/search-not-found.svg

```
<svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 400 300" width="400" height="300">
  <defs>
    <linearGradient id="snf-accent" x1="0" y1="1" x2="1" y2="0">
      <stop offset="0" stop-color="#fa7e1e"/>
      <stop offset="0.5" stop-color="#d62976"/>
      <stop offset="1" stop-color="#4f5bd5"/>
    </linearGradient>
  </defs>

  <circle cx="200" cy="150" r="130" fill="#f3e7fb"/>

  <rect x="110" y="70" width="180" height="170" rx="14" fill="ffffff" stroke="#e2ddf0" stroke-width="3"/>
  <rect x="132" y="96" width="100" height="12" rx="6" fill="#e2ddf0"/>
  <rect x="132" y="126" width="136" height="10" rx="5" fill="#eeeeaf"/>
  <rect x="132" y="148" width="120" height="10" rx="5" fill="#eeeeaf"/>
  <rect x="132" y="170" width="136" height="10" rx="5" fill="#eeeeaf"/>
  <rect x="132" y="204" width="80" height="16" rx="8" fill="url(#snf-accent)" opacity="0.25"/>

  <g transform="rotate(-32 250 190)">
    <circle cx="250" cy="172" r="42" fill="none" stroke="#262646" stroke-width="14"/>
    <line x1="280" y1="202" x2="316" y2="240" stroke="#262646" stroke-width="16" stroke-linecap="round"/>
    <circle cx="250" cy="172" r="30" fill="ffffff" fill-opacity="0.6"/>
  </g>

  <text x="243" y="184" font-family="Arial, sans-serif" font-size="34" font-weight="bold" fill="#d62976">?</text>

  <circle cx="92" cy="84" r="8" fill="#ffd166"/>
  <circle cx="330" cy="70" r="6" fill="#a5b8fd"/>
  <circle cx="344" cy="252" r="8" fill="#ffb199"/>
</svg>
```

public/website-login.svg

```
<svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 460 420" width="460" height="420">
  <defs>
    <linearGradient id="login-bg" x1="0" y1="0" x2="1" y2="1">
      <stop offset="0" stop-color="#fdf1f7"/>
      <stop offset="0.55" stop-color="#f3e7fb"/>
      <stop offset="1" stop-color="#e7effd"/>
    </linearGradient>
    <linearGradient id="phone-screen" x1="0" y1="0" x2="0" y2="1">
      <stop offset="0" stop-color="ffffff"/>
      <stop offset="1" stop-color="#f6f2ff"/>
    </linearGradient>
    <linearGradient id="accent" x1="0" y1="1" x2="1" y2="0">
      <stop offset="0" stop-color="#fa7e1e"/>
      <stop offset="0.5" stop-color="#d62976"/>
      <stop offset="1" stop-color="#4f5bd5"/>
    </linearGradient>
  </defs>

  <circle cx="230" cy="210" r="190" fill="url(#login-bg)"/>

  <g transform="rotate(-6 230 210)">
    <rect x="140" y="40" width="180" height="340" rx="26" fill="#262646"/>
    <rect x="150" y="50" width="160" height="320" rx="18" fill="url(#phone-screen)"/>
    <rect x="196" y="58" width="68" height="9" rx="4.5" fill="#262646" opacity="0.85"/>

    <circle cx="176" cy="98" r="14" fill="url(#accent)"/>
    <rect x="198" y="90" width="76" height="7" rx="3.5" fill="#c9c4dd"/>
    <rect x="198" y="102" width="52" height="6" rx="3" fill="#ddd9ec"/>

    <rect x="158" y="124" width="144" height="96" rx="10" fill="url(#accent)" opacity="0.9"/>
    <circle cx="192" cy="156" r="12" fill="ffffff" opacity="0.85"/>
    <path d="M158 208 138 -34 30 26 22 -20 54 44 z" fill="ffffff" opacity="0.35"/>

    <circle cx="176" cy="240" r="11" fill="#ffb199"/>
    <rect x="194" y="233" width="66" height="7" rx="3.5" fill="#c9c4dd"/>
    <rect x="194" y="245" width="46" height="6" rx="3" fill="#ddd9ec"/>

    <circle cx="176" cy="274" r="11" fill="#a5b8fd"/>
    <rect x="194" y="267" width="72" height="7" rx="3.5" fill="#c9c4dd"/>
    <rect x="194" y="279" width="40" height="6" rx="3" fill="#ddd9ec"/>

    <rect x="158" y="300" width="144" height="34" rx="17" fill="url(#accent)"/>
    <rect x="206" y="313" width="48" height="8" rx="4" fill="ffffff" opacity="0.9"/>
  </g>

  <g transform="rotate(10 330 120)">
    <rect x="292" y="86" width="86" height="86" rx="24" fill="url(#accent)"/>
    <rect x="308" y="102" width="54" height="54" rx="17" fill="none" stroke="ffffff" stroke-width="6"/>
    <circle cx="335" cy="129" r="13" fill="none" stroke="ffffff" stroke-width="6"/>
    <circle cx="350" cy="114" r="4.5" fill="ffffff"/>
  </g>

  <circle cx="118" cy="300" r="26" fill="#ffd166"/>
  <g transform="rotate(-14 118 300)">
    <path d="M118 288 c -6 -7 -17 -2 -17 7 c 0 8 10 13 17 18 c 7 -5 17 -10 17 -18 c 0 -9 -11 -14 -17 -7 z" fill="ffffff"/>
  </g>
</svg>
```

src/App.jsx

```
import React from 'react'
import { Route, Routes } from 'react-router-dom'

import LoginForm from './components/LoginForm'
import Home from './components/Home'
import MyProfile from './components/MyProfile'
import UserDetails from './components/UserDetails'
import NotFound from './components/NotFound'
import ProtectedRoute, { PublicRoute } from './components/ProtectedRoute'

function App() {
  return (
    <Routes>
      <Route
        path="/login"
        element={
          <PublicRoute>
            <LoginForm />
          </PublicRoute>
        }
      />

      <Route
        path="/"
        element={
          <ProtectedRoute>
            <Home />
          </ProtectedRoute>
        }
      />

      <Route
        path="/my-profile"
        element={
          <ProtectedRoute>
            <MyProfile />
          </ProtectedRoute>
        }
      />

      <Route
        path="/users/:id"
        element={
          <ProtectedRoute>
            <UserDetails />
          </ProtectedRoute>
        }
      />

      <Route path="*" element={<NotFound />} />
    </Routes>
  )
}

export default App
```

src/components/CommentSection.css

```
.comments-section {
  margin-top: 14px;
  border-top: 1px solid #f1f0f5;
  padding-top: 12px;
}

.comments-list {
  list-style: none;
  margin: 0 0 12px;
  padding: 0;
  display: flex;
  flex-direction: column;
  gap: 8px;
  max-height: 180px;
  overflow-y: auto;
}

.comment-item {
  font-size: 13px;
  line-height: 1.45;
}

.comment-user {
  font-weight: 600;
  margin-right: 8px;
  color: #1e293b;
}

.comment-text {
  color: #475569;
}

.comment-form {
  display: flex;
  gap: 8px;
}

.comment-input {
  flex: 1;
  border: 1px solid #e2e8f0;
  border-radius: 6px;
  padding: 9px 12px;
  font-size: 13px;
  outline: none;
}

.comment-input:focus {
  border-color: #d62976;
}

.comment-add-button {
  border: none;
  background-color: #d62976;
  color: #ffffff;
  border-radius: 6px;
  padding: 0 18px;
  font-size: 13px;
  font-weight: 600;
  cursor: pointer;
}

.comment-add-button:hover {
  opacity: 0.85;
}
```

src/components/CommentSection.jsx

```
import React, { useState } from 'react'

import './CommentSection.css'

function CommentSection({ comments }) {
  const [allComments, setAllComments] = useState(comments)
  const [newComment, setNewComment] = useState('')

  const handleAddComment = (event) => {
    event.preventDefault()

    const commentText = newComment.trim()

    if (commentText === '') {
      return
    }

    setAllComments((previousComments) => [
      ...previousComments,
      { comment: commentText, user_id: 'you', user_name: 'You' },
    ])

    setNewComment('')
  }

  return (
    <div className="comments-section">
      <ul className="comments-list">
        {allComments.map((eachComment, index) => (
          <li key={` ${eachComment.user_id}-${index}`} className="comment-item">
            <span className="comment-user">{eachComment.user_name}</span>
            <p className="comment-text">{eachComment.comment}</p>
          </li>
        ))}
      </ul>

      <form className="comment-form" onSubmit={handleAddComment}>
        <input
          type="text"
          className="comment-input"
          value={newComment}
          onChange={(event) => setNewComment(event.target.value)}
          placeholder="Type a comment..."
        />

        <button type="submit" className="comment-add-button">
          Add
        </button>
      </form>
    </div>
  )
}

export default CommentSection
```

src/components/FailureView.css

```
.failure-view,  
.not-found-view,  
.search-not-found-view,  
.no-posts-view {  
  display: flex;  
  flex-direction: column;  
  justify-content: center;  
  align-items: center;  
  text-align: center;  
  padding: 40px 16px;  
}  
  
.not-found-image {  
  width: 100%;  
  max-width: 380px;  
}  
  
.failure-heading,  
.not-found-heading,  
.search-not-found-heading {  
  font-size: 22px;  
  margin: 18px 0 6px;  
  color: #1e293b;  
}  
  
.search-not-found-heading {  
  margin-top: 24px;  
}  
  
.failure-text,  
.search-not-found-text {  
  font-size: 15px;  
  color: #94a3b8;  
  margin: 0 0 18px;  
}  
  
.retry-button,  
.go-home-link {  
  background-color: #d62976;  
  color: #ffffff;  
  border: none;  
  border-radius: 6px;  
  padding: 10px 24px;  
  font-size: 14px;  
  font-weight: 600;  
  cursor: pointer;  
  text-decoration: none;  
  transition: opacity 0.2s ease-in-out;  
}  
  
.retry-button:hover,  
.go-home-link:hover {  
  opacity: 0.85;  
}
```

src/components/FailureView.jsx

```
import React from 'react'

import './FailureView.css'

function FailureView({ onRetry }) {
  return (
    <div className="failure-view">
      

      <p className="failure-text">
        Something went wrong. Please try again
      </p>

      <button type="button" className="retry-button" onClick={onRetry}>
        Try again
      </button>
    </div>
  )
}

export default FailureView
```

src/components/Header.css

```
.header {
  position: sticky;
  top: 0;
  z-index: 20;
  background-color: #ffffff;
  border-bottom: 1px solid #e2e8f0;
}

.header-content {
  max-width: 1000px;
  margin: auto;
  display: flex;
  align-items: center;
  gap: 28px;
  padding: 10px 20px;
}

.website-logo-link {
  display: flex;
  align-items: center;
  gap: 8px;
  text-decoration: none;
  flex-shrink: 0;
}

.website-logo {
  width: 38px;
  height: 38px;
}

.website-title {
  font-size: 22px;
  font-weight: 700;
  color: #1e293b;
}

.nav-links {
  display: flex;
  align-items: center;
  gap: 22px;
}

.nav-link {
  color: #475569;
  text-decoration: none;
  font-size: 15px;
  font-weight: 500;
  transition: color 0.2s ease-in-out;
}

.nav-link:hover {
  color: #d62976;
}

.search-container {
  margin-left: auto;
  display: flex;
  align-items: center;
  background-color: #f6f7fb;
  border: 1px solid #e2e8f0;
  border-radius: 8px;
  overflow: hidden;
}

.search-input {
  border: none;
  background-color: transparent;
  outline: none;
  padding: 8px 14px;
  width: 230px;
}
```

```
font-size: 14px;
color: #1e293b;
}

 Insta Share project documentation

.search-input::placeholder {
  color: #94a3b8;
}

.search-button {
  border: none;
  background-color: transparent;
  cursor: pointer;
  padding: 8px 12px;
  display: flex;
  align-items: center;
  color: #475569;
}

.search-button:hover {
  color: #d62976;
}

.search-icon {
  font-size: 15px;
}

.logout-button {
  display: flex;
  align-items: center;
  gap: 6px;
  border: 1px solid #d62976;
  background-color: transparent;
  color: #d62976;
  border-radius: 6px;
  padding: 8px 14px;
  font-size: 14px;
  font-weight: 600;
  cursor: pointer;
  transition: background-color 0.2s ease-in-out, color 0.2s ease-in-out;
  flex-shrink: 0;
}

.logout-button:hover {
  background-color: #d62976;
  color: #ffffff;
}

.logout-icon {
  font-size: 17px;
}

@media (max-width: 1024px) {
  .header-content {
    gap: 18px;
  }

  .search-input {
    width: 150px;
  }
}

@media (max-width: 768px) {
  .header-content {
    padding: 10px 14px;
  }

  .website-title {
    display: none;
  }

  .nav-links {
    gap: 14px;
  }

  .search-input {
    width: 120px;
  }
}
```

```
.logout-button {
  padding: 8px 10px;
}

.logout-text {
  display: none;
}
}

@media (max-width: 600px) {
  .header-content {
    flex-wrap: wrap;
    row-gap: 10px;
  }

  .website-logo-link {
    flex: 1;
  }

  .logout-button {
    order: 1;
  }

  .search-container {
    order: 2;
    flex-basis: 100%;
  }

  .search-input {
    width: 100%;
    flex: 1;
  }

  .nav-links {
    order: 3;
    width: 100%;
    justify-content: center;
    padding-bottom: 2px;
  }
}
```

src/components/Header.jsx

```
import React, { useState } from 'react'
import Cookies from 'js-cookie'
import { Link, useNavigate } from 'react-router-dom'
import { FaSearch } from 'react-icons/fa'
import { AiOutlineLogout } from 'react-icons/ai'

import './Header.css'

function Header({ onSearch }) {
  const [searchInput, setSearchInput] = useState('')
  const navigate = useNavigate()

  const handleSearchSubmit = (event) => {
    event.preventDefault()

    if (onSearch) {
      onSearch(searchInput.trim())
    }
  }

  const handleLogout = () => {
    Cookies.remove('jwt_token')
    navigate('/login', { replace: true })
  }

  return (
    <header className="header">
      <div className="header-content">
        <Link to="/" className="website-logo-link">
          
          <span className="website-title">Insta Share</span>
        </Link>

        <ul className="nav-links">
          <li>
            <Link to="/" className="nav-link">
              Home
            </Link>
          </li>
          <li>
            <Link to="/my-profile" className="nav-link">
              Profile
            </Link>
          </li>
        </ul>

        <form className="search-container" onSubmit={handleSearchSubmit}>
          <input
            type="search"
            className="search-input"
            value={searchInput}
            onChange={(event) => setSearchInput(event.target.value)}
            placeholder="Search Caption"
          />
          <button
            type="submit"
            data-testid="searchIcon"
            className="search-button"
            aria-label="Search"
          >
            <FaSearch className="search-icon" />
          </button>
        </form>

        <button type="button" className="logout-button" onClick={handleLogout}>
          <AiOutlineLogout className="logout-icon" />
        </button>
      </div>
    </header>
  )
}
```

```
      <span className="logout-text">Logout</span>
    </button>
  </div>                                Insta Share project documentation
</header>
)
}

export default Header
```

src/components/Home.css

```
.home-page {  
  max-width: 720px;  
  margin: auto;  
  padding: 24px 15px;  
}  
  
.page {  
  max-width: 640px;  
  margin: 24px auto;  
}  
  
@media (max-width: 600px) {  
  .home-page {  
    padding: 16px 10px;  
  }  
}
```

src/components/Home.jsx

```
import React, { useState } from 'react'

import './Home.css'
import Header from './Header'
import UserStories from './UserStories'
import PostsList from './PostsList'

function Home() {
  const [searchInput, setSearchInput] = useState('')

  return (
    <>
      <Header onSearch={setSearchInput} />

      <main className="home-page">
        <UserStories />

        <div className="page">
          <PostsList searchInput={searchInput} />
        </div>
      </main>
    </>
  )
}

export default Home
```

src/components/Loader.css

```
.loader-container {
  min-height: 200px;
  display: flex;
  justify-content: center;
  align-items: center;
}

.spinner {
  width: 40px;
  height: 40px;
  border: 4px solid #eee;
  border-top-color: #d62976;
  border-radius: 50%;
  animation: spin 0.8s linear infinite;
}

@keyframes spin {
  to {
    transform: rotate(360deg);
  }
}
```

src/components/Loader.jsx

```
import React from 'react'

import './Loader.css'

function Loader() {
  return (
    <div className="loader-container" data-testid="loader">
      <div className="spinner" />
    </div>
  )
}

export default Loader
```

src/components/LoginForm.css

```
.login-page {
  min-height: 100vh;
  display: flex;
  justify-content: center;
  align-items: center;
  gap: 60px;
  padding: 30px 16px;
  background: radial-gradient(circle at 20% 20%, #fdf1f7, transparent),
    radial-gradient(circle at 80% 80%, #e7effd, transparent), #fafafa;
}

.login-image-container {
  flex-shrink: 0;
}

.login-image {
  width: 100%;
  max-width: 430px;
  display: block;
}

.login-form {
  background-color: #ffffff;
  border: 1px solid #e2e8f0;
  box-shadow: 0 8px 30px rgba(214, 41, 118, 0.08);
  border-radius: 12px;
  padding: 42px 38px;
  width: 100%;
  max-width: 380px;
  display: flex;
  flex-direction: column;
}

.login-website-logo {
  width: 56px;
  height: 56px;
  align-self: center;
}

.login-title {
  align-self: center;
  font-size: 26px;
  margin: 10px 0 26px;
  color: #1e293b;
}

.input-field {
  display: flex;
  flex-direction: column;
  margin-bottom: 18px;
}

.input-field label {
  font-size: 13px;
  font-weight: 600;
  letter-spacing: 0.06em;
  color: #475569;
  margin-bottom: 6px;
}

.input-field input {
  border: 1px solid #e2e8f0;
  border-radius: 6px;
  padding: 11px 12px;
  font-size: 14px;
  outline: none;
  transition: border-color 0.2s ease-in-out;
}

.input-field input:focus {
```

```
border-color: #d62976;
}

                                Insta Share project documentation

.error-message {
  color: #dc2743;
  font-size: 13px;
  margin: 0 0 14px;
}

.login-button {
  background-image: linear-gradient(45deg, #f09433, #e6683c, #dc2743, #cc2366, #bc1888);
  color: #ffffff;
  border: none;
  border-radius: 6px;
  padding: 12px;
  font-size: 15px;
  font-weight: 600;
  cursor: pointer;
  transition: opacity 0.2s ease-in-out;
}

.login-button:hover {
  opacity: 0.88;
}

.login-button:disabled {
  opacity: 0.6;
  cursor: not-allowed;
}

.login-hint {
  align-self: center;
  font-size: 12px;
  color: #94a3b8;
  margin: 16px 0 0;
}

@media (max-width: 768px) {
  .login-page {
    flex-direction: column;
    gap: 20px;
  }

  .login-image {
    max-width: 320px;
  }

  .login-form {
    padding: 34px 26px;
  }
}
```

src/components/LoginForm.jsx

```
import React, { useState } from 'react'
import axios from 'axios'
import Cookies from 'js-cookie'
import { useNavigate } from 'react-router-dom'

import './LoginForm.css'

function LoginForm() {
  const [username, setUsername] = useState('')
  const [password, setPassword] = useState('')
  const [showSubmitError, setShowSubmitError] = useState(false)
  const [errorMsg, setErrorMsg] = useState('')
  const [isSubmitting, setIsSubmitting] = useState(false)
  const navigate = useNavigate()

  const handleSubmitSuccess = (jwtToken) => {
    Cookies.set('jwt_token', jwtToken, { expires: 30 })
    navigate('/', { replace: true })
  }

  const handleSubmitFailure = (message) => {
    setShowSubmitError(true)
    setErrorMsg(message)
  }

  const submitForm = async (event) => {
    event.preventDefault()
    setIsSubmitting(true)

    try {
      const response = await axios.post('/login', {
        username,
        password,
      })

      handleSubmitSuccess(response.data.jwt_token)
    } catch (error) {
      const message =
        error.response && error.response.data && error.response.data.error_msg
          ? error.response.data.error_msg
          : 'Something went wrong. Please try again.'

      handleSubmitFailure(message)
    } finally {
      setIsSubmitting(false)
    }
  }

  return (
    <main className="login-page">
      <div className="login-image-container">
        
      </div>

      <form className="login-form" onSubmit={submitForm}>
        

        <h1 className="login-title">Insta Share</h1>

        <div className="input-field">
          <label htmlFor="username">USERNAME</label>
          <input
```

```

        id="username"
        type="text"
        placeholder="Enter username"
        value={username}
        onChange={(event) => setUsername(event.target.value)}
      />
    </div>

    <div className="input-field">
      <label htmlFor="password">PASSWORD</label>
      <input
        id="password"
        type="password"
        placeholder="Enter password"
        value={password}
        onChange={(event) => setPassword(event.target.value)}
      />
    </div>

    {showSubmitError && <p className="error-message">{errorMsg}</p>}

    <button type="submit" className="login-button" disabled={isSubmitting}>
      {isSubmitting ? 'Logging in...' : 'Login'}
    </button>

    <p className="login-hint">Use rahul / rahul&#64;2021 to explore</p>
  </form>
</main>
)
}

export default LoginForm

```

src/components/MyProfile.jsx

```
import React, { useEffect, useState } from 'react'
import axios from 'axios'
import Cookies from 'js-cookie'

import Header from './Header'
import Loader from './Loader'
import FailureView from './FailureView'
import Profile from './Profile'

const myProfileApiUrl = '/insta-share/my-profile'

function MyProfile() {
  const [profileDetails, setProfileDetails] = useState(null)
  const [apiStatus, setApiStatus] = useState('loading')

  const getMyProfile = async () => {
    setApiStatus('loading')

    try {
      const jwtToken = Cookies.get('jwt_token')
      const response = await axios.get(myProfileApiUrl, {
        headers: { Authorization: `Bearer ${jwtToken}` },
      })

      setProfileDetails(response.data.profile)
      setApiStatus('success')
    } catch (error) {
      setApiStatus('failure')
    }
  }

  useEffect(() => {
    getMyProfile()
  }, [])

  return (
    <>
      <Header />

      <main className="page profile-page">
        {apiStatus === 'loading' && <Loader />}
        {apiStatus === 'failure' && <FailureView onRetry={getMyProfile} />}
        {apiStatus === 'success' && (
          <Profile profileDetails={profileDetails} altPrefix="my" />
        )}
      </main>
    </>
  )
}

export default MyProfile
```

Source File

Insta Share project documentation

src/components/NotFound.css

```
.not-found-view {  
  min-height: 100vh;  
  display: flex;  
  align-items: center;  
  justify-content: center;  
}
```

src/components/NotFound.jsx

```
import React from 'react'
import { Link } from 'react-router-dom'

import './NotFound.css'

function NotFound() {
  return (
    <main className="not-found-view">
      

      <h1 className="not-found-heading">PAGE NOT FOUND</h1>

      <p className="failure-text">
        we are sorry, the page you requested could not be found
      </p>

      <Link to="/">
        <button type="button" className="go-home-button">
          Home Page
        </button>
      </Link>
    </main>
  )
}

export default NotFound
```

src/components/Post.css

```
.posts-list {
  list-style: none;
  padding: 0;
  margin: 0;
}

.post {
  background-color: #ffffff;
  border: 1px solid #e2e8f0;
  border-radius: 8px;
  overflow: hidden;
  margin-bottom: 28px;
}

.post-author {
  display: flex;
  align-items: center;
  gap: 10px;
  width: 100%;
  padding: 12px 14px;
  background-color: transparent;
  border: none;
  cursor: pointer;
  font-size: 15px;
  font-weight: 600;
  color: #1e293b;
}

.author-pic {
  width: 38px;
  height: 38px;
  border-radius: 50%;
  object-fit: cover;
}

.post-image {
  width: 100%;
  display: block;
  max-height: 640px;
  object-fit: cover;
}

.post-body {
  padding: 12px 16px 16px;
}

.likes-count {
  font-size: 14px;
  font-weight: 600;
  margin: 14px 0 6px;
}

.post-caption {
  font-size: 14px;
  color: #1e293b;
  margin: 0 0 8px;
  line-height: 1.5;
}

.caption-author {
  font-weight: 600;
  margin-right: 6px;
}

.post-meta {
  font-size: 12px;
  color: #94a3b8;
  margin: 0;
}
```

```
@media (max-width: 600px) {  
  .post-body {  
    padding: 10px 12px 14px;  
  }  
}
```

Insta Share project documentation

src/components/Post.jsx

```
import React, { useState } from 'react'
import axios from 'axios'
import Cookies from 'js-cookie'
import { useNavigate } from 'react-router-dom'

import './Post.css'
import PostActions from './PostActions'
import CommentSection from './CommentSection'

const likePost = (postId, likeStatus) => {
  const jwtToken = Cookies.get('jwt_token')
  return axios.post(
    `/insta-share/posts/${postId}/like`,
    { like_status: likeStatus },
    {
      headers: { Authorization: `Bearer ${jwtToken}` },
    },
  )
}

function Post({ post }) {
  const navigate = useNavigate()
  const [liked, setLiked] = useState(false)
  const [likesCount, setLikesCount] = useState(post.likes_count)
  const [showComments, setShowComments] = useState(false)

  const handleToggleLike = async () => {
    const nextLikeStatus = !liked

    try {
      await likePost(post.post_id, nextLikeStatus)
      setLiked(nextLikeStatus)
      setLikesCount((previousCount) =>
        nextLikeStatus ? previousCount + 1 : previousCount - 1,
      )
    } catch (error) {
      return
    }
  }

  const goToUserProfile = () => navigate(`/users/${post.user_id}`)

  return (
    <li className="post">
      <button type="button" className="post-author" onClick={goToUserProfile}>
        <img
          src={post.profile_pic}
          alt="post author profile"
          className="author-pic"
        />
        <span>{post.user_name}</span>
      </button>

      <img src={post.post_details.image_url} alt="post" className="post-image" />

      <div className="post-body">
        <PostActions
          liked={liked}
          onToggleLike={handleToggleLike}
          onToggleComments={() => setShowComments((previous) => !previous)}
          showComments={showComments}
        />

        <p className="likes-count">{likesCount} likes</p>

        <p className="post-caption">
          <span className="caption-author">{post.user_name}</span>
          {` ${post.post_details.caption}`}
        </p>
      </div>
    </li>
  )
}
```

```
      <p className="post-meta">
        {post.comments.length} comments &middot; {post.created_at}
      </p>

      <CommentSection comments={post.comments} />
    </div>
  </li>
)
}

export default Post
```

src/components/PostActions.css

```
.post-actions {
  display: flex;
  align-items: center;
  gap: 18px;
}

.action-button {
  border: none;
  background-color: transparent;
  font-size: 24px;
  cursor: pointer;
  color: #1e293b;
  padding: 0;
  line-height: 1;
  transition: transform 0.15s ease-in-out, color 0.15s ease-in-out;
}

.action-button:hover {
  transform: scale(1.12);
}

.active-action {
  color: #d62976;
}
```

src/components/PostActions.jsx

```
import React from 'react'
import { BsHeart } from 'react-icons/bs'
import { FaRegComment } from 'react-icons/fa'
import { BiShareAlt } from 'react-icons/bi'
import { FcLike } from 'react-icons/fc'

import './PostActions.css'

function PostActions({ liked, onToggleLike, onToggleComments, showComments }) {
  return (
    <div className="post-actions">
      <button
        type="button"
        className="action-button"
        data-testid={liked ? 'unLikeIcon' : 'likeIcon'}
        aria-label={liked ? 'Unlike post' : 'Like post'}
        onClick={onToggleLike}
      >
        {liked ? <FcLike /> : <BsHeart />}
      </button>

      <button
        type="button"
        className={`action-button ${showComments ? 'active-action' : ''}`}
        aria-label="Comment on post"
        onClick={onToggleComments}
      >
        <FaRegComment />
      </button>

      <button type="button" className="action-button" aria-label="Share post">
        <BiShareAlt />
      </button>
    </div>
  )
}

export default PostActions
```

src/components/PostsList.css

```
.search-not-found-view {
  display: flex;
  flex-direction: column;
  justify-content: center;
  align-items: center;
  text-align: center;
  padding: 40px 16px;
}

.search-not-found-heading {
  font-size: 22px;
  margin: 18px 0 6px;
  color: #1e293b;
}

.search-not-found-text {
  font-size: 15px;
  color: #94a3b8;
  margin: 0 0 18px;
}

.no-posts-view {
  display: flex;
  flex-direction: column;
  justify-content: center;
  align-items: center;
  text-align: center;
  padding: 40px 16px;
}

.no-posts-view h1 {
  font-size: 20px;
  color: #475569;
}
```

src/components/PostsList.jsx

```
import React, { useEffect, useState } from 'react'
import axios from 'axios'
import Cookies from 'js-cookie'

import './PostsList.css'
import Loader from './Loader'
import FailureView from './FailureView'
import Post from './Post'

const postsApiUrl = '/insta-share/posts'

function PostsList({ searchInput }) {
  const [posts, setPosts] = useState([])
  const [apiStatus, setApiStatus] = useState('loading')

  const getPosts = async () => {
    setApiStatus('loading')

    try {
      const requestUrl = searchInput
        ? `${postsApiUrl}?search=${encodeURIComponent(searchInput)}`
        : postsApiUrl

      const jwtToken = Cookies.get('jwt_token')
      const response = await axios.get(requestUrl, {
        headers: { Authorization: `Bearer ${jwtToken}` },
      })

      setPosts(response.data.posts)
      setApiStatus('success')
    } catch (error) {
      setApiStatus('failure')
    }
  }

  useEffect(() => {
    getPosts()
  }, [searchInput])

  const renderNoResultsView = () => (
    <div className="search-not-found-view">
      
      <h1 className="search-not-found-heading">Search Not Found</h1>
      <p className="search-not-found-text">Try different keyword or search again</p>
    </div>
  )

  switch (apiStatus) {
    case 'loading':
      return <Loader />

    case 'failure':
      return <FailureView onRetry={getPosts} />

    default:
      if (posts.length === 0) {
        return searchInput ? (
          renderNoResultsView()
        ) : (
          <div className="no-posts-view">
            <h1>No Posts Yet</h1>
          </div>
        )
      }
  }

  return (
```

```
    <ul className="posts-list">
      {posts.map((eachPost) => (
        <Post key={eachPost.post_id} post={eachPost} />
      ))}
    </ul>
  )
}
}

export default PostsList
```

src/components/Profile.css

```
.profile-page {
  max-width: 900px;
}

.profile-header {
  display: flex;
  align-items: center;
  gap: 48px;
  padding: 20px 0 26px;
}

.profile-pic {
  width: 160px;
  height: 160px;
  border-radius: 50%;
  object-fit: cover;
  padding: 5px;
  background-image: linear-gradient(45deg, #f09433, #e6683c, #dc2743, #cc2366, #bc1888);
  flex-shrink: 0;
}

.profile-info {
  display: flex;
  flex-direction: column;
}

.profile-username {
  font-size: 26px;
  font-weight: 600;
  margin: 0 0 14px;
}

.profile-stats {
  list-style: none;
  display: flex;
  gap: 32px;
  padding: 0;
  margin: 0 0 16px;
}

.profile-stats li {
  font-size: 15px;
  color: #94a3b8;
}

.profile-stats span {
  font-size: 18px;
  font-weight: 700;
  color: #1e293b;
  margin-right: 5px;
}

.profile-bio {
  font-size: 15px;
  color: #475569;
  line-height: 1.55;
  margin: 0;
}

.profile-stories {
  list-style: none;
  display: flex;
  gap: 18px;
  overflow-x: auto;
  padding: 16px 2px 22px;
  border-top: 1px solid #e2e8f0;
  margin: 0;
}

.profile-story-image {
```

```

width: 82px;
height: 82px;
border-radius: 50%;
object-fit: cover;
flex-shrink: 0;
}

.posts-heading {
display: flex;
align-items: center;
gap: 8px;
font-size: 17px;
font-weight: 600;
color: #475569;
border-top: 1px solid #e2e8f0;
padding-top: 18px;
margin: 0 0 16px;
}

.posts-grid {
list-style: none;
display: grid;
grid-template-columns: repeat(3, 1fr);
gap: 14px;
padding: 0;
margin: 0;
}

.grid-post-image {
width: 100%;
aspect-ratio: 1 / 1;
object-fit: cover;
border-radius: 6px;
display: block;
}

.no-posts-icon {
font-size: 64px;
color: #94a3b8;
}

.no-posts-view h2 {
font-size: 20px;
color: #475569;
margin: 12px 0 0;
}

@media (max-width: 1024px) {
.profile-header {
gap: 32px;
}

.profile-pic {
width: 130px;
height: 130px;
}
}

@media (max-width: 768px) {
.profile-pic {
width: 110px;
height: 110px;
}

.profile-stats {
gap: 20px;
}
}

@media (max-width: 600px) {
.profile-header {
flex-direction: column;
gap: 18px;
text-align: center;
padding-top: 12px;
}
}

```

```
.profile-pic {
  width: 96px;
  height: 96px;
}

.profile-info {
  align-items: center;
}

.profile-username {
  font-size: 21px;
}

.profile-stats {
  justify-content: center;
  gap: 16px;
}

.profile-stats li {
  font-size: 13px;
}

.profile-stats span {
  font-size: 15px;
}

.profile-bio {
  font-size: 14px;
}

.profile-story-image {
  width: 66px;
  height: 66px;
}

.posts-grid {
  gap: 8px;
}
}
```

src/components/Profile.jsx

```
import React from 'react'
import { BsGrid3X3 } from 'react-icons/bs'
import { BiCamera } from 'react-icons/bi'

import './Profile.css'

function Profile({ profileDetails, altPrefix }) {
  const {
    user_id,
    user_name,
    profile_pic,
    posts_count,
    followers_count,
    following_count,
    user_bio,
    posts,
    stories,
  } = profileDetails

  const hasPosts = posts !== undefined && posts.length > 0

  return (
    <div className="profile">
      <div className="profile-header">
        <img
          src={profile_pic}
          alt={` ${altPrefix} profile`}
          className="profile-pic"
        />

        <div className="profile-info">
          <h1 className="profile-username">{user_name}</h1>

          <ul className="profile-stats">
            <li>
              <span>{posts_count}</span> posts
            </li>
            <li>
              <span>{followers_count}</span> followers
            </li>
            <li>
              <span>{following_count}</span> following
            </li>
          </ul>

          <p className="profile-user-id">{user_id}</p>
          <p className="profile-bio">{user_bio}</p>
        </div>
      </div>

      {stories !== undefined && stories.length > 0 && (
        <ul className="profile-stories">
          {stories.map((eachStory) => (
            <li key={eachStory.id}>
              <img
                src={eachStory.image}
                alt={` ${altPrefix} story`}
                className="profile-story-image"
              />
            </li>
          ))}
        </ul>
      )}

      <h1 className="posts-heading">
        <BsGrid3X3 /> Posts
      </h1>

      {hasPosts ? (
        <ul className="posts-grid">
```

```
    {posts.map((eachPost) => (  
      <li key={eachPost.id}>  
        <img                                     Insta Share project documentation  
          src={eachPost.image}  
          alt={` ${altPrefix} post`}   
          className="grid-post-image"  
        />  
      </li>  
    ))}  
  </ul>  
) : (  
  <div className="no-posts-view">  
    <BiCamera className="no-posts-icon" />  
    <h2>No Posts</h2>  
  </div>  
  )  
</div>  
)  
}  
  
export default Profile
```

src/components/ProtectedRoute.jsx

```
import React from 'react'
import Cookies from 'js-cookie'
import { Navigate } from 'react-router-dom'

export default function ProtectedRoute({ children }) {
  const jwtToken = Cookies.get('jwt_token')

  if (jwtToken === undefined) {
    return <Navigate to="/login" replace />
  }

  return children
}

export function PublicRoute({ children }) {
  const jwtToken = Cookies.get('jwt_token')

  if (jwtToken !== undefined) {
    return <Navigate to="/" replace />
  }

  return children
}
```

src/components/UserDetails.jsx

```
import React, { useEffect, useState } from 'react'
import axios from 'axios'
import Cookies from 'js-cookie'
import { useParams } from 'react-router-dom'

import Header from './Header'
import Loader from './Loader'
import FailureView from './FailureView'
import Profile from './Profile'

const userApiUrl = '/insta-share/users/'

function UserDetails() {
  const { id } = useParams()
  const [profileDetails, setProfileDetails] = useState(null)
  const [apiStatus, setApiStatus] = useState('loading')

  const getUserProfile = async () => {
    setApiStatus('loading')

    try {
      const jwtToken = Cookies.get('jwt_token')
      const response = await axios.get(`${userApiUrl}${id}`, {
        headers: { Authorization: `Bearer ${jwtToken}` },
      })

      setProfileDetails(response.data.user_details)
      setApiStatus('success')
    } catch (error) {
      setApiStatus('failure')
    }
  }

  useEffect(() => {
    getUserProfile()
  }, [id])

  return (
    <>
      <Header />

      <main className="page profile-page">
        {apiStatus === 'loading' && <Loader />}
        {apiStatus === 'failure' && <FailureView onRetry={getUserProfile} />}
        {apiStatus === 'success' && (
          <Profile profileDetails={profileDetails} altPrefix="user" />
        )}
      </main>
    </>
  )
}

export default UserDetails
```

src/components/UserStories.css

```
.stories {
  background-color: #ffffff;
  border: 1px solid #e2e8f0;
  border-radius: 8px;
  padding: 18px 10px 8px;
  margin-bottom: 8px;
}

.story {
  background-color: transparent;
  border: none;
  cursor: pointer;
  display: flex !important;
  flex-direction: column;
  align-items: center;
  gap: 8px;
  outline: none;
  padding-bottom: 10px;
}

.story-image {
  width: 74px;
  height: 74px;
  border-radius: 50%;
  object-fit: cover;
  padding: 3px;
  background-image: linear-gradient(45deg, #f09433, #e6683c, #dc2743, #cc2366, #bc1888);
  transition: transform 0.2s ease-in-out;
}

.story:hover .story-image {
  transform: scale(1.05);
}

.story-name {
  font-size: 12px;
  color: #475569;
  max-width: 84px;
  overflow: hidden;
  text-overflow: ellipsis;
  white-space: nowrap;
}

.stories .slick-arrow {
  display: none !important;
}

.stories .slick-dots {
  bottom: -4px;
}

.stories .slick-dots li button::before {
  color: #d62976;
  opacity: 0.35;
}

.stories .slick-dots li.slick-active button::before {
  opacity: 1;
}

@media (max-width: 600px) {
  .story-image {
    width: 62px;
    height: 62px;
  }

  .story-name {
    font-size: 11px;
  }
}
```

}
}

Insta Share project documentation

src/components/UserStories.jsx

```
import React, { useEffect, useState } from 'react'
import axios from 'axios'
import Cookies from 'js-cookie'
import SliderModule from 'react-slick'

import './UserStories.css'
import Loader from './Loader'
import FailureView from './FailureView'
import UserStory from './UserStory'
import UserStoriesModal from './UserStoriesModal'

const Slider = SliderModule.default !== undefined ? SliderModule.default : SliderModule

const storiesApiUrl = '/insta-share/stories'

const sliderSettings = [
  {
    dots: true,
    infinite: false,
    speed: 500,
    slidesToShow: 8,
    slidesToScroll: 8,
    responsive: [
      {
        breakpoint: 1024,
        settings: { slidesToShow: 6, slidesToScroll: 6 },
      },
      {
        breakpoint: 768,
        settings: { slidesToShow: 5, slidesToScroll: 5 },
      },
      {
        breakpoint: 480,
        settings: { slidesToShow: 3, slidesToScroll: 3, dots: false },
      },
    ],
  },
]

function UserStories() {
  const [stories, setStories] = useState([])
  const [apiStatus, setApiStatus] = useState('loading')
  const [selectedStory, setSelectedStory] = useState(null)

  const getStories = async () => {
    setApiStatus('loading')

    try {
      const jwtToken = Cookies.get('jwt_token')
      const response = await axios.get(storiesApiUrl, {
        headers: { Authorization: `Bearer ${jwtToken}` },
      })

      setStories(response.data.users_stories)
      setApiStatus('success')
    } catch (error) {
      setApiStatus('failure')
    }
  }

  useEffect(() => {
    getStories()
  }, [])

  const handleSelectStory = (story) => setSelectedStory(story)
  const handleCloseModal = () => setSelectedStory(null)

  if (apiStatus === 'loading') {
    return <Loader />
  }

  if (apiStatus === 'failure') {
```

```
    return <FailureView onRetry={getStories} />
  }

  Insta Share project documentation

  return (
    <section className="stories">
      <Slider {...sliderSettings}>
        {stories.map((eachStory) => (
          <UserStory
            key={eachStory.user_id}
            story={eachStory}
            onSelectStory={handleSelectStory}
          />
        ))}
      </Slider>

      {selectedStory !== null && (
        <UserStoriesModal story={selectedStory} onClose={handleCloseModal} />
      )}
    </section>
  )
}

export default UserStories
```

src/components/UserStoriesModal.css

```
.modal-overlay {
  position: fixed;
  inset: 0;
  background-color: rgba(15, 15, 25, 0.78);
  z-index: 50;
  display: flex;
  justify-content: center;
  align-items: center;
  animation: fade-in 0.2s ease-in-out;
}

@keyframes fade-in {
  from {
    opacity: 0;
  }
  to {
    opacity: 1;
  }
}

.modal-card {
  position: relative;
  background-color: #ffffff;
  border-radius: 12px;
  padding: 18px;
  max-width: 92vw;
  max-height: 90vh;
  display: flex;
  flex-direction: column;
  align-items: center;
  gap: 12px;
}

.modal-close-button {
  position: absolute;
  top: 8px;
  right: 12px;
  border: none;
  background-color: transparent;
  font-size: 30px;
  line-height: 1;
  color: #475569;
  cursor: pointer;
}

.modal-close-button:hover {
  color: #d62976;
}

.modal-story-image {
  max-width: 70vw;
  max-height: 68vh;
  border-radius: 8px;
  object-fit: contain;
}

.modal-username {
  margin: 0;
  font-size: 15px;
  font-weight: 600;
  color: #1e293b;
}

@media (max-width: 600px) {
  .modal-story-image {
    max-width: 86vw;
  }
}
```

src/components/UserStoriesModal.jsx

```
import React from 'react'

import './UserStoriesModal.css'

function UserStoriesModal({ story, onClose }) {
  return (
    <div className="modal-overlay" onClick={onClose}>
      <div className="modal-card" onClick={(event) => event.stopPropagation()}>
        <button
          type="button"
          className="modal-close-button"
          onClick={onClose}
          aria-label="Close"
        >
          &times;
        </button>

        <img src={story.story_url} alt="user story" className="modal-story-image" />

        <p className="modal-username">{story.user_name}</p>
      </div>
    </div>
  )
}

export default UserStoriesModal
```

src/components/UserStory.css

```
.story {
  background-color: transparent;
  border: none;
  cursor: pointer;
  display: flex !important;
  flex-direction: column;
  align-items: center;
  gap: 8px;
  outline: none;
  padding-bottom: 10px;
}

.story-image {
  width: 74px;
  height: 74px;
  border-radius: 50%;
  object-fit: cover;
  padding: 3px;
  background-image: linear-gradient(45deg, #f09433, #e6683c, #dc2743, #cc2366, #bc1888);
  transition: transform 0.2s ease-in-out;
}

.story:hover .story-image {
  transform: scale(1.05);
}

.story-name {
  font-size: 12px;
  color: #475569;
  max-width: 84px;
  overflow: hidden;
  text-overflow: ellipsis;
  white-space: nowrap;
}

@media (max-width: 600px) {
  .story-image {
    width: 62px;
    height: 62px;
  }

  .story-name {
    font-size: 11px;
  }
}
```

src/components/UserStory.jsx

```
import React from 'react'

import './UserStory.css'

function UserStory({ story, onSelectStory }) {
  const selectStory = () => onSelectStory(story)

  return (
    <button type="button" className="story" onClick={selectStory}>
      <img src={story.story_url} alt="user story" className="story-image" />
      <span className="story-name">{story.user_name}</span>
    </button>
  )
}

export default UserStory
```

src/main.jsx

```
import React from 'react'
import { createRoot } from 'react-dom/client'
import { BrowserRouter } from 'react-router-dom'

import 'slick-carousel/slick/slick.css'
import 'slick-carousel/slick/slick-theme.css'
import './styles.css'

import App from './App'

createRoot(document.getElementById('root')).render(
  <BrowserRouter>
    <App />
  </BrowserRouter>,
)
```

src/styles.css

```
:root {
  --accent: #d62976;
  --accent-gradient: linear-gradient(45deg, #f09433, #e6683c, #dc2743, #cc2366, #bc1888);
  --text-dark: #1e293b;
  --text-medium: #475569;
  --text-light: #94a3b8;
  --border-color: #e2e8f0;
  --card-bg: #ffffff;
  --page-bg: #fafafa;
}

* {
  box-sizing: border-box;
}

body {
  margin: 0;
  font-family: Roboto, Arial, Helvetica, sans-serif;
  background-color: var(--page-bg);
  color: var(--text-dark);
}

button,
input {
  font-family: inherit;
}
```

vite.config.js

```
import { defineConfig } from 'vite'
import react from '@vitejs/plugin-react'

export default defineConfig({
  plugins: [react()],
  server: {
    proxy: {
      '/login': {
        target: 'https://apis.ccbp.in',
        changeOrigin: true,
      },
      '/insta-share': {
        target: 'https://apis.ccbp.in',
        changeOrigin: true,
      },
    },
  },
})
```