



## Assignment no 9

- Start by opening Command Prompt and navigate to the XAMPP htdocs directory.  
Path: C:\xampp\htdocs
- Use the command below to create a new Laravel project named akshay:
- laravel new akshay
- Choose none for the Starter Kit option and select 0 for the Testing Framework.
- Select no for AI-assisted coding, set mysql as the database, and choose yes for default database migration.
- When asked for ignore scripts, select yes.
- Run the following commands:  
cd akshay  
composer run dev
- Open your browser and visit:  
<http://localhost:8000>

```
C:\WINDOWS\system32\cmd. x + v
D:\Xampp\htdocs\akshay>composer run dev
> Composer\Config::disableProcessTimeout
> npx concurrently -c "#93c5fd,#c4b5fd,#fdba74" "php artisan serve" "php artisan queue:listen --tries=1" "npm run dev" --names='server,queue,vite'
[vite]
[vite] > dev
[vite] > vite
[vite]
[queue]
[queue] INFO Processing jobs from the [default] queue.
[queue]
[server]
[server] INFO Server running on [http://127.0.0.1:8000].
[server]
[server] Press Ctrl+C to stop the server
[server]
[vite]
[vite] VITE v7.3.3 ready in 514 ms
[vite]
[vite] → Local: http://localhost:5173/
[vite] → Network: use --host to expose
[vite]
[vite] LARAVEL v12.59.0 plugin v2.1.0
[vite]
[vite] → APP_URL: http://localhost:8000
[server] 2026-05-17 01:44:51 / ..... ~ 583.52ms
[server] 2026-05-17 01:44:52 /favicon.ico ..... ~ 584.26ms
```



- Run the command below to create a view named home:  
php artisan make:view home
- After that, open the web.php file and define the route for the home page.
- Edit the home.blade.php file and include the required HTML content.
- Finally, open the browser and search for:  
http://localhost:8000/home




The screenshot shows the Visual Studio Code editor with the file `home.blade.php` open. The file content is as follows:

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4     <meta charset="UTF-8">
5     <meta name="viewport" content="width=device-width, initial-scale=1.0">
6     <title>Document</title>
7 </head>
8 <body>
9     <h1>my home sweet home</h1>
10 </body>
11 </html>
```

Below the editor, the terminal window shows the command `php artisan make:view home` being executed, with an informational message: `View [D:\Xampp\htdocs\akshay\resources\views\home.blade.php] created successfully.`



- Run the command below to create a view named about:  
php artisan make:view about
- After that, open the web.php file and define the route for the about page.
- Edit the about.blade.php file and include the required HTML content.
- Finally, open the browser and search for:  
http://localhost:8000/about



The screenshot shows an IDE with two tabs: 'web.php' and 'about.blade.php'. The 'web.php' tab is active, displaying the following code:

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Document</title>
7 </head>
8 <body>
9   <h1>love my home</h1>
10 </body>
11 </html>
```

Below the code editor is a terminal window with the following output:

```
PS D:\Xampp\htdocs\akshay> php artisan make:view home
[INFO] View [D:\Xampp\htdocs\akshay\resources\views\home.blade.php] created successfully.
PS D:\Xampp\htdocs\akshay> php artisan make:view about
[INFO] View [D:\Xampp\htdocs\akshay\resources\views\about.blade.php] created successfully.
PS D:\Xampp\htdocs\akshay>
```

