Total No. of Questions—8]

[Total No. of Printed Pages—4

Seat	
No.	

[5152]-507

S.E. (Civil) (II Sem.) EXAMINATION, 2017 ARCHITECTURAL PLANNING AND DESIGN OF BUILDINGS (2015 PATTERN)

Time: Two Hours

Maximum Marks: 50

- **N.B.** :- (i) Solve Q. No. **1** or Q. No. **2**, Q. No. **3** or Q. No. **4** on the answer-sheet.
 - (ii) Solve Q. No. **5** or Q. No. **6**, Q. No. **7** or Q. No. **8** on the drawing sheet only.
 - (iii) Assume suitable data, if necessary.
 - (iv) Figures to the right indicate full marks.
- 1. (a) Write a short note on TDR. Who is eligible for TDR and enlist the documents required for TDR? [7]
 - (b) Write short notes on:

[6]

- (i) Green roofing
- (ii) Cost effective housing.

Or

- **2.** (a) Write a short note on NOC from roads, National and State Highways. Which dicuments are required for application? [7]
 - (b) Explain the following principle of architectural planning with sketches: [6]
 - (i) Unity
 - (ii) Composition.

P.T.O.


- **3.** (a) What do you mean by perspective drawing? What are the objectives of perspective drawing? [7]
 - (b) Write short notes on: [6]
 - (i) Reverberation and Sabine's expression
 - (ii) Formation of echoes.

Or

4. (a) Write short notes on :

 $\lceil 7 \rceil$

- (i) Winter air conditioning system
- (ii) Summer air conditioning system.
- (b) Write a short note on One pipe system and Two pipe system of plumbing. [6]
- 5. Draw a detailed plan to a scale of 1:50 or suitable for line plan shown in fig. [13]



Refer the following guidelines

- (i) The structure is RCC framed structure.
- (ii) Wall thickness: External 230 mm, Internal 100 mm
- (iii) Assume suitable size of doors and windows
- (iv) Access to the terrace is provided through staircase
- (v) Floor to floor height 3240 mm
- (vi) Plinth height 600 mm
- (vii) All the dimensions are in mm
- (viii) Tread 250 mm Riser - 180 mm

Or

- 6. Draw to a scale 1:50 or suitable, detailed plan of a bungalow for the following conditions:
 - (i) Living room 1 no + 18 m² approx.
 - (ii) Kitchen cum dining $> 12 \text{ m}^2$ approx.
 - (iii) Master bedroom (inclusive of toilet) 18 m² approx.
 - (iv) Guest room -12 m²
 - (v) Study room $\sim 12 \text{ m}^2$
 - (vi) 1 separate WC and bath
 - (vii) Passage 1.2 m wide
 - (viii) Floor to floor height 3.0 m
 - (ix) RCC framed structure
 - (x) Plinth height 600 mm
 - (xi) Provide suitable staircase

[5152]-507

- 7. Design a primary school for 5 classrooms, the building is single storied and is RCC framed structure. The following units are be provided:
 - (i) Number of students per classroom 40
 - (ii) Primary classroom 50 m²
 - (iii) Drawing room -75 m^2
 - (iv) Headmasters room 15 m²
 - (v) Administrative office -30 m^2
 - (vi) Common staff room 60 m²
 - (vii) Medical unit 30 m²
 - (viii) Book store 15 m²
 - (ix) Sanitary block (Ladies and gents) : suitable no.

Draw to a scale of 1:50 or suitable, line plan with North line.

Or

- 8. Design a Rest House for 6 rooms, the building is single storied and RCC framed structure. The following units are to be provided: [12]
 - (i) Bedroom with attached toilet:
 - (a) Bedroom -12 m^2
 - (b) Toilet -3 m^2
 - (ii) Circulation space verandah 2 m wide
 - (iii) Dining hall 20 m²
 - (iv) Kitchen 12 m²
 - (v) Store -6 m^2
 - (vi) Office 12 m²
 - (vii) Sanitary block (Ladies and gents) Suitable no.

Draw to a suitable scale line plan with North direction.