Wildcard mask:

A **wildcard mask** is a tool used in networking, particularly in routing protocols like OSPF, EIGRP, and in access control lists (ACLs), to specify IP address ranges in a flexible way. It is the inverse of a subnet mask.

Lets Calculate the Wild card Mask for class A:

Class A:

Subnet mask: 255.0.0.0

Wildcard Mask: 255.255.255.255 - 255.0.0.0

Wildcard Mask: 0.255.255.255

Wildcard mask for Class B and C:

Example:

Class B:

Subnet mask: 255.255.0.0

Wildcard Mask: 255.255.255.255 - 255.255.0.0

Wildcard Mask: 0.0.255.255

Class C:

Subnet mask: 255.255.255.0

Wildcard Mask: 255.255.255.255 - 255.255.255.0

Wildcard Mask: 0.0.0.255

Wildcard mask for Subnets CIDR /25 & /26:

Example:

/25:

Subnet mask: 255.255.255.128

Wildcard Mask: 255.255.255.255 - 255.255.255.128

Wildcard Mask: 0.0.0.127

/26:

Subnet mask: 255.255.255.192

Wildcard Mask: 255.255.255.255 - 255.255.255.192

Wildcard Mask: 0.0.0.63

Wildcard mask for Subnets CIDR /27 & /28:

Example:

/27:

Subnet mask: 255.255.255.224

Wildcard Mask: 255.255.255.255 - 255.255.255.224

Wildcard Mask: 0.0.0.31

/28:

Subnet mask: 255.255.255.240

Wildcard Mask: 255.255.255.255 - 255.255.255.240

Wildcard Mask: 0.0.0.15

Wildcard mask for Subnets CIDR /29 & /30:

Example:

/29:

Subnet mask: 255.255.255.248

Wildcard Mask: 255.255.255.255 - 255.255.255.248

Wildcard Mask: 0.0.0.7

/30:

Subnet mask: 255.255.255.252

Wildcard Mask: 255.255.255.255 - 255.255.255.252

Wildcard Mask: 0.0.0.3