


Spanning Tree Portfast:

<https://www.youtube.com/@techwithravish>

PortFast is a feature of the Spanning Tree Protocol (STP) that is used to expedite the transition of ports from the blocking state to the forwarding state. This feature is particularly useful on ports connected to end devices like computers and printers, where there is no risk of creating network loops.

Link Transition in 0 Second
From Down to Forward state
in 0 Second
Skipped the LSN and LRN
States of STP




Purpose of PortFast:

Reduce Boot Time: PortFast allows ports to skip the usual STP states (blocking, listening, learning) and move directly to the forwarding state. This significantly reduces the time it takes for devices to connect to the network after they are powered on or rebooted.

Avoid DHCP Timeout: Without PortFast, the delay caused by the STP process can lead to issues such as DHCP requests timing out.


ISSUE WITH STP: Convergence Time:

From BLK to FWD State: 15 Sec (LSN) + 15 Sec (LRN) = 30 Sec



ISSUE Solved with STP Portfast on user links: Convergence Time 0

On Ports Connected to user: 0 Sec (LSN) + 0 Sec (LRN)= 0 Sec Wait time



Configuration of Portfast:

```
Switch> enable
```

```
Switch# configure terminal
```

```
Switch(config)# interface fastethernet 0/1
```

```
Switch(config-if)# spanning-tree portfast
```

```
Switch(config-if)# end
```

```
Switch# write memory
```