

CEH v13 Practice Questions – Module 10: Denial-of-Service (DoS)

1. What is the main goal of a Denial-of-Service (DoS) attack?

- A. Gain root access
- B. Intercept network traffic
- C. Render a system or service unavailable
- D. Steal credentials

Answer: C

2. Which of the following is a characteristic of a DoS attack?

- A. Low bandwidth usage
- B. Data exfiltration
- C. Overwhelming system resources
- D. Privilege escalation

Answer: C

3. Which type of DoS attack sends incomplete handshake requests to exhaust server resources?

- A. ICMP Flood
- B. SYN Flood
- C. DNS Spoofing
- D. ARP Poisoning

Answer: B

4. Which protocol is primarily used in Smurf attacks?

- A. TCP
- B. HTTP
- C. ICMP
- D. ARP

Answer: C

5. What is a DDoS attack?

- A. A virus-based infection
- B. A distributed effort to create rootkits
- C. A coordinated DoS attack from multiple systems
- D. An attack targeting physical hardware

Answer: C

6. Which tool is commonly used for launching DoS attacks?

- A. John the Ripper
- B. LOIC
- C. Nmap
- D. Aircrack-ng

Answer: B

7. Which type of DoS attack exploits fragmented packets to crash a system?

- A. Fraggle attack
- B. Teardrop attack
- C. SYN flood
- D. Ping of death

Answer: B

8. Which layer of the OSI model is primarily affected by a SYN flood attack?

- A. Application
- B. Presentation
- C. Transport
- D. Data Link

Answer: C

9. What does a 'ping of death' attack do?

- A. Encrypts the ping responses
- B. Sends oversized ICMP packets to crash systems
- C. Maps devices on a network
- D. Logs ping requests for monitoring

Answer: B

10. Which of the following helps prevent DoS attacks?

- A. Port forwarding
- B. Web proxies
- C. Rate limiting and firewalls
- D. MAC address filtering

Answer: C

11. Which type of attack floods DNS servers with requests to exhaust resources?

- A. DNS Cache Poisoning
- B. DNS Tunneling
- C. DNS Amplification
- D. DNS Redirection

Answer: C

12. Which type of botnet is used to perform a DDoS attack?

- A. Honeypot
- B. Rootkit
- C. Zombie network
- D. RAT

Answer: C

13. What is the purpose of using spoofed IP addresses in a DoS attack?

- A. Bypass content filters
- B. Remain anonymous and avoid detection
- C. Increase encryption speed
- D. Enable file sharing

Answer: B

14. Which of the following is an effect of a successful DoS attack?

- A. Firewall bypass
- B. System updates

- C. Service unavailability
- D. Secure tunneling

Answer: C

15. How does a UDP flood attack impact a target system?

- A. It forces the system to reboot
- B. It fills the system's DNS cache
- C. It overwhelms ports with UDP packets
- D. It logs all connections

Answer: C

16. What is one of the main limitations of a traditional DoS attack?

- A. It is encrypted by default
- B. It requires root access
- C. It originates from a single source, making it easier to block
- D. It only targets wireless devices

Answer: C

17. Which of the following can be used to detect ongoing DoS attacks?

- A. Antivirus software
- B. Traffic monitoring tools like Wireshark or IDS
- C. DNS caching tools
- D. File integrity monitoring tools

Answer: B

18. What is the primary motivation behind some DoS attacks?

- A. Software updates
- B. Financial gain, extortion, or protest
- C. System backups
- D. OS upgrades

Answer: B

19. Which of the following best describes a logic bomb used for DoS purposes?

- A. A worm that spreads rapidly
- B. A script that activates under specific conditions to disrupt services
- C. A Trojan used to control IoT devices
- D. A virus that mimics a bootloader

Answer: B

20. What does the term 'Amplification' refer to in DDoS attacks?

- A. Spreading the attack via email
- B. Exploiting a service to send larger responses to the victim
- C. Using audio signals to attack devices
- D. Multiplying TCP segments

Answer: B

21. Which of the following is NOT a symptom of a DoS attack?

- A. Slow network performance
- B. Inability to access a website
- C. Unauthorized file access
- D. Server crashes

Answer: C

22. Which cloud-based solution helps protect against large-scale DDoS attacks?

- A. Dropbox
- B. Cloudflare
- C. Wireshark
- D. GitHub

Answer: B

23. What is the role of an Intrusion Detection System (IDS) in DoS mitigation?

- A. Physically blocks the attack source
- B. Detects abnormal traffic patterns for alerts
- C. Encrypts data in transit
- D. Conducts system updates

Answer: B

24. How does TCP three-way handshake abuse contribute to DoS attacks?

- A. It prevents IP filtering
- B. It allows payload injection
- C. It leaves the connection half-open to exhaust server resources
- D. It speeds up transmission

Answer: C