

CEH v13 Practice Questions – Module 18: IoT and OT Hacking

1. Which of the following best describes an IoT device?

- A. A server with virtualization software
- B. A traditional desktop PC
- C. A smart thermostat connected to the internet
- D. A local-only printer

Answer: C

2. Which communication protocol is commonly used in IoT devices?

- A. SMTP
- B. SNMP
- C. MQTT
- D. FTP

Answer: C

3. What is a major challenge in securing IoT environments?

- A. Low power usage
- B. Frequent firmware updates
- C. Limited processing power and storage
- D. Redundant connectivity

Answer: C

4. Which of the following is a common security issue in IoT devices?

- A. Overclocked CPUs
- B. Hardcoded credentials
- C. Lack of Wi-Fi support
- D. Built-in firewalls

Answer: B

5. What is OT in the context of cybersecurity?

- A. Operational Technology
- B. Online Transactions
- C. Open Tunneling
- D. Optical Transfer

Answer: A

6. Which tool is useful for discovering IoT devices on a network?

- A. sqlmap
- B. Nmap
- C. John the Ripper
- D. Hydra

Answer: B

7. What type of attack exploits weak authentication on IoT devices?

- A. Brute-force attack
- B. Phishing attack
- C. SQL injection
- D. DNS spoofing

Answer: A

8. Which SCADA protocol is widely used in OT environments?

- A. SMB
- B. HTTP
- C. Modbus
- D. ICMP

Answer: C

9. What is a common use of OT systems?

- A. Hosting cloud services
- B. Managing industrial equipment
- C. Sending marketing emails
- D. Rendering web pages

Answer: B

10. Which device is considered part of the IoT?

- A. Cisco router
- B. Smart TV
- C. Desktop PC
- D. External hard drive

Answer: B

11. Which attack targets smart home devices to build botnets?

- A. Ransomware
- B. Mirai
- C. Zeus
- D. Poison Ivy

Answer: B

12. What does Shodan help attackers and researchers find?

- A. Vulnerabilities in web browsers
- B. Devices connected to the internet
- C. Social media credentials
- D. Wireless sniffers

Answer: B

13. What is a recommended method to secure IoT firmware?

- A. Leave it unpatched for stability
- B. Disable TLS
- C. Regularly update it
- D. Use default usernames

Answer: C

14. Why is segmentation important in OT networks?

- A. To improve download speeds
- B. To separate critical infrastructure from IT systems
- C. To allow external VPN access
- D. To host email servers

Answer: B

15. Which IoT protocol is often associated with short-range device communication?

- A. SIP
- B. ICMP
- C. Bluetooth
- D. SMTP

Answer: C

16. Which standard helps guide secure development of IoT products?

- A. PCI DSS
- B. OWASP Top 10 IoT
- C. ISO 9001
- D. ITIL

Answer: B

17. What is a PLC in OT environments?

- A. Portable Login Credential
- B. Process Logic Chart
- C. Programmable Logic Controller
- D. Power Line Carrier

Answer: C

18. Which of the following can help mitigate IoT risks?

- A. Use of default passwords
- B. Open remote management
- C. Regular patching and updates
- D. Disabling logs

Answer: C

19. Why are OT devices often left unpatched?

- A. Updates are too frequent
- B. They lack TCP/IP support

- C. Downtime affects critical operations
- D. Patches require cloud access

Answer: C

20. What is a typical impact of OT compromise?

- A. Loss of emails
- B. Physical process disruption
- C. Cloud service outage
- D. Loss of customer reviews

Answer: B

21. Which tool helps fingerprint OT devices?

- A. Nessus
- B. Wireshark
- C. Censys
- D. Nmap NSE scripts

Answer: D

22. Which attack involves exploiting unsecured Telnet access on IoT?

- A. Brute force
- B. Man-in-the-middle
- C. SQL injection
- D. Port scanning

Answer: A

23. Why is default credential usage dangerous in IoT?

- A. They consume bandwidth
- B. They can be easily guessed or found online
- C. They require frequent resets
- D. They are not encrypted

Answer: B

24. Which security control can help detect IoT-based attacks?

- A. IDS/IPS
- B. VPN tunneling
- C. NAT traversal
- D. Load balancers

Answer: A

25. What kind of network segmentation is best for OT devices?

- A. VLANs with firewalls
- B. Bridged mode
- C. DMZ bypass
- D. Shared switch uplinks

Answer: A