

# CEH v13 Practice Questions – Module 6: System Hacking

---

1. Which of the following is a primary objective of system hacking?

- A. Conducting passive reconnaissance
- B. Exploiting vulnerabilities to gain unauthorized access
- C. Sending phishing emails
- D. Performing DNS enumeration

Answer: B

2. Which of the following tools can be used to dump password hashes from a Windows system?

- A. Nmap
- B. Metasploit
- C. John the Ripper
- D. Mimikatz

Answer: D

3. Which attack involves trying all possible password combinations until the correct one is found?

- A. Dictionary attack
- B. Brute-force attack
- C. Social engineering
- D. Rainbow table attack

Answer: B

4. What is the purpose of privilege escalation in system hacking?

- A. Lower the user's access rights
- B. Run system updates
- C. Gain higher-level access such as administrator or root
- D. Hide the attack from IDS

Answer: C

5. Which of the following best defines steganography?

- A. Scrambling data with symmetric encryption
- B. Hiding data inside other files such as images
- C. Encoding commands in TCP packets
- D. Writing viruses that self-replicate

Answer: B

6. Which command lists all users on a Windows system from the command prompt?

- A. whoami
- B. net user
- C. hostname
- D. ipconfig

Answer: B

7. What is the role of the SAM file in Windows systems?

- A. Stores system logs
- B. Contains system registry values
- C. Stores user password hashes
- D. Logs DNS queries

Answer: C

8. Which of the following is a method used for hiding running processes on a system?

- A. Rootkits
- B. Firewalls
- C. Hash tables
- D. Session hijacking

Answer: A

9. Which attack replaces the user's login shell to maintain access?

- A. Trojan
- B. Rootkit injection
- C. Shell replacement attack
- D. Backdoor shell

Answer: C

10. Which of the following attacks captures keystrokes to steal credentials?

- A. Buffer overflow
- B. Session hijacking
- C. Keylogging
- D. Privilege escalation

Answer: C

11. Which of the following tools can crack Windows password hashes offline?

- A. Wireshark
- B. Hydra
- C. John the Ripper
- D. Maltego

Answer: C

12. Which Linux file contains user account information and hashed passwords?

- A. /etc/shadow
- B. /etc/passwd
- C. /etc/users
- D. /home/.user

Answer: A

13. Which method can be used to hide a file in Windows?

- A. Use of /dev/null
- B. Hiding in Alternate Data Streams (ADS)
- C. Running a cron job
- D. Renaming the file with .bak extension

Answer: B

14. What is the primary purpose of clearing event logs in system hacking?

- A. To free up disk space
- B. To prevent detection and forensic analysis

- C. To update system patches
- D. To reboot the target system

Answer: B

15. Which of the following is an example of a post-exploitation activity?

- A. Scanning open ports
- B. Delivering phishing emails
- C. Maintaining access through a backdoor
- D. Performing a DNS query

Answer: C

16. Which command in Linux is used to change file ownership?

- A. chmod
- B. chgrp
- C. chown
- D. usermod

Answer: C

17. What is the use of a bind shell in hacking?

- A. To bind malware to a host process
- B. To execute remote web applications
- C. To open a listening port for reverse connections
- D. To allow a remote attacker to connect to a shell

Answer: D

18. Which of the following can be used to maintain access on a compromised system?

- A. Trojan horse
- B. Firewall rules
- C. Secure boot
- D. Sandboxing

Answer: A

19. Which of the following commands in Linux displays the current user's effective ID?

- A. id
- B. whoami
- C. groups
- D. passwd

Answer: A

20. Which tool in Metasploit allows privilege escalation through known exploits?

- A. msfvenom
- B. exploit/windows/local
- C. nmap
- D. snmpwalk

Answer: B

21. What is a common use of the 'at' command in Windows post-exploitation?

- A. Run file explorer
- B. Start antivirus scan
- C. Schedule a malicious task
- D. Reboot the system

Answer: C

22. What type of attack involves modifying a system to allow repeated access?

- A. Reconnaissance attack
- B. Spoofing attack
- C. Persistent backdoor installation
- D. Sniffing attack

Answer: C

23. Which of the following best helps an attacker escalate privileges on a local system?

- A. Open FTP ports
- B. Misconfigured SUID binaries
- C. HTTPS traffic logs
- D. VPN tunnels

Answer: B

24. What is the purpose of a reverse shell?

- A. It tunnels traffic through SSH
- B. It creates encrypted backups
- C. It allows a target system to initiate connection to the attacker
- D. It encrypts outgoing packets

Answer: C