

CEH v13 Practice Questions – Module 5: Vulnerability Analysis

1. What is the primary goal of vulnerability analysis?

- A. Exploit known vulnerabilities
- B. Discover and classify security weaknesses
- C. Perform brute-force attacks
- D. Capture network traffic

Answer: B

2. Which of the following tools is widely used for vulnerability scanning?

- A. Nmap
- B. Nikto
- C. Nessus
- D. Netcat

Answer: C

3. Which type of vulnerability is most commonly found in web applications?

- A. Buffer overflow
- B. Cross-site scripting (XSS)
- C. Open SMTP relays
- D. Open SNMP ports

Answer: B

4. Which of the following represents a false positive in vulnerability scanning?

- A. A vulnerability detected and successfully exploited
- B. A vulnerability reported that does not exist
- C. A vulnerability discovered via banner grabbing
- D. A vulnerability used in a red team exercise

Answer: B

5. Which protocol is often scanned for default community strings in vulnerability analysis?

- A. FTP
- B. SMTP
- C. SNMP
- D. RDP

Answer: C

6. Which tool helps identify outdated software and patch levels?

- A. Sqlmap
- B. Nikto
- C. Nessus
- D. Wireshark

Answer: C

7. What does CVE stand for?

- A. Common Vulnerabilities Enumeration
- B. Certified Vulnerability Expert
- C. Common Vulnerabilities and Exposures
- D. Computer Vulnerability Engine

Answer: C

8. Which vulnerability scanning tool is open-source?

- A. Nexpose
- B. Burp Suite Professional
- C. OpenVAS
- D. Qualys

Answer: C

9. What is a major drawback of automated vulnerability scanners?

- A. They don't detect any vulnerabilities
- B. They require no configuration
- C. They may produce false positives and false negatives
- D. They can only run on Linux

Answer: C

10. Which of the following is a benefit of performing regular vulnerability assessments?

- A. It prevents ransomware attacks
- B. It ensures compliance and reduces risk exposure
- C. It replaces the need for antivirus
- D. It guarantees 100% security

Answer: B

11. Which component of a vulnerability report helps in prioritizing risks?

- A. IP address of the host
- B. Scanner log files
- C. CVSS score
- D. File size of the target

Answer: C

12. What is the typical first step in a vulnerability assessment process?

- A. Exploitation
- B. Information gathering
- C. Reporting
- D. Patch deployment

Answer: B

13. Which term describes a vulnerability with no known patch or fix?

- A. Open vulnerability
- B. Zero-day
- C. Known error
- D. Buffer flaw

Answer: B

14. Which of these is typically NOT a vulnerability scanning category?

- A. Credentialed scan
- B. Non-credentialed scan
- C. Heuristic scan
- D. Exploit scan

Answer: D

15. Which scanning approach involves using system credentials for deeper insight?

- A. Passive scan
- B. Active scan
- C. Non-credentialed scan
- D. Credentialed scan

Answer: D

16. Which of the following vulnerabilities can lead to privilege escalation?

- A. Open DNS port
- B. Misconfigured sudo permissions
- C. Lack of TLS
- D. Incorrect NTP settings

Answer: B

17. What is the purpose of CVSS in vulnerability analysis?

- A. It encrypts the vulnerability scanner
- B. It standardizes vulnerability detection tools
- C. It provides a scoring system to prioritize vulnerabilities
- D. It tracks login attempts

Answer: C

18. Which tool focuses specifically on web application vulnerabilities?

- A. Nikto
- B. Netcat
- C. Traceroute
- D. Nmap

Answer: A

19. Which type of vulnerability would allow attackers to inject unauthorized SQL commands?

- A. Path traversal

- B. Cross-site request forgery
- C. SQL injection
- D. XSS

Answer: C

20. Which of the following is a limitation of non-credentialed scans?

- A. They require root privileges
- B. They miss internal OS-level vulnerabilities
- C. They patch vulnerabilities automatically
- D. They identify too many critical issues

Answer: B

21. Which command-line tool can be used for basic vulnerability checking via HTTP headers?

- A. curl -I
- B. netstat
- C. dig
- D. arp

Answer: A

22. Which of the following is NOT typically included in a vulnerability report?

- A. Risk rating
- B. Suggested remediation
- C. Number of emails sent
- D. Affected systems

Answer: C

23. What is a zero false-positive vulnerability assessment?

- A. One that only runs manual scans
- B. An ideal scenario with no incorrect alerts
- C. A scanner that detects phishing attacks
- D. A credentialed scan with no results

Answer: B

24. Which cloud-based tool is often used for external vulnerability analysis?

- A. OpenVAS
- B. Qualys
- C. Netcat
- D. Aircrack-ng

Answer: B