

CEH v13 Practice Questions – Module 8: Sniffing

1. What is the primary goal of sniffing in cybersecurity?

- A. To scan for open ports
- B. To capture and analyze network traffic
- C. To brute-force passwords
- D. To disable firewalls

Answer: B

2. Which tool is commonly used for packet sniffing?

- A. Nessus
- B. Nmap
- C. Wireshark
- D. Nikto

Answer: C

3. Which network mode must a network interface be in to perform sniffing?

- A. Managed mode
- B. Broadcast mode
- C. Promiscuous mode
- D. Passive mode

Answer: C

4. Which of the following is a method used to sniff traffic on a switched network?

- A. SYN flood
- B. MAC flooding
- C. Port scanning
- D. DNS spoofing

Answer: B

5. Which protocol is most vulnerable to sniffing attacks if not encrypted?

- A. HTTPS
- B. SSH
- C. Telnet
- D. FTPS

Answer: C

6. Which of the following attacks involves spoofing ARP messages to redirect traffic?

- A. DNS poisoning
- B. ARP spoofing
- C. TCP hijacking
- D. DHCP starvation

Answer: B

7. What type of attack does a switch CAM table overflow help enable?

- A. Man-in-the-middle attack
- B. DDoS attack
- C. Email spoofing attack
- D. SQL injection

Answer: A

8. What does the term 'MITM' stand for in the context of sniffing?

- A. Middle Intrusion Tactic Method
- B. Message Interference Technical Malware
- C. Man-in-the-Middle
- D. Monitoring Internal Transmission Model

Answer: C

9. Which tool is used for ARP poisoning on local networks?

- A. sqlmap
- B. ettercap
- C. netcat
- D. dig

Answer: B

10. What is the function of a packet sniffer?

- A. Encrypt data in transit
- B. Detect SQL injection
- C. Capture and analyze network traffic
- D. Filter out malicious emails

Answer: C

11. Which protocol does not use encryption and is commonly captured during sniffing attacks?

- A. FTP
- B. SFTP
- C. HTTPS
- D. SCP

Answer: A

12. What is the primary weakness of Telnet in terms of sniffing?

- A. Port 80 is used for Telnet
- B. It tunnels data over SSL
- C. Data is transmitted in plaintext
- D. It only allows administrator access

Answer: C

13. Which of the following tools supports DNS spoofing and sniffing?

- A. Nmap
- B. Hydra
- C. Cain & Abel
- D. Sqlmap

Answer: C

14. Which command can be used in Linux to capture network packets?

- A. netstat
- B. tcpdump
- C. ifconfig
- D. ping

Answer: B

15. What is the default port for unencrypted HTTP traffic, which may be captured by sniffers?

- A. 443
- B. 20
- C. 22
- D. 80

Answer: D

16. Which protocol is most commonly used in sniffing for session hijacking?

- A. ICMP
- B. TCP
- C. UDP
- D. ARP

Answer: B

17. Which countermeasure helps prevent packet sniffing on a network?

- A. Enable port forwarding
- B. Use HTTPS and SSH protocols
- C. Use plain-text authentication
- D. Implement hub-based networking

Answer: B

18. Which attack sends a continuous flood of ARP requests to a switch?

- A. MAC flooding
- B. DNS poisoning
- C. SYN flood
- D. Smurf attack

Answer: A

19. Which method is effective in detecting sniffers on the same network segment?

- A. Send a malformed DNS request

- B. Use anti-virus software
- C. Broadcast a fake ARP request and analyze responses
- D. Perform OSINT on public records

Answer: C

20. What type of attack occurs when a sniffer modifies the traffic in real time?

- A. Passive sniffing
- B. Active sniffing
- C. Port mirroring
- D. Traffic shaping

Answer: B

21. Which sniffing tool is primarily used in GUI-based packet inspection?

- A. Netcat
- B. Wireshark
- C. hping3
- D. curl

Answer: B

22. Which of the following describes sniffing encrypted traffic over HTTPS?

- A. It reveals usernames and passwords in plaintext
- B. Only IP headers can be viewed, not payloads
- C. It reveals session cookies easily
- D. Full decryption is automatic

Answer: B

23. Which attack involves intercepting a communication between two systems and injecting data?

- A. Passive sniffing
- B. Packet fragmentation
- C. Man-in-the-middle attack
- D. Spoofed DNS request

Answer: C

24. Which of the following makes sniffing on wireless networks easier for attackers?

- A. Use of WPA2 encryption
- B. Broadcasting SSIDs
- C. Disabling DHCP
- D. Segmenting traffic with VLANs

Answer: B