

CEH v13 Practice Questions – Module 11: Session Hijacking

1. What is session hijacking?

- A. Interrupting a TCP connection to scan ports
- B. Taking over a user's active session
- C. Replaying DNS queries
- D. Performing a DoS on an application

Answer: B

2. Which protocol is commonly targeted during session hijacking due to lack of encryption?

- A. HTTPS
- B. SSH
- C. Telnet
- D. SFTP

Answer: C

3. Which of the following tools can be used for HTTP session hijacking?

- A. Wireshark
- B. Ettercap
- C. Cain & Abel
- D. All of the above

Answer: D

4. What type of attack uses a valid session token to impersonate a user?

- A. Session fixation
- B. IP spoofing
- C. XSS attack
- D. MITM attack

Answer: A

5. Which technique allows an attacker to monitor a session and then take it over?

- A. Brute force
- B. Sniffing
- C. Scanning
- D. Enumeration

Answer: B

6. Which command-line tool can be used to monitor and hijack active network sessions?

- A. Netcat
- B. hping3
- C. Hunt
- D. Nikto

Answer: C

7. Which type of session hijacking occurs after authentication is completed?

- A. Active session hijacking
- B. Passive session hijacking
- C. Pre-authentication attack
- D. Static session analysis

Answer: A

8. What is the primary method for protecting against session hijacking?

- A. Encrypting session data using HTTPS
- B. Disabling cookies
- C. Increasing session timeout
- D. Allowing anonymous browsing

Answer: A

9. Which vulnerability can allow session hijacking via reflected input?

- A. SQL injection
- B. XSS
- C. CSRF
- D. Clickjacking

Answer: B

10. What is the role of session tokens in web sessions?

- A. Manage server load
- B. Prevent bot attacks
- C. Authenticate and track users across requests
- D. Encrypt traffic

Answer: C

11. What should happen to session tokens after logout?

- A. They remain valid for later use
- B. They are reused for performance
- C. They are destroyed or invalidated
- D. They are stored in DNS

Answer: C

12. What is the risk of predictable session IDs?

- A. They enable SQL injection
- B. They allow session guessing and hijacking
- C. They bypass login forms
- D. They crash the server

Answer: B

13. Which type of session hijacking occurs without the victim's knowledge?

- A. Active
- B. Silent
- C. Passive
- D. Bruteforce

Answer: C

14. How can secure cookie attributes help prevent session hijacking?

- A. By storing the cookies longer
- B. By allowing them to be read by JavaScript
- C. By marking them as HTTPOnly and Secure
- D. By disabling their expiration

Answer: C

15. Which HTTP header helps protect against session hijacking via XSS?

- A. X-Forwarded-For
- B. Strict-Transport-Security
- C. Content-Encoding
- D. Cache-Control

Answer: B

16. What does session replay involve?

- A. Playing recorded audio during a session
- B. Reusing a previously captured session token
- C. Encrypting a live session
- D. Spoofing DNS entries

Answer: B

17. What is the typical impact of successful session hijacking?

- A. Unauthenticated access to resources
- B. Increased bandwidth usage
- C. OS crashes
- D. DNS amplification

Answer: A

18. Which scenario could lead to session fixation?

- A. User input is not validated
- B. Session tokens are set before authentication
- C. Server sends too many cookies
- D. SSL certificates are expired

Answer: B

19. What role does ARP spoofing play in session hijacking?

- A. It blocks TCP ports
- B. It allows the attacker to redirect traffic through their machine

- C. It disables DNS resolution
- D. It floods MAC address tables

Answer: B

20. What is the best practice to prevent session hijacking over public Wi-Fi?

- A. Use FTP instead of HTTP
- B. Avoid firewalls
- C. Use VPN and HTTPS
- D. Use weak encryption for speed

Answer: C

21. Which of the following helps detect unauthorized session usage?

- A. Brute-force detection
- B. Session timeout settings
- C. Geo-IP and device fingerprinting
- D. Cookie obfuscation

Answer: C

22. What is the danger of storing session IDs in URLs?

- A. They can be stored in browser history or logs
- B. They use too much memory
- C. They delay request handling
- D. They cause race conditions

Answer: A

23. Why is HTTPS essential in preventing session hijacking?

- A. It removes session cookies automatically
- B. It increases latency to hide activity
- C. It encrypts data in transit including session tokens
- D. It disables cookies

Answer: C

24. Which attack allows a hacker to hijack a session through a wireless AP?

- A. Evil twin attack
- B. DNS poisoning
- C. Ransomware injection
- D. SQL fuzzing

Answer: A