


DHCP Configuration:

<https://www.youtube.com/@techwithravish>



Allot IP to Router:

Router> enable

Router# configure terminal

Router(config)#int g0/0/0

Router(config-if)#no shutdown

Router(config-if)#Exit

Create DHCP Pool:

Router> enable

Router# configure terminal

Router(config)# ip dhcp pool MY_POOL

Router(dhcp-config)# network 192.168.1.0 255.255.255.0

Router(dhcp-config)# default-router 192.168.1.1

Router(dhcp-config)# dns-server 8.8.8.8

Router(dhcp-config)# exit

Router(config)# ip dhcp excluded-address 192.168.1.1 192.168.1.10

Router(config)#Exit

Allot Ip to PC 0:

Click on DHCP in PC1

The screenshot shows the configuration window for PC0. The 'Desktop' tab is active, and the 'IP Configuration' section is expanded. The 'Interface' dropdown is set to 'FastEthernet0'. Under 'IP Configuration', the 'DHCP' radio button is selected. Below this, the following IP configuration details are displayed:

Field	Value
IPv4 Address	192.168.10.2
Subnet Mask	255.255.255.0
Default Gateway	192.168.10.1
DNS Server	8.8.8.8

A message 'DHCP request successful.' is displayed to the right of the IP configuration details. Below the IP configuration, the 'IPv6 Configuration' section is visible, with 'Automatic' selected. The '802.1X' section is also visible, with 'Use 802.1X Security' unchecked and 'Authentication' set to 'MD5'. At the bottom left, there is a 'Top' button.

Automatically get These IP