


```

jakka_bhanu@LAPTOP-DCEV: x + v
mmap(0x7ca4a9157000, 507904, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x3000) = 0x7ca4a9157000
mmap(0x7ca4a91d3000, 176128, PROT_READ, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x7f000) = 0x7ca4a91d3000
mmap(0x7ca4a91fe000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0xa9000) = 0x7ca4a91fe000
close(3) = 0
mmap(NULL, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7ca4a9472000
mmap(NULL, 12288, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7ca4a946f000
arch_prctl(ARCH_SET_FS, 0x7ca4a946fb00) = 0
set_tid_address(0x7ca4a9470128) = 605
set_robust_list(0x7ca4a946fde0, 24) = 0
rseq(0x7ca4a946f6a0, 0x20, 0, 0x53053053) = 0
mprotect(0x7ca4a940e000, 16384, PROT_READ) = 0
mprotect(0x7ca4a91fe000, 4096, PROT_READ) = 0
mprotect(0x7ca4a9598000, 4096, PROT_READ) = 0
mprotect(0x7ca4a95c0000, 4096, PROT_READ) = 0
mprotect(0x7ca4a95f7000, 4096, PROT_READ) = 0
mprotect(0x59086c15a000, 1462272, PROT_READ) = 0
mprotect(0x7ca4a9645000, 8192, PROT_READ) = 0
prlimit64(0, RLIMIT_STACK, NULL, {rlim_cur=8192*1024, rlim_max=RLIM64_INFINITY}) = 0
getrandom("\xa8\xf6\x60\x4a\x03\xf1\xb8\xc3", 8, GRND_NONBLOCK) = 8
munmap(0x7ca4a95fb000, 20087) = 0
statfs("/sys/fs/selinux", {f_type=SYSFS_MAGIC, f_bsize=4096, f_blocks=0, f_bfree=0, f_bavail=0, f_files=0, f_ffree=0, f_fsid={val=[0x3248f699, 0x6efba32a]}, f_namelen=255, f_frsize=4096, f_flags=ST_VALID|ST_NOSUID|ST_NOEXEC|ST_NOATIME}) = 0
statfs("/selinux", 0x7ffeed2a610) = -1 ENOENT (No such file or directory)
brk(NULL) = 0x590886e0a000
brk(0x590886e2b000) = 0x590886e2b000
openat(AT_FDCWD, "/proc/filesystems", O_RDONLY|O_CLOEXEC) = 3
fstat(3, {st_mode=S_IFREG|0444, st_size=0, ...}) = 0
read(3, "nodev\tsysfs\nnodev\ttmpfs\nnodev\tbtd"... , 1024) = 442
lseek(3, 0, SEEK_CUR) = 442
lseek(3, 416, SEEK_SET) = 416
close(3) = 0
openat(AT_FDCWD, "/proc/mounts", O_RDONLY|O_CLOEXEC) = 3
fstat(3, {st_mode=S_IFREG|0444, st_size=0, ...}) = 0

```

```

jakka_bhanu@LAPTOP-DCEV: x + v
gettid() = 605
rt_sigaction(SIGSEGV, {sa_handler=0x59086bb160c0, sa_mask=[], sa_flags=SA_RESTORER|SA_ONSTACK|SA_SIGINFO, sa_restorer=0x7ca4a9245cb0}, NULL, 0) = 0
rt_sigaction(SIGBUS, NULL, {sa_handler=SIG_DFL, sa_mask=[], sa_flags=0}, 0) = 0
rt_sigaction(SIGBUS, {sa_handler=0x59086bb160c0, sa_mask=[], sa_flags=SA_RESTORER|SA_ONSTACK|SA_SIGINFO, sa_restorer=0x7ca4a9245cb0}, NULL, 0) = 0
prctl(PR_GET_AUXV, 0x7ffeed2a100, 0x200, 0, 0) = 448
statx(AT_FDCWD, "/usr/share/coreutils/locales/cat", AT_STATX_SYNC_AS_STAT, STATX_ALL, {stx_mask=STATX_ALL|STATX_MNT_ID, stx_attribute=0, stx_mode=S_IFDIR|0755, stx_size=4096, ...}) = 0
statx(AT_FDCWD, "/usr/share/coreutils/locales/uucore", AT_STATX_SYNC_AS_STAT, STATX_ALL, {stx_mask=STATX_ALL|STATX_MNT_ID, stx_attributes=0, stx_mode=S_IFDIR|0755, stx_size=4096, ...}) = 0
openat(AT_FDCWD, "/usr/share/coreutils/locales/uucore/en-US.ftl", O_RDONLY|O_CLOEXEC) = 3
statx(3, "", AT_STATX_SYNC_AS_STAT|AT_EMPTY_PATH, STATX_ALL, {stx_mask=STATX_ALL|STATX_MNT_ID, stx_attributes=0, stx_mode=S_IFREG|0644, stx_size=4080, ...}) = 0
read(3, "# Common strings shared across a"... , 4080) = 4080
read(3, "", 32) = 0
close(3) = 0
statx(AT_FDCWD, "/usr/share/coreutils/locales/cat", AT_STATX_SYNC_AS_STAT, STATX_ALL, {stx_mask=STATX_ALL|STATX_MNT_ID, stx_attribute=0, stx_mode=S_IFDIR|0755, stx_size=4096, ...}) = 0
openat(AT_FDCWD, "/usr/share/coreutils/locales/cat/en-US.ftl", O_RDONLY|O_CLOEXEC) = -1 ENOENT (No such file or directory)
rt_sigaction(SIGPIPE, {sa_handler=SIG_DFL, sa_mask=[PIPE], sa_flags=SA_RESTORER|SA_RESTART, sa_restorer=0x7ca4a9245cb0}, {sa_handler=SIG_IGN, sa_mask=[PIPE], sa_flags=SA_RESTORER|SA_ONSTACK|SA_SIGINFO, sa_restorer=0x7ca4a9245cb0}, 0) = 0
rt_sigaction(SIGSEGV, {sa_handler=SIG_DFL, sa_mask=~[RTMIN RT_1], sa_flags=SA_RESTORER, sa_restorer=0x7ca4a9245cb0}, {sa_handler=0x59086bb160c0, sa_mask=[], sa_flags=SA_RESTORER|SA_ONSTACK|SA_SIGINFO, sa_restorer=0x7ca4a9245cb0}, 0) = 0
rt_sigaction(SIGBUS, {sa_handler=SIG_DFL, sa_mask=~[RTMIN RT_1], sa_flags=SA_RESTORER, sa_restorer=0x7ca4a9245cb0}, {sa_handler=0x59086bb160c0, sa_mask=[], sa_flags=SA_RESTORER|SA_ONSTACK|SA_SIGINFO, sa_restorer=0x7ca4a9245cb0}, 0) = 0
ioctl(1, TCGETS2, {c_iflag=ICRNL|IXON, c_oflag=NL0|CR0|TAB0|BS0|VT0|FF0|OPOST|ONLCR, c_cflag=B38400|CS8|CREAD, c_lflag=ISIG|ICANON|ECB0|ECHOE|ECHOK|IEXTEN|ECHOCTL|ECHOKE, ...}) = 0
brk(0x590886e4c000) = 0x590886e4c000
statx(AT_FDCWD, "sample.txt", AT_STATX_SYNC_AS_STAT, STATX_ALL, {stx_mask=STATX_ALL|STATX_MNT_ID, stx_attributes=0, stx_mode=S_IFREG|0644, stx_size=44, ...}) = 0
openat(AT_FDCWD, "sample.txt", O_RDONLY|O_CLOEXEC) = 3
fstat(3, {st_mode=S_IFREG|0644, st_size=44, ...}) = 0

```



```
jakka_bhanu@LAPTOP-DCEV: X + v
set_tid_address(0x7e520ae87128) = 619
set_robust_list(0x7e520ae86de0, 24) = 0
rseq(0x7e520ae866a0, 0x20, 0, 0x53053053) = 0
mprotect(0x7e520ae0e000, 16384, PROT_READ) = 0
mprotect(0x7e520abfe000, 4096, PROT_READ) = 0
mprotect(0x7e520afaf000, 4096, PROT_READ) = 0
mprotect(0x7e520afdd000, 4096, PROT_READ) = 0
mprotect(0x7e520b00e000, 4096, PROT_READ) = 0
mprotect(0x61d4a93c0000, 1462272, PROT_READ) = 0
mprotect(0x7e520b05c000, 8192, PROT_READ) = 0
prlimit64(0, RLIMIT_STACK, NULL, {rlim_cur=8192*1024, rlim_max=RLIM64_INFINITY}) = 0
getrandom("\xd9\xf3\x3e\x62\xf7\x3a\xbc\xe1", 8, GRND_NONBLOCK) = 8
munmap(0x7e520b012000, 20087) = 0
statfs("/sys/fs/selinux", {f_type=SYSFS_MAGIC, f_bsize=4096, f_blocks=0, f_bfree=0, f_bavail=0, f_files=0, f_ffree=0, f_fsid={val=[0x3248f699, 0x6efba32a]}, f_name_len=255, f_frsize=4096, f_flags=ST_VALID|ST_NOSUID|ST_NODEV|ST_NOEXEC|ST_NOATIME}) = 0
statfs("/selinux", {f_type=0, f_bsize=0, f_blocks=0, f_bfree=0, f_bavail=0, f_files=0, f_ffree=0, f_fsid={val=[0x0, 0x0]}, f_name_len=255, f_frsize=4096, f_flags=ST_VALID|ST_NOSUID|ST_NODEV|ST_NOEXEC|ST_NOATIME}) = -1 ENOENT (No such file or directory)
brk(NULL) = 0x61d4e318a000
brk(0x61d4e31ab000) = 0x61d4e31ab000
openat(AT_FDCWD, "/proc/filesystems", O_RDONLY|O_CLOEXEC) = 3
fstat(3, {st_mode=S_IFREG|0444, st_size=0, ...}) = 0
read(3, "nfs\nnodev\ttsysfs\nnodev\ttmpfs\nnodev\tbtrfs\n...", 1024) = 442
lseek(3, 0, SEEK_CUR) = 442
lseek(3, 416, SEEK_SET) = 416
close(3) = 0
openat(AT_FDCWD, "/proc/mounts", O_RDONLY|O_CLOEXEC) = 3
fstat(3, {st_mode=S_IFREG|0444, st_size=0, ...}) = 0
read(3, "none /usr/lib/modules/6.18.33.2-... 1024) = 1024
read(3, "e 0 0\ndevpts /dev/pts devpts rw,... 1024) = 1024
read(3, "access=client,msize=65536,trans... 1024) = 1024
read(3, "700,noswap 0 0\ntmpfs /run/user/1"... 1024) = 250
read(3, "", 1024) = 0
close(3) = 0
access("/etc/selinux/config", F_OK) = -1 ENOENT (No such file or directory)

jakka_bhanu@LAPTOP-DCEV: X + v
rt_sigaction(SIGPIPE, {sa_handler=SIG_IGN, sa_mask=[PIPE], sa_flags=SA_RESTORER|SA_RESTART, sa_restorer=0x7e520ac45cb0}, {sa_handler=SIG_DFL, sa_mask=[], sa_flags=0}, 8) = 0
openat(AT_FDCWD, "/proc/self/maps", O_RDONLY|O_CLOEXEC) = 3
prlimit64(0, RLIMIT_STACK, NULL, {rlim_cur=8192*1024, rlim_max=RLIM64_INFINITY}) = 0
fstat(3, {st_mode=S_IFREG|0444, st_size=0, ...}) = 0
read(3, "61d4a8a57000-61d4a8b49000 r--p 0"... 1024) = 1024
read(3, "abfe000-7e520abff000 r--p 000a90"... 1024) = 1024
read(3, "00 08:30 13650 "... 1024) = 1024
read(3, " /usr/lib/x86_64-linux"... 1024) = 1024
read(3, "0 13644 /us"... 1024) = 566
close(3) = 0
sched_getaffinity(619, 32, [0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21]) = 8
rt_sigaction(SIGSEGV, NULL, {sa_handler=SIG_DFL, sa_mask=[], sa_flags=0}, 8) = 0
sigaltstack(NULL, {ss_sp=NULL, ss_flags=SS_DISABLE, ss_size=0}) = 0
mmap(NULL, 12288, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS|MAP_STACK, -1, 0) = 0x7e520b014000
mprotect(0x7e520b014000, 4096, PROT_NONE) = 0
sigaltstack({ss_sp=0x7e520b015000, ss_flags=0, ss_size=8192}, NULL) = 0
gettid() = 619
rt_sigaction(SIGSEGV, {sa_handler=0x61d4a8d7c0c0, sa_mask=[], sa_flags=SA_RESTORER|SA_ONSTACK|SA_SIGINFO, sa_restorer=0x7e520ac45cb0}, NULL, 8) = 0
rt_sigaction(SIGBUS, NULL, {sa_handler=SIG_DFL, sa_mask=[], sa_flags=0}, 8) = 0
rt_sigaction(SIGBUS, {sa_handler=0x61d4a8d7c0c0, sa_mask=[], sa_flags=SA_RESTORER|SA_ONSTACK|SA_SIGINFO, sa_restorer=0x7e520ac45cb0}, NULL, 8) = 0
prel(PR_GET_AUXV, 0x7ffffa0c87c50, 0x200, 0, 0) = 448
statx(AT_FDCWD, "/usr/share/coreutils/locales/cat", AT_STATX_SYNC_AS_STAT, STATX_ALL, {stx_mask=STATX_ALL|STATX_MNT_ID, stx_attributes=0, stx_mode=S_IFDIR|0755, stx_size=4096, ...}) = 0
statx(AT_FDCWD, "/usr/share/coreutils/locales/ucore", AT_STATX_SYNC_AS_STAT, STATX_ALL, {stx_mask=STATX_ALL|STATX_MNT_ID, stx_attributes=0, stx_mode=S_IFDIR|0755, stx_size=4096, ...}) = 0
openat(AT_FDCWD, "/usr/share/coreutils/locales/ucore/en-US.ftl", O_RDONLY|O_CLOEXEC) = 3
statx(3, "", AT_STATX_SYNC_AS_STAT|AT_EMPTY_PATH, STATX_ALL, {stx_mask=STATX_ALL|STATX_MNT_ID, stx_attributes=0, stx_mode=S_IFREG|0644, stx_size=4080, ...}) = 0
read(3, "# Common strings shared across a"... 4080) = 4080
read(3, "", 32) = 0
```

```

jakka_bhanu@LAPTOP-DCEV: X + v
close(3) = 0
statx(AT_FDCWD, "/usr/share/coreutils/locales/cat", AT_STATX_SYNC_AS_STAT, STATX_ALL, {stx_mask=STATX_ALL|STATX_MNT_ID, stx_attribute
s=0, stx_mode=S_IFDIR|0755, stx_size=4096, ...}) = 0
openat(AT_FDCWD, "/usr/share/coreutils/locales/cat/en-US.ftl", O_RDONLY|O_CLOEXEC) = -1 ENOENT (No such file or directory)
rt_sigaction(SIGPIPE, {sa_handler=SIG_DFL, sa_mask=[PIPE], sa_flags=SA_RESTORER|SA_RESTART, sa_restorer=0x7e520ac45cb0}, {sa_handler=
SIG_IGN, sa_mask=[PIPE], sa_flags=SA_RESTORER|SA_RESTART, sa_restorer=0x7e520ac45cb0}, 8) = 0
rt_sigaction(SIGSEGV, {sa_handler=SIG_DFL, sa_mask=~[RTMIN RT_1], sa_flags=SA_RESTORER, sa_restorer=0x7e520ac45cb0}, {sa_handler=0x61
d4a8d7c0c0, sa_mask=[], sa_flags=SA_RESTORER|SA_ONSTACK|SA_SIGINFO, sa_restorer=0x7e520ac45cb0}, 8) = 0
rt_sigaction(SIGBUS, {sa_handler=SIG_DFL, sa_mask=~[RTMIN RT_1], sa_flags=SA_RESTORER, sa_restorer=0x7e520ac45cb0}, {sa_handler=0x61d
4a8d7c0c0, sa_mask=[], sa_flags=SA_RESTORER|SA_ONSTACK|SA_SIGINFO, sa_restorer=0x7e520ac45cb0}, 8) = 0
ioctl(1, TCGETS2, {c_iflag=ICRNL|IXON, c_oflag=NL0|CR0|TAB0|BS0|VT0|FF0|OPOST|ONLCR, c_cflag=B38400|CS8|CREAD, c_lflag=ISIG|ICANON|EC
HO|ECHOE|ECHOX|IEXTEN|ECHOCTL|ECHOKE, ...}) = 0
brk(0x61d4e31cc000) = 0x61d4e31cc000
statx(AT_FDCWD, "sample.txt", AT_STATX_SYNC_AS_STAT, STATX_ALL, {stx_mask=STATX_ALL|STATX_MNT_ID, stx_attributes=0, stx_mode=S_IFREG|
0644, stx_size=44, ...}) = 0
openat(AT_FDCWD, "sample.txt", O_RDONLY|O_CLOEXEC) = 3
fstat(3, {st_mode=S_IFREG|0644, st_size=44, ...}) = 0
fstat(1, {st_mode=S_IFCHR|0620, st_rdev=makedev(0x88, 0), ...}) = 0
splice(3, NULL, 1, NULL, 1048576, 0) = -1 EINVAL (Invalid argument)
pipe([4, 5]) = 0
fcntl(4, F_SETPIPE_SZ, 1048576) = 1048576
splice(3, NULL, 5, NULL, 1048576, 0) = 44
splice(4, NULL, 1, NULL, 44, 0) = 44
splice(3, NULL, 5, NULL, 1048576, 0) = 0
close(5) = 0
close(4) = 0
close(3) = 0
sigaltstack({ss_sp=NULL, ss_flags=SS_DISABLE, ss_size=8192}, NULL) = 0
munmap(0x7e520b014000, 12288) = 0
exit_group(0) = ?
+++ exited with 0 +++
jakka_bhanu@LAPTOP-DCEVSCQ0:~/practical2$

```