```
import pandas as pd

# Download Titanic Dataset
url = "https://raw.githubusercontent.com/datasciencedojo/datasets/master/tit
df = pd.read_csv(url)

df.head()
```

	Pclass	Name	Sex	Age	SibSp	Parch	T
	3	Braund, Mr. Owen Harris	male	22.0	1	0	
	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC
	3	Heikkinen, Miss. Laina	female	26.0	0	0	STC 31
	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	1
	3	Allen, Mr. William Henry	male	35.0	0	0	3

Next steps: Generate code with df | New interactive sheet

```
# Select important features

features = ['Pclass', 'Sex', 'Age', 'Fare']
target = 'Survived'

# Keep only required columns
data = df[features + [target]]

# Fill missing Age values with average age
data['Age'] = data['Age'].fillna(data['Age'].mean())

# Convert Male/Female to numbers
data['Sex'] = data['Sex'].map({'male': 0, 'female': 1})

# Display cleaned data
data.head()
```

```
/tmp/ipykernel_3606/2434712978.py:10: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame.
Try using .loc[row_indexer,col_indexer] = value instead

See the caveats in the documentation: https://pandas.pydata.org/pandas-
  data['Age'] = data['Age'].fillna(data['Age'].mean())
/tmp/ipykernel_3606/2434712978.py:13: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame.
Try using .loc[row_indexer,col_indexer] = value instead

See the caveats in the documentation: https://pandas.pydata.org/pandas-
  data['Sex'] = data['Sex'].map({'male': 0, 'female': 1})
```

	Pclass	Sex	Age	Fare	Survived
0	3	0	22.0	7.2500	0
1	1	1	38.0	71.2833	1
2	3	1	26.0	7.9250	1
3	1	1	35.0	53.1000	1
4	3	0	35.0	8.0500	0

Next steps: Generate code with data | New interactive sheet

```
from sklearn.model_selection import train_test_split
from sklearn.linear_model import LogisticRegression

# Features (inputs)
X = data[['Pclass', 'Sex', 'Age', 'Fare']]

# Target (output)
y = data['Survived']

# Split dataset into training and testing data
X_train, X_test, y_train, y_test = train_test_split(
    X, y, test_size=0.2, random_state=42
)

# Create and train model
model = LogisticRegression(max_iter=1000)
model.fit(X_train, y_train)

print("Model Training Completed Successfully!")
```

```
Model Training Completed Successfully!
```

```
from sklearn.metrics import accuracy_score, classification_report

# Make predictions
y_pred = model.predict(X_test)

# Calculate accuracy
accuracy = accuracy_score(y_test, y_pred)

print("Model Accuracy:", accuracy)
```

```
# Detailed Report
print("\nClassification Report:")
print(classification_report(y_test, y_pred))
```

```
Model Accuracy: 0.7988826815642458

Classification Report:
              precision    recall  f1-score   support

           0       0.82      0.85      0.83       105
           1       0.77      0.73      0.75        74

    accuracy                           0.80       179
   macro avg       0.79      0.79      0.79       179
weighted avg       0.80      0.80      0.80       179
```