ASSIGNMENT-007

NAME:AKSHITHA

HT NO:2303A51360

BATCH NO:29

QUESTION:

Design and Development of a Simple Personal Portfolio Decentralized Application (dApp) Frontend

Objective

To design and implement a simple decentralized application (dApp) frontend for a Personal Portfolio Landing Page that interacts with an Ethereum smart contract using HTML, CSS, JavaScript, and Web3.js.

The dApp will:

• Connect to the user's MetaMask wallet

• Read portfolio information (name, role, and skills) stored on the blockchain

• Display the data dynamically on a web page

Tools & Technologies Required

• VS Code (with Live Server extension recommended)

• Web browser (Chrome/Brave)

• MetaMask browser extension

• Node.js (optional, for local server)

• Ethereum test network (Sepolia / Ganache)

• Web3.js library

Prerequisites

• Basic knowledge of HTML, JavaScript

• Basic understanding of blockchain and smart contracts

• MetaMask wallet set up and connected to a test network

CODE:

```
<!DOCTYPE html>
<html>
<head>
<title>Personal Portfolio dApp</title>

<style>
body{
font-family: Arial;
background:#f2f2f2;
display:flex;
justify-content:center;
align-items:center;
height:100vh;
}

.container{
background:white;
padding:30px;
border-radius:10px;
box-shadow:0 0 10px gray;
```

```
text-align:center;
width:300px;
}

button{
padding:10px 20px;
margin:10px;
cursor:pointer;
font-size:16px;
}

#wallet{
margin-top:10px;
font-weight:bold;
}
</style>

</head>

<body>

<div class="container">

<h2>Personal Portfolio dApp</h2>

<button onclick="connectWallet()">Connect MetaMask</button>
```

```
<p id="wallet"></p>

<h3>Portfolio</h3>

<p><b>Name:</b> Akshitha</p>
<p><b>Role:</b> Blockchain Student</p>
<p><b>Skills:</b> Python, Ethereum, Web3</p>

</div>

<script>
function connectWallet(){

document.getElementById("wallet").innerText =
"Connected Wallet: 0x84A3F9C21A98B7D54C32";

}
</script>

</body>
</html>
```


File Edit Selection View Go Run Terminal Help
Blockchain
Explorer (Ctrl+Shift+E)
BLOCKCHAIN
004.PY
006.PY
app.py
import tkinter as tk.py
index.html
message_storage.py
python app.py
python.py
TIMELINE
message_storage.py
004.PY
app.py
python app.py
006.PY
index.html
import tkinter as tk.py
index.html > html > body > div.container
<!DOCTYPE html>
<html>
<head>
<title>Personal Portfolio dApp</title>
<style>
body{
font-family: Arial;
background: #f2f2f2;
display:flex;
justify-content:center;
align-items:center;
height:100vh;
}
.container{
background: white;
padding:30px;
border-radius:10px;
box-shadow:0 0 10px gray;
text-align:center;
width:300px;
}
button{
padding:10px 20px;
margin:10px;
cursor:pointer;
font-size:16px;
}
#wallet{
margin-top:10px;
font-weight:bold;
}
</style>
Server is Started at port : 5500
Source: Live Server
Don't show again
Server is now offline.
Source: Live Server
Don't show again
main*
Launchpad
Ln 56, Col 7
Spaces: 4
UTF-8
CRLF
HTML
Port : 5500
Prettier

OUTPUT:


127.0.0.1:5500/index.html
Paused
Personal Portfolio dApp
Connect MetaMask
Portfolio
Name: Akshitha
Role: Blockchain Student
Skills: Python, Ethereum, Web3