

MEDIVA AI: A Smart, Secure Doctor Network for Accessible Healthcare Using Deep Learning, RAG, and Blockchain

*A Major Project (U20CSCPR02) Report submitted
in partial fulfillment for the award of the Degree of*

**Bachelor of Technology
in
Computer Science and Engineering
by**

**THATIPATHI KARTHIK REDDY (U22CN340)
THOTA AKSHITH (U22CN345)
SOMNATH MISHRA (U22CN295)
SURESH CHAUHAN (U22CN315)**

Under the guidance of

Ms. R. Femimol

Assistant Professor



DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

SCHOOL OF COMPUTING

BHARATH INSTITUTE OF SCIENCE AND TECHNOLOGY

BHARATH INSTITUTE OF HIGHER EDUCATION AND RESEARCH

(Deemed to be University Estd u/s 3 of UGC Act, 1956)

CHENNAI 600 073, TAMILNADU, INDIA

May, 2026



DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

BONAFIDE CERTIFICATE

This is to certify that this Major Project Report titled "MEDIVA AI: A Smart, Secure Doctor Network for Accessible Healthcare Using Deep Learning, RAG, and Blockchain" is the Bonafide work of Thatiparthi Karthik Reddy (U22CN340), Thota Akshith (U22CN345), Somnath Mishra (U22CN295) and Suresh Chauhan (U22CN315) of Final Year B.Tech. (CSE) who carried out the major project work under the supervision of Ms. R. Femimol, Assistant Professor. Certified further, that to the best of our knowledge the work reported herein does not form part of any other project report or dissertation on the basis of which a degree or award was conferred on an earlier occasion by any other candidate.

PROJECT GUIDE

Ms. R. Femimol

Assistant Professor

Department of CSE

BIHER

HEAD OF THE DEPARTMENT

Dr. S. Maruthuperumal

Professor

Department of CSE

BIHER

Submitted for the VIVA-VOCE Examination held on _____

INTERNAL EXAMINER

EXTERNAL EXAMINER

DECLARATION

We declare that this Major Project Report titled “**MEDIVA AI: A Smart, Secure Doctor Network for Accessible Healthcare Using Deep Learning, and Blockchain**” submitted in partial fulfillment of the degree of **B. Tech in Computer Science and Engineering** is a record of original work carried out by us under the supervision of **Ms. R. Femimol**. The report has not formed the basis for the award of any other degree or diploma in this or any other institution or university. In keeping with the ethical practice in reporting scientific information, due acknowledgements have been made wherever the findings of others have been cited.

Thatiparthi Karthik Reddy
(U22CN340)

Thota Akshith
(U22CN345)

Somnath Mishra
(U22CN295)

Suresh Chauhan
(U22CN315)

Chennai

Date

ACKNOWLEDGMENTS

We express our heartfelt gratitude to our esteemed Chairman, **Dr. S. Jagathrakshakan, M.P.**, for his unwavering support and continuous encouragement in all our academic endeavors.

We express our deepest gratitude to our beloved President **Dr. J. Sundeep Aanand**, and Managing Director **Dr.E. Swetha Sundeep Aanand** for providing us the necessary facilities for the completion of our project.

We take great pleasure in expressing sincere thanks to Pro Chancellor **Dr. Suresh Kumar Subbiah**, Vice Chancellor (i/c) **Dr. M. Sundararajan**, We thank **Dr. R.M. Suresh**, Pro VC- COE, Registrar **Dr. S. Bhuminathan** and Pro VC **Dr. R. Hari Prakash** for backing us in this project. We thank our Dean Academic **Dr. M. Sundararaj** for providing sufficient facilities for the completion of this project.

We record indebtedness to our Head, Department of Computer Science and Engineering **Dr.S. Maruthuperumal** for his immense care and encouragement towards us throughout the course of this project.

We also take this opportunity to express a deep sense of gratitude to our year HoD, **Dr. D.R. Thirupurasundari**, our Supervisor **Ms. R. Femimol** and our Project Co-ordinator **Ms. S. Sarjun Beevi** for their cordial support, valuable information and guidance, They helped us in completing this project through various stages.

We thank our department faculty, supporting staff and friends for their help and guidance to complete this project.

Thatiparthi Karthik Reddy (U22CN340)

Thota Akshith (U22CN345)

Somnath Mishra (U22CN295)

Suresh Chauhan (U22CN315)

TABLE OF CONTENTS

S.NO.	TITLE	PAGE NO
	TABLE OF CONTENTS	v
	LIST OF TABLES	vii
	LIST OF FIGURES	viii
	LIST OF ABBREVIATIONS	ix
	ABSTRACT	x
1	Introduction	1
1.1	Background and Motivation	2
1.2	Problem Statement	3
1.4	Objectives of the Project	4
1.5	Scope of the Project	6
1.6	Technologies Used	8
1.7	Limitations of the Project	9
2	LITERATURE SURVEY	11
2.1	Existing Systems	13
2.2	Limitations of Existing Methods	14
2.3	Review of Related Work	14
3	PROPOSED METHODOLOGY	15
3.1	System Architecture	16
3.2	Patient Journey	16
3.3	Doctor Journey	17
3.4	AI, RAG, and Model Layer	18
3.5	Security and Storage Pipeline	20

4	SYSTEM ANALYSIS AND REQUIREMENTS	19
4.1	Functional Requirements	19
4.2	Non-Functional Requirements	21
4.3	User Roles and Use Cases	24
4.4	Data and Security Requirements	25
5	IMPLEMENTATION	29
5.1	Tools and Technologies	29
5.2	AI Conversation Flow	31
5.3	Doctor Dashboard	33
5.4	Data Model and APIs	34
6	RESULT AND DISCUSSION	37
6.1	Setup	37
6.2	Functional and UI Testing	39
6.3	Security and Reliability Checks	42
6.4	Evaluation Summary	43
7	CONCLUSION AND FUTURE SCOPE	44
7.1	Conclusion	44
7.2	Future Enhancements	46
	REFERENCES	52
	APPENDIX A - SOURCE CODE	61
	APPENDIX B – PAPER PUBLISHED	74

LIST OF TABLES

S.NO.	TABLE NAME	PAGE NO
1.1	Project components/purpose	2
1.2	Technology Stack	8
2.1	Existing System Capabilities	11
5.4	API Responsibilities in the Implementation	35
6.4	Evaluation Summary	42

LIST OF FIGURES

Fig.No	Fig Name	Page. No
3.1.1	System Architecture diagram	16
3.3.1	Patient to Doctor Workflow	18
6.1.1	UI Page	38
6.2.1	Dashboard for patient report	47
6.2.2	Dashboard for different roles	48

LIST OF ABBREVIATIONS

Abbreviation	Full Form
AI	Artificial Intelligence
RAG	Retrieval-Augmented Generation
NLP	Natural Language Processing
API	Application Programming Interface
IPFS	InterPlanetary File System
UI	User Interface
UX	User Experience
DB	Database
HTTPS	HyperText Transfer Protocol Secure
JSON	JavaScript Object Notation
JWT	JSON Web Token
URL	Uniform Resource Locator
SQL	Structured Query Language
REST	Representational State Transfer
TCP/IP	Transmission Control Protocol / Internet Protocol

ABSTRACT

MEDIVA AI is a web-based healthcare platform that combines an intelligent patient assistant, doctor-validation workflow, and secure medical data handling for modern telehealth applications. The project addresses a major challenge in healthcare where patients often struggle to obtain quick and reliable medical guidance, while existing systems provide either generic chatbot responses or incomplete case information to doctors. MEDIVA AI solves this problem by allowing users to describe symptoms through text or voice, generating structured clinical drafts, and escalating uncertain or high-risk cases to a verified doctor queue with summarized patient context. The platform also supports multilingual communication, AI-assisted triage, session continuity, and secure upload of medical reports and images to improve accessibility and patient-doctor interaction.

The system emphasizes privacy, workflow continuity, and scalability through the integration of deep learning, Retrieval-Augmented Generation (RAG), and secure storage technologies. Medical files and patient records are protected using encrypted storage and audit-friendly retrieval mechanisms, ensuring safe handling of sensitive healthcare information. The platform provides a unified healthcare experience by connecting AI-generated summaries, uploaded reports, and doctor reviews within a single workflow, thereby reducing repetition and improving communication efficiency. Furthermore, the modular architecture of MEDIVA AI supports future enhancements such as predictive healthcare analytics, wearable device integration, and advanced clinical decision support, making it a scalable and intelligent foundation for next-generation digital healthcare systems.

Keywords: AI Healthcare, Deep Learning, Retrieval-Augmented Generation (RAG), Telemedicine, Doctor Validation, Blockchain, IPFS, Voice Assistant, Medical Data Security, Multimodal Healthcare System

1. INTRODUCTION

This chapter introduces the problem context, the reason the project was built, and the technology choices that shaped the report.

1.1 Background and Motivation

Healthcare systems around the world are rapidly adopting digital technologies to improve the quality, accessibility, and efficiency of medical services. From online consultations and electronic medical records to AI-powered diagnostic tools, the healthcare industry is undergoing a major digital transformation.

In today's healthcare environment, patients expect fast, connected, and user-friendly services similar to those available in other digital industries. However, healthcare interactions are still frequently fragmented and time-consuming. A patient may begin by searching symptoms online, then use a separate application for teleconsultation, another system for uploading reports, and yet another platform for follow-up communication.

MEDIVA AI is proposed as a solution to address these limitations by creating a unified and intelligent healthcare assistant platform. The system is designed to combine symptom reporting, AI-based triage assistance, medical record handling, and specialist escalation into a single guided workspace.

One of the major motivations behind this project is the growing dependence of patients on internet-based health information. Many individuals search for symptoms on general search engines before consulting a medical professional. While this behavior is common, the information obtained is often unreliable, overly broad, or misleading because it lacks clinical personalization and context.

Another challenge in current healthcare systems is the absence of continuity between the first patient interaction and professional consultation. In many cases, patients explain their symptoms multiple times to different healthcare representatives because the information collected during initial screening is not properly structured or transferred.

The healthcare experience can also be stressful and confusing, especially for individuals who are already physically unwell or emotionally anxious. Elderly patients, people with limited medical knowledge, and individuals in remote locations may struggle to navigate complex healthcare systems.

The project is also motivated by the increasing capabilities of artificial intelligence in healthcare applications. AI technologies such as natural language processing, voice recognition, and intelligent data analysis can significantly improve the efficiency of early-stage healthcare interactions.

The motivation for the project comes from a practical observation: the first interaction in a healthcare journey often determines whether the patient gets useful help quickly or gets lost in a maze of generic search results, fragmented records, and disconnected bookings. MediVA AI therefore focuses on continuity. It does not merely answer a question; it builds a case summary that can move from the patient assistant to the doctor workspace with the core context preserved.

- The interface is designed for people who may not know medical terminology.
- The workflow supports voice, typed text, and uploaded medical documents.
- The doctor receives a concise handoff rather than starting from zero.

Table 1.1 Key project components and their purpose

Project Element	Primary Purpose
Voice assistant	Capture symptoms in a natural, low-friction way
Doctor queue	Escalate cases that need a human review
Secure storage	Keep reports and records auditable and protected

A key objective of MediVA AI is to improve the quality of the first interaction in a patient's healthcare journey. Research and practical observations indicate that early communication plays a critical role in determining the speed and effectiveness of diagnosis and treatment. When patients are guided properly from the beginning, healthcare providers can make quicker and more informed decisions.

On the other hand, poorly designed entry systems can negatively affect patient outcomes. Confusing interfaces, repetitive questioning, delayed responses, and lack of proper escalation mechanisms may cause frustration and discourage patients from seeking timely care.

MediVA AI is motivated by the vision of building a connected healthcare support system that enhances communication, simplifies patient experiences, and supports healthcare professionals with organized and meaningful information. By integrating AI-driven assistance with secure record handling and escalation support, the project aims to bridge the gap between initial symptom reporting and professional medical consultation. Ultimately, the system seeks to contribute toward a more efficient, accessible, and patient-centered healthcare environment.

1.2 Problem Statement

Patients often struggle to obtain specialized guidance quickly. They may not know which specialist to consult, how to explain symptoms clearly, or how to share prior reports in a usable form. The result is delay, confusion, and a poor handoff when a doctor finally becomes involved.

The project addresses four linked issues: access gaps, language barriers, record fragmentation, and slow preliminary triage. By combining a conversational assistant, a doctor-validating workflow, and structured record handling, MediVA AI reduces the friction that usually sits between the patient and the first useful clinical conversation.

- Specialized care is difficult to reach for rural and underserved patients.
- English-centric interfaces make symptom explanation harder for many users.
- Reports, images, and prescriptions are usually scattered across multiple systems.
- Patients spend time searching online before they reach any meaningful triage.

One of the major problems faced by patients is uncertainty regarding which specialist to consult. Many medical conditions share similar symptoms, making it difficult for non-medical users to determine whether they should approach a general physician, dermatologist, neurologist, cardiologist, or another specialist. As a result, patients often spend significant time searching online for answers or visiting multiple healthcare providers before reaching the appropriate expert. This process not only increases frustration but may also delay necessary treatment and worsen health conditions in certain cases.

Another significant issue is the difficulty patients experience while explaining symptoms clearly and accurately. Most existing healthcare platforms rely on form-based input systems that require users to describe symptoms using medical terminology or structured fields. However, many individuals are unfamiliar with clinical language and may not know how to communicate the

severity, duration, or nature of their symptoms effectively. In stressful situations, patients may forget important details or provide incomplete information, which can affect the quality of preliminary assessment. Communication becomes even more challenging for elderly individuals, rural populations, and users with limited digital literacy.

Language barriers further increase these difficulties. A large number of healthcare applications and online medical platforms are designed primarily for English-speaking users. In multilingual countries such as India, this creates accessibility issues for people who are more comfortable communicating in regional languages. Patients may hesitate to use healthcare applications if they are unable to express their concerns in their preferred language. This limitation can lead to misunderstanding of symptoms, reduced confidence in the system, and lower overall healthcare accessibility for non-English-speaking populations.

The management of medical records is another major concern in current healthcare systems. Reports, prescriptions, laboratory results, scans, and medical images are often scattered across different hospitals, diagnostic centers, and digital platforms. Patients frequently need to carry physical documents or manually upload files repeatedly whenever they consult a new doctor. In many cases, healthcare providers do not have quick access to previous medical history, resulting in repeated questioning, duplicate tests, and inefficient consultations. The absence of a centralized and organized record-handling mechanism creates inconvenience for both patients and medical professionals.

1.3 Objectives of the Project

The primary objective of the MediVA AI project is to develop an intelligent and user-friendly healthcare assistant that supports patients throughout different stages of their healthcare journey. The system is intended to function effectively before, during, and after medical escalation by providing a connected environment for symptom reporting, preliminary assistance, doctor review, and secure medical record management. The project focuses on improving the quality of initial healthcare interaction while reducing communication gaps between patients and healthcare professionals.

One of the central goals of the project is to make the first interaction between the patient and the healthcare system quick, simple, and understandable. In many existing healthcare platforms, users face difficulty navigating complex interfaces or explaining symptoms using technical medical language. MediVA AI aims to simplify this process by allowing patients to communicate naturally through conversational text or voice input. The assistant is designed to guide users step-by-step

so that they can comfortably describe their symptoms, concerns, and medical history without confusion or stress.

The project also aims to create a friendly AI-based triage experience for patients. Triage refers to the process of identifying the urgency and seriousness of a patient's condition before professional consultation. In traditional healthcare systems, this process may involve long waiting times, repeated questioning, or dependence on manual assessment.

Another important objective is to reduce delays in accessing appropriate medical care. Many patients are uncertain about whether their condition requires immediate medical attention or which specialist they should consult. As a result, they may spend valuable time searching online or visiting the wrong healthcare provider. MediVA AI is designed to assist users in identifying suitable next steps through intelligent preliminary assessment.

The project also emphasizes continuity of care and smooth communication between patients and healthcare professionals. One of the common problems in healthcare systems is the loss of important context during the transition from initial symptom reporting to doctor consultation. Patients are often required to repeat the same information multiple times because earlier interactions are not stored in a structured manner. MediVA AI addresses this issue by retaining conversation history and organizing patient inputs systematically.

Supporting medical report upload and document management is another major objective of the project. Patients frequently possess laboratory reports, prescriptions, scan images, and other medical documents that are important for diagnosis and treatment. However, these records are often scattered across different systems or stored physically, making them difficult to manage and access. MediVA AI aims to provide a centralized platform where users can upload and store medical documents securely.

The project also aims to support multilingual communication to improve accessibility for a wider range of users. In multilingual countries and diverse populations, many individuals may not feel comfortable using healthcare applications that operate only in English. Language barriers can prevent patients from explaining symptoms accurately and may reduce confidence in digital healthcare systems. MediVA AI is intended to support interaction in multiple languages, enabling users to communicate in a more familiar and comfortable way. This objective is especially important for rural populations, elderly users, and individuals with limited exposure to English-based digital systems.

Another key objective of the project is to ensure the secure storage and retrieval of medical information. Healthcare data is highly sensitive and requires proper protection against unauthorized access or misuse. MediVA AI is designed with the objective of maintaining traceable and secure handling of patient records and uploaded documents. The system aims to implement organized storage mechanisms that allow users and authorized healthcare providers to retrieve information efficiently whenever required.

In addition to security, the project aims to improve the overall efficiency of healthcare workflows. By organizing patient data in a structured format, the system reduces repetitive questioning and minimizes administrative burden on healthcare professionals. Doctors can review summarized patient information, uploaded reports, and conversation history before interacting directly with the patient.

Another objective is to create a scalable and adaptable healthcare support system that can evolve with future healthcare technologies. As digital healthcare adoption continues to increase, there is a growing need for platforms that can integrate AI assistance, telemedicine support, electronic health records, and multilingual communication within a unified environment.

Overall, the objectives of MediVA AI focus on building an integrated healthcare assistant that enhances accessibility, communication, organization, and efficiency within healthcare systems. Through AI-based triage, secure record management, multilingual support, and intelligent escalation workflows, the project aims to create a patient-centered digital healthcare platform that improves both user experience and healthcare delivery outcomes.

1.4 Scope of the Project

The scope of MediVA AI includes patient onboarding, symptom capture, AI draft generation, doctor validation, and secure persistence of reports and session history. The application is intended as a decision-support and routing layer rather than a replacement for emergency services or in-person medical care.

The report assumes normal outpatient usage, availability of a network connection, and access to a verified doctor queue for escalated cases. The system is not positioned as a diagnostic authority for critical emergencies. Instead, it focuses on helping the patient reach the right level of care with the least confusion and the most contextual continuity.

The scope of the MediVA AI project focuses on developing an intelligent healthcare support platform that improves the interaction between patients and healthcare providers during the early stages of medical consultation. The system is designed to support patient onboarding, symptom

collection, AI-assisted preliminary guidance, doctor validation, and secure management of medical records and session history. The project aims to function as a decision-support and healthcare routing system that helps patients access appropriate care more efficiently while maintaining continuity of information throughout the healthcare process.

One of the important areas within the scope of the project is patient onboarding. The system is intended to provide a simple and user-friendly registration and login process that allows users to create accounts and securely access healthcare services. During onboarding, patients can provide basic personal and medical information that may help improve future interactions with the system. The platform is designed to reduce complexity and make healthcare access easier for users with varying levels of digital literacy.

Another major component within the project scope is symptom capture and patient interaction. MediVA AI allows patients to describe symptoms through conversational text or voice input rather than relying only on rigid forms and technical medical terminology. The system is intended to collect relevant health-related information in a structured and organized format. This includes symptom duration, severity, previous medical history, and supporting concerns shared by the patient. By using conversational AI techniques, the platform aims to create a more comfortable and natural interaction experience for users.

The scope of the project also includes AI draft generation and preliminary triage assistance. Based on the information provided by the patient, the system can generate structured summaries or preliminary observations that assist in organizing the case before professional review. The AI component is intended to support the healthcare process by identifying important symptom patterns and categorizing cases according to urgency or required attention. However, the AI system does not independently provide final medical diagnoses or treatment decisions. Its purpose is to assist in information organization and healthcare routing rather than replace medical professionals.

Doctor validation and escalation support are also key areas covered within the scope of MediVA AI. Cases that are identified as uncertain, severe, or high-risk can be forwarded to a verified doctor queue for professional evaluation. The system is intended to help doctors review patient information more efficiently by providing access to structured conversation history, uploaded reports, and summarized symptom details. This improves continuity between the initial patient interaction and clinical consultation while reducing repetitive questioning and communication gaps.

Secure storage and persistence of medical records are another important part of the project scope. Patients can upload prescriptions, laboratory reports, scan images, and other healthcare-related documents to the platform. The system is designed to maintain organized storage of these files so that users and authorized healthcare professionals can retrieve them whenever required. Session history and conversation records are also preserved to support continuity in healthcare interactions. By centralizing records within a single platform, MediVA AI aims to reduce the fragmentation commonly seen in healthcare systems.

The scope of the project additionally includes multilingual support to improve accessibility for diverse users. Many individuals are more comfortable communicating in regional or local languages rather than English. Therefore, the platform aims to support healthcare interaction in multiple languages, enabling patients to describe symptoms and understand system responses more effectively. This feature is particularly important for rural populations, elderly users, and individuals with limited familiarity with English-based digital systems.

Although MediVA AI provides AI-assisted support and healthcare guidance, the project clearly defines its limitations. The application is not intended to replace emergency medical services, licensed doctors, or in-person healthcare consultation. The system functions as a decision-support and routing layer that assists users in reaching appropriate healthcare services more efficiently. Critical medical emergencies still require immediate professional medical attention through hospitals, emergency departments, or emergency response services.

The project also assumes normal outpatient healthcare usage conditions. It is primarily designed for situations where patients seek preliminary guidance, symptom organization, consultation support, or follow-up assistance in non-emergency healthcare environments. The system is not intended to function as a complete hospital management system or intensive emergency monitoring platform. Instead, it focuses on improving the early communication and coordination stages of healthcare interaction.

Another important assumption of the project is the availability of a stable network connection. Since MediVA AI is designed as a digital healthcare platform, internet access is necessary for communication with the AI assistant, uploading reports, retrieving records, and accessing doctor validation services. The performance and usability of the system may depend on network reliability and device accessibility available to the user.

The report also assumes the existence of a verified doctor queue for escalated cases. When a patient's condition requires professional evaluation, the system depends on authorized healthcare providers being available for consultation and review. MediVA AI itself does not independently

finalize medical decisions; instead, it supports healthcare professionals by organizing and presenting patient information in a structured manner.

Another assumption is that users provide accurate and truthful information while interacting with the system. Since AI-generated summaries and routing recommendations depend on patient input, incomplete or misleading information may reduce the effectiveness of preliminary assessment. Therefore, the project assumes cooperative participation from users during symptom reporting and document submission.

The scope of MediVA AI is intentionally focused on improving healthcare accessibility, communication efficiency, and continuity of care rather than functioning as an autonomous diagnostic authority. The system is designed to reduce confusion, minimize delays, and guide

1.5 Technology Used

The implementation shown in the deployed project uses a modern React and Next.js front end, server-side data handling, and a dashboard-oriented clinical user experience. The architecture is deliberately modular so that patient-facing screens, doctor-facing screens, and retrieval logic can evolve independently.

Table 1.2 Technology stack used in the project

Layer	Representative Technologies
Frontend	Next.js, React, Tailwind-style component system
AI layer	Retrieval-Augmented Generation, structured prompt drafts
Storage	Database plus secure document handling and content-addressable references
UX support	Voice-first interaction, responsive cards, and dashboard layout

The frontend layer of MediVA AI is developed using modern JavaScript frameworks and component-based design principles. Technologies such as Next.js and React are used to create dynamic and interactive user interfaces. React provides a component-driven architecture that

allows reusable interface elements to be developed efficiently. This improves consistency across different sections of the platform while simplifying maintenance and future upgrades.

Next.js is used as the primary frontend framework because it supports server-side rendering, optimized routing, and improved application performance. In healthcare systems, fast loading times and smooth navigation are important because users may need quick access to healthcare information or consultation features. Next.js enhances performance by rendering pages efficiently and improving the overall responsiveness of the application. It also supports scalable application structure, making it suitable for projects that may expand over time.

The frontend interface also incorporates a Tailwind-style component system for styling and layout design. Utility-based styling helps create a clean, responsive, and visually organized interface. This approach allows developers to build modern healthcare dashboards and conversational screens efficiently while maintaining consistent design patterns throughout the platform. The user interface is designed to reduce visual complexity and provide clear navigation for both patients and healthcare professionals.

1.6 Limitations of the Project

Although MEDIVA AI provides an innovative approach for AI-assisted healthcare and secure medical data handling, the system still has certain limitations that must be acknowledged. The platform primarily acts as a preliminary healthcare assistant and cannot replace professional medical diagnosis or emergency medical services. The AI-generated recommendations are dependent on the quality and accuracy of the user's input. If patients provide incomplete, vague, or incorrect symptoms, the generated suggestions and triage results may not always be reliable.

2. LITERATURE SURVEY

This chapter compares the current ecosystem with the proposed MediVA AI workflow and identifies the design gap that motivated the project.

1. L. Long, Y. Tang, Y. Liu, "End-to-end medical image encryption using convolutional neural networks," IEEE Transactions on Medical Imaging, 2024.

This work proposes a deep learning-powered encryption method for medical images, leveraging CNNs alongside chaotic key sequences to provide seamless, robust, and adaptive encryption. The model learns image features essential for both privacy and post-decryption clinical utility. The use of a neural feature encoder, trained with a fusion mechanism tied to a key-generated chaotic sequence, reliably produces high-entropy encryption and maintains strong resistance to cryptanalysis. Extensive experiments show that decrypted images preserve diagnostic fidelity (PSNR > 40dB), and encrypted images display statistical randomness close to theoretical limits. The approach is hardware- and energy-efficient and offers practical integration with medical imaging workflows. This method's robustness is validated by resistance to brute-force, statistical, differential, and chosen-plaintext attacks. It opens the possibility of real-time, AI-enhanced privacy for telemedicine, remote diagnostics, and cloud-based medical archiving, setting a new bar for end-to-end secure imaging pipelines.

2. X. Li, Y. Zhang, J. Wang, "Chaotic medical image encryption method using attention and ResNet," Frontiers in Neuroscience, vol. 17, 2023.

Li and colleagues combine the hierarchical feature extraction of deep ResNets with an attention mechanism and a chaos-based cipher to produce a highly secure and efficient medical image encryption scheme. The attention module automatically focuses computational effort on clinically meaningful regions, minimizing risk that sensitive features leak even if adversaries target common region-based attacks. Experimental results show the method achieves near-perfect information entropy, negligible pixel correlation, and enhances defense against common statistical attacks. The authors validate the system on chest X-ray and cardiac MRI data, demonstrating computational advantages and consistent image quality after decryption (critical for diagnosis). The proposal is notable for introducing state-of-the-art deep architecture into the encryption field and has triggered new research on selective, robust healthcare data protection suitable for modern AI workflows. Applications include e-health records, cloud archiving, and privacy-preserving AI diagnostics

3. J. Lee, W. Yoon, S. Kim, D. Kim, S. Kim, C.H. So, J. Kang, "BioBERT: a pre-trained biomedical language representation model for biomedical text mining," *Bioinformatics*, vol. 36, no. 4, pp. 1234-1240.2020.

BioBERT adapts the BERT transformer model for the biomedical domain by further pre-training on large-scale biomedical text such as PubMed abstracts and full-text PMC articles. This approach helps overcome the mismatch that occurs when general-domain NLP models are applied to domain-specific biomedical texts, which often feature rare terminology and complex relationships. Achieving state-of-the-art performance on named entity recognition (+0.62% F1), relation extraction (+2.8% F1), and biomedical question answering (+12.2 MRR), BioBERT is now a foundation for a range of biomedical NLP applications. Unlike prior models focused only on a single task, BioBERT achieves robust results across multiple tasks, requiring minimal architectural changes for fine-tuning. The pre-trained model and code are publicly available, fostering rapid adoption in the community. BioBERT is now widely used for extracting clinical findings, identifying treatments, supporting clinical trial matching, and even benchmarking biomedical LLMs. The work demonstrates that domain-oriented pre-training is critical for robust automated understanding of medical literature, EHRs, and research data, substantially advancing biomedical text mining research.

4. Z. Man, et al., "Double image encryption algorithm based on neural networks and chaotic maps," *ScienceDirect*.

This paper proposes a double-channel medical image encryption technique combining convolutional neural networks (CNNs) with chaotic maps. The method employs an innovative fusion of pixel-level scrambling and deep feature extraction, creating dual parallel channels for encryption through both spatial and frequency domains. The CNN is trained to learn rich feature representations of the original image, which are then combined with chaotic sequences using dynamic adaptive diffusion to increase the encryption strength and resistance against attacks. The novelty lies in the adaptive fusion of the learned features and chaotic perturbations, enhancing key sensitivity and improving resistance to differential and statistical attacks. The methodology includes: pre-processing images into frequency components; CNN-based feature extraction; chaos-driven pixel permutation and value masking; adaptive diffusion algorithms that iteratively transform encrypted images; and decoding layers for accurate decryption. The system was tested on multiple medical image datasets demonstrating superior performance in encryption quality metrics such as information entropy and NPCR, while maintaining computational efficiency to enable practical real-time use in telemedicine and healthcare cloud storage.

2.1 Existing Systems

The current healthcare landscape has experienced rapid digital transformation over the past few years, with many healthcare services becoming available through online platforms and mobile applications. Patients can now access symptom checkers, appointment booking systems, telemedicine services, electronic health records, and cloud-based medical document storage through various digital solutions. Although these technologies have improved healthcare accessibility to some extent, most existing systems continue to operate independently rather than as part of a unified healthcare workflow. This separation creates gaps in communication, continuity, and user experience during the healthcare process.

In most existing healthcare environments, symptom checking, appointment scheduling, medical record management, and doctor communication are handled by different products or isolated platforms. A patient may begin by searching symptoms through a chatbot or health website, then use another application to book an appointment, and later upload reports using a separate document-sharing system. Since these systems are usually disconnected from one another, the context gathered during earlier stages is rarely transferred effectively to the next stage of consultation. As a result, patients are often forced to repeat the same information multiple times during their healthcare journey.

This lack of continuity creates a fragmented and repetitive experience for both patients and healthcare providers. Patients may feel frustrated when they need to explain their symptoms repeatedly to different systems or medical staff. Similarly, doctors may receive incomplete information because earlier patient interactions are not integrated into the consultation workflow. Important details such as symptom progression, uploaded reports, or preliminary concerns may not be available in a structured format during doctor review. Consequently, healthcare professionals may need to restart the diagnostic process from the beginning, which increases consultation time and reduces efficiency.

One of the most common digital healthcare tools currently available is the standalone symptom checker or chatbot system. These applications allow patients to enter symptoms and receive general healthcare guidance or possible condition suggestions. Symptom checkers are useful because they provide quick responses and basic awareness for users seeking preliminary information. However, many of these systems are highly generic and lack patient-specific clinical context. The responses are often based on broad symptom matching rather than detailed patient history or uploaded medical reports. Therefore, the information provided may not always be sufficiently personalized or reliable for meaningful healthcare decision-making.

Another limitation of standalone symptom checkers is the absence of continuity with professional medical consultation. In many cases, the conversation history and symptom details collected by the chatbot are not forwarded to healthcare providers. When the patient eventually consults a doctor, the earlier interaction becomes disconnected from the clinical workflow. This reduces the practical value of the symptom checker and creates duplication in communication.

for administrative scheduling tasks and help reduce manual coordination. However, most appointment booking systems collect little or no clinical information before consultation. Doctors may receive only basic appointment details without understanding the patient's symptoms, concerns, or medical history in advance.

As a result, valuable consultation time is spent gathering preliminary information rather than focusing directly on diagnosis and treatment. The absence of pre-consultation summaries also reduces efficiency in situations where early context could help prioritize urgent or high-risk cases. While scheduling platforms solve logistical challenges, they do not effectively support continuity of healthcare communication.

Cloud-based file storage and document repositories are also commonly used in digital healthcare environments. These systems allow patients to upload and store prescriptions, laboratory reports, medical images, and other healthcare records securely. Document storage solutions improve accessibility and reduce the dependence on physical paperwork. However, most file storage systems function only as repositories and do not actively interpret or connect the information within the healthcare workflow.

Uploaded documents often remain isolated from symptom discussions and doctor communication. Patients may still need to manually explain the relevance of each report during consultation. Similarly, healthcare professionals may spend additional time reviewing scattered files without structured summaries or contextual support. Although the documents are stored safely, they remain disconnected from meaningful clinical interaction and decision-making processes.

The literature reviewed for this project suggests that intelligent healthcare systems are most effective when they focus on solving a complete and practical user journey rather than addressing isolated tasks independently. A useful healthcare system should be capable of capturing patient complaints, enriching the information with relevant medical context, organizing uploaded records, and transferring the complete story smoothly to healthcare professionals. Systems that fail to maintain continuity between these stages often create fragmented experiences and reduced healthcare efficiency.

The following table summarizes common capabilities and limitations of existing healthcare systems:

Table 2.1 Common Capabilities of Existing Healthcare Systems

Existing Approach	Limitation
Basic chatbot	Answers are often generic and not grounded in the current patient case context
Standalone booking portal	The doctor receives little or no pre-consultation summary or symptom history
Cloud file storage	Files are stored securely, but they remain disconnected from the clinical conversation

Overall, the existing healthcare system landscape demonstrates significant progress in digital healthcare accessibility but still suffers from fragmentation and lack of continuity. Most current solutions address only isolated parts of the healthcare process rather than supporting a connected patient journey. MediVA AI aims to overcome these limitations by integrating AI-assisted

2.2 Limitations of Existing System

Most existing healthcare systems are designed to perform a single specialized function effectively, but they often fail to provide smooth integration across the complete healthcare journey. While one platform may focus on symptom checking, another may handle appointment scheduling, and a separate system may store medical reports. Although each of these tools can be useful individually, the lack of coordination between them creates a fragmented healthcare experience for patients and healthcare professionals.

One of the major limitations of existing systems is that symptom checkers generally provide only broad and generalized suggestions. These tools are capable of identifying possible health conditions based on entered symptoms, but they often lack access to patient-specific medical history, uploaded reports, or ongoing healthcare context.

Another important drawback is that symptom checkers usually cannot prepare a professional doctor-oriented summary. Even if a patient spends time entering detailed information into the system, the collected data often remains limited to the chatbot interaction itself. When the patient

later consults a healthcare professional, the earlier information is rarely transferred in a structured format. This forces doctors to repeat the same questions and gather details again from the beginning, leading to inefficiency and repetition.

Similarly, appointment booking portals mainly focus on administrative scheduling tasks and not on healthcare context management. These systems allow patients to select specialists and book consultation slots conveniently, but they do not explain why the patient requires a specific specialist or what symptoms led to the consultation request.

Medical record storage systems also have significant limitations despite providing secure file management capabilities. Cloud-based repositories and hospital storage systems can store prescriptions, laboratory reports, scan images, and medical histories efficiently. However, these systems typically function only as passive storage platforms.

Another major limitation in existing healthcare systems is the absence of persistent clinical summaries. Most systems do not maintain a connected patient story across different stages of healthcare interaction. Information entered during symptom checking may not remain linked to uploaded reports or future consultations. Patients therefore experience repeated questioning and fragmented communication as they move between systems.

Existing healthcare platforms also provide limited support for mixed input formats such as text, voice, and medical image uploads together within a single workflow. Some systems support text-based interaction, while others allow document uploads, but very few platforms combine these capabilities in an integrated and context-aware manner. In real healthcare situations, patients may need to explain symptoms verbally, upload prescriptions or scan images, and provide written descriptions simultaneously. The inability of current systems to handle multimodal input effectively reduces usability and communication accuracy.

Privacy and security concerns are another critical weakness in many healthcare solutions. Although healthcare information is highly sensitive, privacy protection is sometimes treated as a secondary feature rather than a core system requirement. Some applications prioritize functionality and convenience without implementing strong mechanisms for secure document storage, controlled data access, or traceable information handling. This can reduce user trust and create risks related to unauthorized access or misuse of medical information. In healthcare systems, privacy should be integrated into the architecture from the beginning rather than added later as an optional enhancement.

Scalability and adaptability also remain significant challenges in current healthcare platforms. Many systems are designed around fixed workflows and predefined user paths that cannot adjust dynamically according to patient needs or case complexity. For example, a patient experiencing multiple symptoms or changing health conditions may not fit properly into rigid symptom-selection categories. Existing systems often struggle to adapt when healthcare scenarios become more complex or when additional context needs to be incorporated into the workflow.

This rigidity limits the ability of healthcare platforms to support real-world medical situations effectively. Patients may feel restricted by predefined forms and structured menus that do not reflect their actual concerns. Similarly, healthcare professionals may not receive flexible and detailed information required for comprehensive case understanding. A lack of adaptability reduces both usability and reliability, especially in situations where healthcare interactions require contextual interpretation and evolving patient communication.

Another important concern in current healthcare systems is the limited explainability of system outputs. Many AI-based or automated tools provide suggestions, recommendations, or possible conditions without clearly explaining how those conclusions were generated. For patients, this lack of transparency can reduce trust in the system because users may not understand why a particular recommendation was given. Patients are more likely to trust and follow healthcare guidance when the reasoning process appears understandable and logical.

The problem of explainability also affects healthcare professionals. Doctors and medical staff need systems that provide interpretable and verifiable outputs rather than unexplained conclusions. If a healthcare platform generates recommendations without sufficient reasoning or structured context, healthcare professionals may find it difficult to validate or rely on the information. In clinical environments, transparency is essential because healthcare decisions must be accurate, accountable, and justifiable.

The limitations of existing systems highlight the need for a more connected and context-aware healthcare solution. MediVA AI is therefore designed as a healthcare handoff system that focuses on maintaining continuity between patients, AI assistance, and doctor consultation. The assistant is intended to understand the patient's complaint, organize the information into a usable summary, and preserve records within the same case workflow. Instead of functioning as an isolated chatbot or scheduling tool, the system integrates symptom capture, document handling, contextual retrieval, and doctor validation into a unified process.

2.3 Review of Related Work

The development of intelligent healthcare systems has attracted significant attention in recent years due to the rapid advancement of artificial intelligence, machine learning, natural language processing, and digital healthcare technologies. Researchers and healthcare organizations have explored various methods for improving patient interaction, clinical decision support, healthcare accessibility, and medical record management through AI-driven systems. The literature and references studied for the MediVA AI project highlight important contributions in areas such as biomedical language models, healthcare workflow design, AI trust and explainability, clinical decision support systems, and retrieval-based healthcare applications.

The reviewed studies suggest that healthcare technologies are most effective when they combine technical intelligence with practical healthcare workflow understanding. A patient-facing healthcare system must not only provide accurate outputs but also ensure safety, explainability, continuity, and responsible decision-making. In healthcare environments, errors or misleading information can directly affect patient outcomes. Therefore, many research works emphasize the importance of combining AI assistance with human oversight rather than relying entirely on automated systems.

One important area of related work involves biomedical language models and natural language processing techniques. Biomedical language models are AI systems trained on medical texts, clinical reports, research papers, and healthcare terminology to better understand healthcare-related language. These models are designed to interpret symptom descriptions, identify medical concepts, and support healthcare communication more effectively than general-purpose language models. Research in this area demonstrates that specialized biomedical encoders improve the ability of healthcare systems to process clinical information accurately.

Biomedical encoders and vector search technologies are particularly relevant to systems like MediVA AI because they support grounded retrieval and context-aware healthcare interaction. Vector-based retrieval systems can identify related medical information by comparing semantic meaning rather than relying only on keyword matching. This allows healthcare assistants to retrieve more relevant information when patients describe symptoms in natural language. Such technologies help improve the quality and contextual relevance of AI-generated responses.

Another important field of related work focuses on Retrieval-Augmented Generation (RAG) systems in healthcare applications. Research combining retrieval mechanisms with language models shows that AI systems become more reliable when responses are grounded in retrieved contextual information instead of generating outputs purely from internal model knowledge. In

symptom-driven healthcare querying, retrieval-based methods can improve accuracy by connecting patient input with relevant records, medical references, or structured healthcare context. This concept strongly influences the design of MediVA AI, where retrieval and context preservation play a central role in patient interaction and doctor handoff.

The literature also highlights significant research on AI trust, explainability, and ethical healthcare system design. Many studies emphasize that patient-facing healthcare tools must be transparent and explainable because healthcare decisions require accountability and clinical justification. Black-box AI systems that provide conclusions without explaining reasoning may reduce trust among both patients and healthcare professionals. Explainability becomes especially important in healthcare because doctors need to verify system outputs before making medical decisions.

Several research works indicate that healthcare AI systems should not function as fully autonomous diagnostic authorities. Instead, they should operate as decision-support tools that assist healthcare professionals while preserving human supervision. This concept is commonly referred to as the “human-in-the-loop” approach. Human-in-the-loop systems combine AI efficiency with professional medical oversight, ensuring that critical or uncertain cases receive expert evaluation. Studies show that such systems improve trust, safety, and reliability in patient-facing healthcare applications.

The MEDIVA AI project follows this principle by allowing the AI assistant to collect and organize patient information while ensuring that elevated-risk or uncertain cases are reviewed by verified healthcare professionals. Rather than replacing doctors, the system supports healthcare workflows by preparing structured summaries and preserving patient context for professional consultation.

Research related to clinical decision support systems also contributes to the conceptual foundation of this project. Clinical decision support systems are designed to assist healthcare professionals in analyzing patient data, identifying relevant conditions, and improving healthcare workflow efficiency.

The literature suggests that intelligent healthcare systems become more effective when they support the complete patient journey rather than isolated healthcare tasks. Systems that combine symptom capture, contextual enrichment, structured summaries, and smooth handoff to healthcare professionals provide better continuity and usability.

3. PROPOSED METHODOLOGY

This chapter explains the structural design of the project and how data moves across the system.

3.1 System Architecture

The end-to-end architecture of MEDIVA AI is designed to create a connected and intelligent healthcare workflow that supports patients, healthcare professionals, and secure data management within a single integrated system. The architecture combines the patient interface, AI orchestration layer, retrieval mechanisms, doctor workspace, and secure storage services into a unified environment. Instead of treating these components as isolated modules, the system links them together through a continuous case-based workflow that preserves patient context throughout the healthcare process.

The primary objective of the architecture is to ensure continuity of care from the first patient interaction until doctor review and follow-up. In many traditional healthcare systems, patient conversations, uploaded reports, and consultation records become fragmented across different applications. The architecture begins with the patient interface layer, which serves as the entry point for users interacting with the system. Patients can access the platform through a responsive web-based interface designed using modern frontend technologies.

The patient interface allows users to describe symptoms through conversational text or voice interaction, upload medical reports or scan images, and access their previous healthcare sessions. When the patient provides input, the data is transferred to the AI orchestration layer. This layer functions as the central processing and coordination component of the system. The AI orchestration layer receives symptom descriptions, uploaded records, and conversation history from the patient interface and organizes the information into structured healthcare data. It manages the flow of information between the AI processing system, retrieval components, storage services, and doctor workspace.

One of the important responsibilities of the AI orchestration layer is contextual retrieval. The system uses retrieval-based mechanisms to gather relevant information related to the patient's case. This may include previous conversation history, uploaded reports, symptom context, or structured healthcare references associated with the ongoing interaction. The architecture also incorporates Retrieval-Augmented Generation principles, where the AI system combines retrieved context with language processing capabilities to generate more meaningful and grounded outputs. Instead of producing isolated responses, the AI layer uses available case information to create structured summaries and preliminary healthcare drafts that remain connected to the patient's ongoing interaction history.

Access control mechanisms are integrated into the architecture through role-based permissions. Patients, doctors, and administrators may have different levels of system access depending on their responsibilities. This approach improves both security and operational efficiency while reducing the risk of unauthorized access to sensitive healthcare information.

Another important aspect of the architecture is modularity and scalability. Each major component of the system, including the frontend interface, AI orchestration layer, retrieval engine, doctor dashboard, and storage services, is designed as a modular layer. This architecture allows independent updates and future expansion without affecting the complete system. For example, multilingual support, advanced AI models, telemedicine integration, or analytics modules can be added later without redesigning the entire platform.




Figure 3.1.1 MEDIVA AI system architecture

3.2 Patient Module

The patient journey in MediVA AI is designed to provide a smooth, connected, and user friendly healthcare interaction experience from the first point of contact until consultation and follow-up support. The system focuses on reducing confusion, minimizing repetitive communication, and guiding patients through the healthcare process in a structured yet conversational manner. Unlike traditional healthcare systems where patients often move between disconnected platforms,

MediVA AI creates a continuous workflow that preserves context and supports seamless interaction throughout the journey.

The journey begins with a low-friction interaction surface that allows patients to communicate naturally and comfortably. Instead of requiring users to fill out complex medical forms or understand technical healthcare terminology, the system enables interaction through conversational text, voice input, or document upload. Patients can describe symptoms in their own words, speak naturally about their concerns, or attach relevant healthcare materials such as prescriptions, laboratory reports, and medical images.

Once the patient provides input, the assistant processes the information and converts it into a structured clinical draft. This draft includes symptom descriptions, duration, supporting details, uploaded document references, and contextual information gathered during the conversation. The structured draft is easier for healthcare professionals to review compared to an unorganized chat transcript or fragmented symptom notes. By transforming natural conversation into organized healthcare summaries, the system improves communication efficiency and reduces the chances of important information being overlooked.

The AI assistant also performs contextual organization and retrieval during this stage. Relevant patient history, uploaded records, and previous interaction data are connected to the ongoing session whenever available. This contextual integration helps create a more accurate and meaningful understanding of the patient's situation. Instead of treating each interaction as an isolated event, the system builds continuity across the healthcare journey.

If the patient's case appears simple and low-risk, the assistant may provide safe preliminary guidance and suggest appropriate next steps. This guidance may include general wellness advice, recommendations for routine consultation, or instructions regarding further healthcare follow-up. The system is designed to support patients responsibly while avoiding unnecessary escalation for minor situations. However, the AI assistant does not function as an independent diagnostic authority. Its role is to assist users with structured guidance and healthcare navigation rather than replace professional medical evaluation.

When the system identifies uncertainty, elevated risk, or complex symptoms, the patient is automatically moved into the doctor review workflow. One of the key advantages of the MediVA AI patient journey is that this escalation occurs without losing context.

This continuity creates the experience of a single ongoing conversation rather than multiple disconnected interactions across separate systems. Patients feel guided through one integrated healthcare process instead of being transferred repeatedly between unrelated platforms. This

reduces frustration and improves confidence in the system, especially for individuals already experiencing stress or uncertainty about their health condition.

To maintain continuity effectively, the system preserves persistent patient interaction history throughout the journey. Symptom descriptions, uploaded medical documents, AI-generated summaries, and workflow decisions are securely stored and associated with the same healthcare case. This persistent context allows patients to continue interactions over time without needing to repeat information during every session or consultation.

The interface is also designed to present captured information in a concise, organized, and readable format. Patients can review summaries of what the system has understood and verify whether the information is correct. If necessary, users can make corrections, add missing details, or clarify concerns before proceeding further. This feature improves data accuracy while giving patients greater control and participation in the healthcare interaction process.

3.3 Doctor Module

The doctor journey is designed around review speed and clarity. A doctor sees an escalated case with the summary already organized: presenting complaint, duration, supporting details, and uploaded context. This avoids the common problem where the doctor must manually reconstruct the story from a raw chat log or a scattered set of uploads.

The review interface supports validation, follow-up notes, and closure actions. In practice, that means the doctor can refine the plan rather than inventing it from scratch. The workflow is especially valuable for busy outpatient settings where time is limited and a concise summary can materially improve the consultation quality.




Figure 3.3.1 Patient-to-doctor workflow

When the doctor opens an escalated case, the review interface presents the patient's information in a well-structured manner. The doctor can immediately view the presenting complaint, symptom duration, supporting details, uploaded medical reports, conversation history, and other contextual information associated with the case. This organized presentation allows healthcare professionals to understand the patient's condition quickly without manually searching through scattered records or lengthy chat transcripts.

One of the major advantages of the doctor journey is the reduction of repetitive information gathering. In many healthcare environments, patients are required to repeat the same symptoms and medical details multiple times because previous interactions are not properly summarized or transferred between systems. MediVA AI preserves the complete patient context within the same case workflow, ensuring that doctors receive organized information before direct consultation begins. This continuity improves efficiency while reducing communication gaps between patients and healthcare providers.

3.4 AI, RAG, and Model Layer

The AI layer of MediVA AI is designed using a Retrieval-Augmented Generation (RAG) architecture to improve the reliability, contextual understanding, and continuity of healthcare interactions. Traditional AI systems often rely only on parametric memory, meaning that responses are generated based solely on patterns learned during model training. While such systems can produce fluent conversational outputs, they may struggle to provide context-aware and evidence-grounded healthcare assistance, especially when dealing with patient-specific information or evolving medical knowledge.

In the retrieval-augmented approach, the AI assistant does not depend entirely on internal model memory when generating responses. Instead, the system can retrieve relevant information from curated healthcare knowledge sources, previous conversation history, uploaded reports, and structured case records before producing an answer. This process allows the generated response to remain connected to the patient's current case context rather than relying only on generalized training data.

The retrieval layer acts as a bridge between stored healthcare data and conversational AI interaction. When a patient describes symptoms, refers to earlier conversations, or uploads a medical document, the retrieval system searches for relevant contextual information associated with that case.

Another major advantage of the retrieval layer is support for persistent case continuity. In many healthcare systems, earlier conversations and uploaded records are disconnected from future consultations, forcing patients to repeat the same information multiple times. MediVA AI addresses this issue by allowing the AI assistant to anchor responses in the patient's ongoing case history. For example, if a patient refers to a previously uploaded report or mentions symptoms discussed in an earlier session, the retrieval layer can reconnect that context and include it within the current interaction. This creates a more natural and continuous healthcare experience while reducing repetitive communication.

The model layer is also designed with responsible AI decision-making principles. Healthcare systems require high reliability because inaccurate or misleading outputs can negatively affect patient trust and safety. Therefore, MediVA AI follows a confidence-aware workflow where the assistant evaluates the reliability and clarity of available information before generating recommendations.

To overcome these limitations, MediVA AI uses a Retrieval-Augmented Generation (RAG) architecture. In a RAG-based system, the AI assistant combines language generation capabilities with contextual retrieval mechanisms. Before generating a response, the system retrieves relevant information from curated healthcare sources, stored case records, uploaded reports, and previous conversations associated with the patient. The retrieved information is then used to ground the AI response in actual context rather than depending only on generalized training knowledge.

The retrieval layer also supports persistent healthcare continuity across multiple interactions. In traditional systems, patient conversations and uploaded records often remain disconnected, forcing users to repeat the same details during every consultation. MediVA AI addresses this issue by linking previous interactions, reports, and summaries within the same case workflow. The AI assistant can therefore recognize references to earlier sessions and maintain a connected understanding of the patient journey.

Another important function of the AI layer is structured draft generation. Instead of producing only conversational replies, the system organizes patient information into structured summaries that are easier for healthcare professionals to review. These summaries may include presenting complaints, symptom duration, uploaded documents, supporting details, and important conversation highlights. Structured outputs improve communication efficiency and reduce the burden of manually reviewing long and unorganized chat transcripts.

Traditional AI systems often rely entirely on parametric memory, which means that responses are generated only from patterns learned during the model's training process. While such models are capable of producing fluent and natural language responses, they may generate generic outputs or

inaccurate information when dealing with specialized healthcare situations. In medical environments, relying solely on pre-trained memory can create risks because healthcare knowledge evolves continuously and patient cases often require context-specific understanding.

The model layer is also designed with responsible AI decision-making principles. Healthcare systems require high reliability because inaccurate or misleading outputs can negatively affect patient trust and safety. Therefore, MediVA AI follows a confidence-aware workflow where the assistant evaluates the reliability and clarity of available information before generating recommendations.

The retrieval layer acts as a bridge between stored healthcare data and conversational AI interaction. When a patient describes symptoms, refers to earlier conversations, or uploads a medical document, the retrieval system searches for relevant contextual information associated with that case.

This escalation behavior is a critical part of the system's trust and safety posture. Instead of pretending certainty in unclear situations, the AI layer is designed to recognize limitations and transfer control to healthcare professionals when necessary.

3.5 Security and Storage Pipeline

The security and storage pipeline of MEDIVA AI is designed to protect sensitive healthcare information while maintaining efficient access, traceability, and workflow continuity. Since the platform handles highly confidential medical data such as reports, prescriptions, laboratory results, scan images, and conversation history, the architecture places strong emphasis on secure storage and controlled retrieval mechanisms. The goal of the security pipeline is not simply to hide data completely, but to ensure that access remains authorized, traceable, and appropriately managed throughout the lifecycle of the healthcare record.

In many traditional healthcare systems, uploaded medical files are treated as simple storage objects that may be accessed directly through exposed file paths or loosely controlled sharing mechanisms. Such approaches increase the risk of unauthorized access, accidental exposure, and misuse of sensitive healthcare information. MEDIVA AI addresses these concerns by implementing a structured and secure storage workflow where uploaded medical artifacts remain protected behind application-controlled access logic.

Within the project architecture, encrypted medical images and healthcare documents are associated with content-addressable references rather than publicly exposed file identifiers. A content-addressable storage approach allows files to be referenced through secure identifiers

derived from the file content or structured metadata rather than through predictable public locations. This design improves both organization and security because sensitive files cannot be accessed directly without passing through the application's authentication and authorization mechanisms.

The system also maintains a tamper-evident record structure for storage operations and file access activity. Every important interaction involving uploaded medical records can be logged securely, including upload events, retrieval requests, modifications, and review actions. These logs help preserve accountability and create a verifiable history of how healthcare information has been handled within the system. Instead of focusing only on hiding data, the architecture emphasizes proof of access, controlled visibility, and transparent tracking of interactions involving sensitive records.

This design is particularly well suited for healthcare applications because medical records require both long-term persistence and strict privacy protection. The architecture keeps the primary application database relatively small and structured by storing metadata, references, conversation summaries, and workflow information separately from larger healthcare artifacts such as images and scanned reports. Sensitive files are managed through specialized storage controls rather than being embedded directly into the operational database layer.

Separating structured application data from large medical artifacts improves scalability, organization, and performance. Doctors and patients interact with healthcare records through secure application workflows instead of direct file exposure. When a healthcare professional or authorized patient requests access to a report or image, the application validates permissions and retrieves the content safely through controlled backend logic. This reduces the likelihood of unauthorized distribution and ensures that all access requests remain governed by system policies.

Another important security feature within the storage pipeline is the use of controlled access tokens and time-limited retrieval mechanisms. Instead of allowing permanent or unrestricted access to uploaded medical files, the system generates temporary and secure retrieval links that remain valid only for a limited duration. These access tokens are associated with authenticated sessions and expire automatically after predefined conditions are met.

Time-limited retrieval mechanisms significantly reduce the risk of unauthorized sharing or long-term exposure of sensitive healthcare documents. Even if a temporary access link is exposed unintentionally, its limited validity period reduces the potential impact of misuse. This approach also ensures that file access remains intentional, contextual, and aligned with active healthcare workflows rather than functioning as permanently accessible public storage.

The controlled retrieval process also improves traceability because every access event can be associated with a specific authenticated session or authorized user. By linking access activity with user identity and session context, the system creates a more accountable healthcare environment where sensitive records are handled responsibly and transparently.

Another critical component of the security pipeline is integrity verification. Healthcare records must remain accurate, unchanged, and trustworthy throughout their storage lifecycle. To support this requirement, the architecture incorporates hash-based validation methods that verify whether stored files remain identical to their original uploaded state. When a file is retrieved, its integrity can be checked against previously stored validation hashes to confirm that no corruption, unauthorized modification, or silent tampering has occurred.

Hash-based integrity verification is particularly important in healthcare systems because even small changes to medical documents or diagnostic images could affect clinical interpretation and patient safety. By ensuring that stored files remain verifiable and unchanged over time, the system strengthens trust in both the content and the storage infrastructure itself.

The integrity pipeline works together with detailed access logging to create a secure and auditable healthcare storage environment. Access logs maintain records of who accessed specific files, when the access occurred, and what actions were performed.

The controlled retrieval process also improves traceability because every access event can be associated with a specific authenticated session or authorized user. By linking access activity with user identity and session context, the system creates a more accountable healthcare environment where sensitive records are handled responsibly and transparently.

Another critical component of the security pipeline is integrity verification. Healthcare records must remain accurate, unchanged, and trustworthy throughout their storage lifecycle. To support this requirement, the architecture incorporates hash-based validation methods that verify whether stored files remain identical to their original uploaded state. When a file is retrieved, its integrity can be checked against previously stored validation hashes to confirm that no corruption, unauthorized modification, or silent tampering has occurred.

4. SYSTEM ANALYSIS AND REQUIREMENTS

This chapter explains the structural design of the project and how data moves across the system.

4.1 Functional Requirements

The functional requirements describe what the system must do from the perspective of a patient, an AI assistant, and a doctor. The first requirement is conversational intake: the user must be able to type or speak symptoms in ordinary language. The second is structured output: the assistant must generate a readable draft rather than a free-form paragraph with no clinical organization.

Another important functional requirement is intelligent context refinement. The system should not only capture initial symptoms but also ask relevant follow-up questions to clarify ambiguity and improve the quality of the collected information. This includes identifying missing details such as duration, severity, and associated conditions. By iteratively refining the input, the assistant can generate a more accurate and clinically useful summary for the doctor.

The system must also support role-based interaction workflows. Patients, AI assistants, and doctors should have clearly defined responsibilities and interfaces within the system. For example, patients provide inputs and review guidance, the AI assistant structures and analyzes information, and doctors validate, interpret, and make final decisions. Ensuring smooth transitions between these roles is essential for maintaining workflow efficiency and avoiding confusion during the care process.

Additionally, the system should include notification and feedback mechanisms. Patients must be informed when their case has been escalated, reviewed, or updated by a doctor. Similarly, doctors should receive alerts for new or pending cases requiring attention. Feedback loops, such as allowing doctors to refine or correct AI-generated summaries, can further improve system performance over time and enhance the reliability of future outputs.

The primary objective of the architecture is to ensure continuity of care from the first patient interaction until doctor review and follow-up. In many traditional healthcare systems, patient conversations, uploaded reports, and consultation records become fragmented across different applications.

One of the important responsibilities of the AI orchestration layer is contextual retrieval. The system uses retrieval-based mechanisms to gather relevant information related to the patient's

case. This may include previous conversation history, uploaded reports, symptom context, or structured healthcare references associated with the ongoing interaction.

4.2 Non-Functional Requirements

The non-functional requirements cover usability, reliability, performance, and security. The interface should remain clear on desktop and mobile screens. Response time should be low enough for the user to feel that the assistant is engaged. Doctor-facing screens should remain readable and uncluttered so that review decisions can be made quickly.

Security and auditability are critical because the platform handles personal medical records. The system must avoid casual exposure of files, keep data role-aware, and preserve enough history to explain what happened during the consultation lifecycle.

These properties matter as much as response quality because trust is the foundation of the product.

- Readable layout on both large and small screens.
- Fast enough interaction for conversational triage.
- Graceful fallback when the AI is unsure.
- Secure handling of sensitive documents and metadata.

Usability also extends to accessibility, ensuring that users with different abilities can interact with the system effectively. Features such as voice input, readable fonts, and intuitive navigation should be incorporated to accommodate a diverse user base, including elderly patients and individuals with limited technical familiarity.

The AI assistant also performs contextual organization and retrieval during this stage. Relevant patient history, uploaded records, and previous interaction data are connected to the ongoing session whenever available. This contextual integration helps create a more accurate and meaningful understanding of the patient's situation. Instead of treating each interaction as an isolated event, the system builds continuity across the healthcare journey.

4.3 User Roles and Use Cases

MEDIVA AI is built around three roles. The patient opens the conversation and shares symptoms, the AI assistant organizes and grounds the response, and the doctor reviews escalated cases. Each role has a distinct responsibility, but the case record remains shared so the whole journey can be understood in one place.

The use-case design keeps the flow simple: login or start, provide the problem, get a structured answer, and move to a human review if required. That simplicity is important because healthcare interfaces are often used under stress, and stressed users do not benefit from complex navigation.

4.4 Data and Security Requirements

Because the project deals with medical data, the data model must separate identity, consultation history, and file storage references. The application should avoid treating every object as the same kind of record. Structured patient data belongs in relational storage, while large files and conversation artifacts benefit from a more flexible storage strategy.

The system must also incorporate robust authentication and authorization mechanisms. Multi factor authentication can be used to secure access for both patients and doctors, while role-based access control ensures that users can only view or modify data relevant to their role. Additionally, all sensitive operations—such as viewing reports, downloading files, or updating case details—should be logged to create a transparent audit trail. This strengthens accountability and helps detect and respond to any potential misuse or security breaches.

The application should avoid treating every object as the same kind of record. Structured patient data belongs in relational storage, while large files and conversation artifacts benefit from a more flexible storage strategy. The system must also incorporate robust authentication and authorization mechanisms. Multi factor authentication can be used to secure access for both patients and doctors, while role-based access control ensures that users can only view or modify data relevant to their role. Additionally, all sensitive operations—such as viewing reports, downloading files, or updating case details— should be logged to create a transparent audit trail. This strengthens accountability and helps detect and respond to any potential misuse or security breaches.

5. IMPLEMENTATION

This chapter documents how the proposed ideas appear in the actual application and how the major workflows are implemented.

5.1 Tools and Technologies

The frontend and navigation design of MEDIVA AI are developed to provide a professional, organized, and trustworthy healthcare interaction environment. Since healthcare applications deal with sensitive personal concerns and important clinical workflows, the interface is intentionally designed to feel structured, calm, and reliable rather than casual or entertainment-oriented. The visual presentation aims to create confidence in users from the moment they enter the application.

The deployed interface uses a dark-themed clinical workspace supported by clean layouts, responsive cards, organized navigation panels, and a structured dashboard environment. The dark interface design helps reduce visual strain during prolonged usage while also creating a modern and professional healthcare atmosphere. Instead of resembling a generic chatbot or social communication platform, the application adopts the appearance of a dedicated patient-care dashboard. This design choice reinforces the seriousness and reliability of the healthcare workflow before the user even begins interacting with the system.

The overall design language focuses on clarity, minimal distraction, and efficient information presentation. Healthcare interactions often involve stress, uncertainty, or urgency, so the interface avoids unnecessary visual complexity. Important actions and information are presented through clean cards and structured sections that help users focus on relevant healthcare tasks without confusion. The use of organized layouts also improves readability for both patients and healthcare professionals.

The frontend architecture is built using modern web technologies that support responsiveness, modularity, and scalability. The interface adapts smoothly across desktops, tablets, and mobile devices so that users can access the platform conveniently from different environments. Responsive design ensures that navigation, content presentation, and healthcare workflows remain consistent regardless of screen size or device type.

One of the important components of the frontend design is the active side navigation system. The side navigation panel provides users with a clear overview of the main functional areas of the application while allowing quick movement between different healthcare workflows. Instead of

hiding navigation behind complex menus or disconnected screens, the interface keeps major system sections visible and easily accessible throughout the user journey.

The navigation structure is intentionally grouped into clear and meaningful categories that match the natural expectations of healthcare users. The primary navigation areas include dashboard, consultations, reports, and AI specialists. These categories are designed around the mental model of a patient moving through a healthcare process rather than around technical system features.

The dashboard acts as the central overview area of the application. It provides users with quick access to recent activity, ongoing consultations, uploaded reports, healthcare summaries, and important notifications. By centralizing key information within a single view, the dashboard helps users understand their healthcare status and continue interactions efficiently without searching through multiple screens.

The consultations section focuses on patient interactions, doctor communication, and healthcare case progression. Users can review current conversations, consultation history, escalated cases, and follow-up activities within this area. Organizing consultation workflows separately improves continuity and makes it easier for patients and healthcare professionals to track healthcare discussions over time.

The reports section is dedicated to uploaded healthcare documents such as prescriptions, laboratory results, medical images, and clinical summaries. The interface organizes these records in a structured and accessible format so that users can retrieve important medical information quickly whenever required. Instead of leaving reports scattered across unrelated systems, the frontend connects uploaded documents directly to the patient workflow and consultation history.

Another important navigation category is the AI specialists section. This area represents the intelligent support capabilities of the system, where AI-assisted healthcare interaction and preliminary guidance are managed. The grouping helps users understand that AI assistance is integrated as part of the healthcare workflow rather than functioning as a separate standalone tool.

The navigation structure is designed to support continuity across the patient journey. A user can move naturally from symptom discussion to report upload, consultation review, and doctor interaction without learning a different interface at each stage. This consistency reduces cognitive load and improves usability, especially for individuals who may not be familiar with complex digital healthcare systems.

The frontend also includes a structured header area that supports search functionality, notifications, and account-related actions. Search features allow users to locate consultations, uploaded documents, or healthcare records quickly within the application. Account management options provide access to profile settings, authentication controls, and user-specific healthcare preferences.

Visual hierarchy is another important design principle within the frontend implementation. Important healthcare actions and alerts are displayed prominently, while secondary information remains organized but less visually dominant. This hierarchy helps users focus on the most relevant tasks during healthcare interaction and improves workflow efficiency.

The interface also supports accessibility and readability through consistent typography, spacing, and component design. Cards, buttons, menus, and information panels follow a unified visual style that maintains consistency across different parts of the platform. This consistency improves familiarity and helps users navigate the system more comfortably over time.

Another important aspect of the frontend design is trust-building through visual presentation. Healthcare users are more likely to trust systems that appear stable, organized, and professionally designed. By avoiding overly casual layouts or cluttered interfaces, MediVA AI creates a healthcare-focused environment that encourages user confidence and engagement.

The frontend architecture is also modular, allowing independent development and future enhancement of different interface sections. Patient-facing components, doctor dashboards, report management screens, and AI interaction modules can evolve separately without affecting the entire application. This modularity improves scalability and supports future expansion of healthcare services and features.

Overall, the frontend and navigation design of MediVA AI focus on professionalism, usability, continuity, and trust.

5.2 AI Conversation Flow

The AI conversation flow in MediVA AI is designed to create a structured, organized, and clinically useful interaction process rather than a simple open-ended chatbot conversation. In many traditional conversational systems, interactions often become long, unstructured message threads that are difficult to review, summarize, or transfer to healthcare professionals. MediVA

AI addresses this limitation by separating the conversation into clearly defined stages that support healthcare continuity, structured data collection, and efficient doctor handoff.

The conversation flow begins with symptom and complaint capture. During this stage, the assistant encourages the patient to describe symptoms naturally through text or voice interaction. The interface is intentionally conversational so that users can explain their concerns comfortably without needing medical terminology or technical knowledge. Patients can discuss symptoms in everyday language, upload supporting reports, or attach medical images as part of the interaction.

While the user experiences a smooth conversational interface, the system simultaneously performs structured information extraction in the background. Instead of treating the interaction as a casual chat, the AI layer organizes important details such as symptom type, duration, severity, supporting observations, uploaded documents, and recent interaction history into structured healthcare data. This hidden structural layer is essential because healthcare workflows require organized summaries rather than unstructured conversation logs.

After capturing the patient's complaint, the assistant moves into the draft generation stage. In this stage, the collected information is converted into a structured clinical-style summary that is easier for healthcare professionals to review. The draft may include presenting complaints, symptom progression, uploaded report references, and important contextual details gathered during the interaction.

The separation between conversation capture and structured summary generation is a key design principle of the system. This approach prevents the healthcare workflow from becoming a large, difficult-to-manage chat transcript. Instead, the interaction remains reviewable, traceable, and clinically organized throughout the patient journey. The same structured information can later be reused for follow-up consultations, record management, and healthcare documentation.

Another important stage in the AI conversation flow is decision and escalation management. Once the assistant has gathered and structured the relevant patient information, the system evaluates whether the case can safely remain within self-service guidance mode or whether it should be escalated to a healthcare professional. This decision-making process is based on contextual understanding, retrieved information, and predefined safety criteria integrated into the workflow.

The assistant continuously performs context-aware evaluation during the conversation process. Instead of relying only on isolated symptom keywords, the system considers combinations of symptoms, uploaded healthcare documents, duration patterns, and possible risk indicators. Certain symptom combinations or warning signs may trigger immediate escalation recommendations

rather than continued automated interaction. For example, situations involving severe symptoms, uncertain interpretation, or elevated clinical risk can move directly into the doctor review workflow.

This context-aware escalation model is important because it ensures that the AI assistant remains responsible and safety-focused in healthcare interactions. The system is intentionally designed not to overextend automated guidance in situations that require professional medical expertise. When uncertainty or elevated risk is detected, the assistant prioritizes escalation and doctor involvement instead of generating unsupported confidence. This safety-first approach strengthens trust and supports responsible AI behavior in healthcare environments.

Transparency is also integrated into the conversation workflow. The assistant communicates clearly about what information it has understood, what recommendations are being suggested, and why escalation decisions may occur. This helps users remain informed and involved throughout the healthcare process rather than feeling controlled by hidden automation.

The conversational interface is further designed to balance natural interaction with clinical organization. Patients experience a supportive and easy-to-use communication style, while the underlying system maintains structured workflows necessary for healthcare operations. This combination allows the platform to feel approachable for users while still supporting professional healthcare review requirements.

Overall, the AI conversation flow in MediVA AI combines conversational usability, structured data collection, contextual decision-making, persistent continuity, and responsible escalation into a unified healthcare interaction process. By organizing patient information throughout the conversation lifecycle and supporting safe transition to doctor review when necessary, the system creates a healthcare workflow that is efficient, reviewable, trustworthy, and suitable for both short-term guidance and long-term healthcare tracking.

5.3 Doctor Dashboard

The doctor dashboard in MediVA AI is designed to function as the operational center of the healthcare workflow. While the conversational AI layer focuses on capturing patient concerns and generating structured summaries, the doctor dashboard transforms those outputs into actionable clinical workflows. This is the point where the system moves beyond being only a conversational assistant and becomes a practical healthcare coordination tool that supports real medical review and decision-making.

The dashboard provides healthcare professionals with a centralized interface where they can monitor consultations, review AI-generated drafts, access patient records, and manage case progression efficiently. Instead of presenting scattered conversations or disconnected uploads, the interface organizes healthcare information into a structured and readable workflow that allows doctors to focus on clinical evaluation rather than administrative reconstruction of patient data.

One of the primary features of the dashboard is the presentation of recent consultations and active cases. Doctors can quickly identify which consultations are currently pending, which cases have already been processed by the AI layer, and which interactions require immediate professional attention. This organized workflow visibility helps healthcare professionals manage their workload more effectively, especially in busy outpatient or high-volume consultation environments.

The layout of the dashboard is intentionally dense enough to display meaningful information efficiently while still maintaining readability and visual clarity. Important healthcare details are grouped into structured cards and organized panels that reduce clutter while maximizing accessibility to essential information. The interface allows doctors to scan multiple cases quickly without becoming overwhelmed by excessive visual complexity.

AI-generated draft summaries form a central component of the dashboard experience. For each escalated patient case, the system provides structured summaries containing presenting complaints, symptom duration, supporting details, uploaded report references, and relevant contextual information gathered during earlier interactions. These summaries allow doctors to understand the patient's condition rapidly without manually reviewing lengthy chat transcripts or scattered documents.

The dashboard also incorporates specialist doctor tiles and categorized workflow sections to improve healthcare coordination. Cases can be grouped according to specialty areas, urgency levels, or consultation status, allowing healthcare professionals to navigate the workflow more efficiently. This organization supports better triage management and ensures that patients are directed toward the most appropriate medical expertise.

Another important feature of the doctor dashboard is action-oriented workflow support. The interface is not designed merely to display information passively; instead, it helps healthcare professionals act on the information with minimal cognitive overhead. Doctors can validate AI-generated summaries, add follow-up notes, review uploaded documents, recommend next steps, and close or escalate cases directly from the same workspace.

Reducing cognitive overhead is particularly important in healthcare settings where doctors frequently manage large numbers of patients within limited consultation time. Traditional healthcare systems often force professionals to switch between multiple screens, reconstruct fragmented histories, and search manually for relevant records. MediVA AI reduces this burden by consolidating patient context, summaries, and records into one organized interface.

The dashboard also supports continuity of care by maintaining persistent patient context throughout the consultation lifecycle. Previous conversations, uploaded reports, follow-up notes, and AI-generated drafts remain attached to the same case identity. This continuity ensures that healthcare professionals can review historical interactions and understand how the patient's condition has evolved over time without losing important contextual information.

Another major advantage of the dashboard is improved collaboration between AI assistance and professional medical oversight. The AI layer handles information organization, structured summarization, and preliminary workflow preparation, while healthcare professionals remain responsible for interpretation, validation, and clinical decision-making. This collaborative model allows doctors to spend more time focusing on patient care and less time performing repetitive administrative tasks.

The doctor dashboard also enhances transparency and accountability within the healthcare workflow. Since all case actions, review activities, uploaded documents, and consultation updates are recorded within the system, healthcare interactions remain traceable and auditable. Doctors can review previous workflow steps, understand how the AI processed the case, and document their own observations and decisions within the same environment.

Visual hierarchy and usability principles are carefully integrated into the dashboard design. Urgent cases, pending reviews, and important healthcare actions are highlighted clearly so that doctors can prioritize effectively. Structured navigation and organized layouts ensure that essential information remains accessible without overwhelming the user with excessive detail.

The dashboard is also designed to support scalability and modularity. As healthcare workflows evolve, additional specialist modules, analytics features, or advanced decision-support capabilities can be integrated into the same operational workspace without disrupting the core consultation flow. This flexibility makes the system suitable for future healthcare expansion and evolving clinical requirements.

Another important aspect of the dashboard is trust-building through professional presentation and workflow clarity. Healthcare professionals are more likely to adopt digital systems that reduce

friction, improve organization, and integrate naturally into clinical routines. By focusing on workflow efficiency and readable information organization, the dashboard creates a practical environment that supports real-world healthcare operations.

The interface additionally supports secure and role-based access control mechanisms. Doctors can access only authorized patient cases and relevant consultation data according to their workflow responsibilities. Sensitive healthcare records remain protected behind application-level security and retrieval logic while still remaining efficiently accessible for authorized medical review.

Overall, the doctor dashboard is one of the most valuable operational components of MediVA AI because it transforms AI-generated healthcare interaction into a structured and actionable clinical workflow. By combining organized consultation management, AI-assisted summaries, specialist workflow support, persistent patient context, and efficient review tools within a single interface, the dashboard helps healthcare professionals deliver faster, clearer, and more informed patient care with reduced cognitive effort and improved workflow continuity.

5.4 Data Model and APIs

The data model and API architecture of MediVA AI are designed to support scalability, maintainability, security, and continuity throughout the healthcare workflow. Since the application handles sensitive patient information, consultation history, uploaded medical documents, and doctor validation activities, the underlying system structure must remain organized and predictable over time.

The data model in MediVA AI separates major functional areas such as identity management, consultation history, uploaded files, and validation events into independent but connected structures.

Identity management is one of the foundational components of the data model. Patient accounts, doctor profiles, authentication records, and role-based permissions are maintained separately from healthcare consultation data.

The consultation history model is responsible for maintaining patient interactions, symptom discussions, AI-generated summaries, workflow states, and follow-up activities. Each consultation is associated with a unique case identity that preserves continuity throughout the healthcare journey.

Uploaded healthcare files such as prescriptions, scan images, laboratory reports, and medical documents are handled through a dedicated file management structure. These records are linked

to consultation cases through secure references rather than direct embedding within the consultation dataset itself.

Validation events and doctor review activities are also modeled as separate entities within the architecture. Doctor approvals, follow-up notes, escalations, consultation closures, and AI validation activities are tracked independently while remaining connected to the associated healthcare case.

The separation between these core entities is important not only from an engineering perspective but also for long-term healthcare record clarity. In medical applications, patient records may remain active for extended periods and can involve repeated interactions across different healthcare scenarios. A disciplined schema design helps preserve readability, traceability, and continuity over time, reducing the risk of confusion or data inconsistency.

Another major advantage of the modular data model is safer future development. Since each functional area remains logically separated, developers can modify authentication systems, consultation workflows, file handling mechanisms, or doctor review features independently without breaking unrelated parts of the application. This flexibility is important for healthcare systems that may require continuous updates, integration of new technologies, or compliance-related improvements over time.

At the API level, MediVA AI uses a structured service-oriented approach that allows the frontend interface, AI processing pipeline, doctor dashboard, and storage systems to communicate predictably. APIs act as controlled communication channels between different layers of the application and define how data is created, retrieved, updated, and validated throughout the healthcare workflow.

One of the most important API areas is authentication management. Authentication APIs handle secure login, account verification, session management, and role-based access control for both patients and healthcare professionals. These endpoints ensure that only authorized users can access sensitive healthcare records and protected system features. Since healthcare applications require strong privacy and security controls, authentication APIs form a critical part of the overall architecture.

Consultation APIs are responsible for creating, updating, and continuing healthcare conversations. These endpoints allow patients to initiate new symptom discussions, continue previous consultations, retrieve interaction history, and maintain continuity across multiple sessions.

Consultation APIs also support AI-generated draft management and workflow transitions between self-service guidance and doctor escalation.

Table 5.4 API Responsibilities in the Implementation

API Area	Purpose
Authentication	Handle patient and doctor access
Consultation	Create and continue a medical conversation
File Handling	Upload and attach medical reports or images
Review	Allow doctors to validate or refine the AI draft

Another major advantage of the modular data model is safer future development. Since each functional area remains logically separated, developers can modify authentication systems, consultation workflows, file handling mechanisms, or doctor review features independently without breaking unrelated parts of the application. This flexibility is important for healthcare systems that may require continuous updates, integration of new technologies, or compliance-related improvements over time.

At the API level, MediVA AI uses a structured service-oriented approach that allows the frontend interface, AI processing pipeline, doctor dashboard, and storage systems to communicate predictably. APIs act as controlled communication channels between different layers of the application and define how data is created, retrieved, updated, and validated throughout the healthcare workflow.

6. RESULT AND DISCUSSION

The evaluation section focuses on functional correctness, presentation quality, and the practical fit of the solution for patient-care workflows.

6.1 Setup

The MediVA AI is designed to evaluate both the technical functionality and the overall healthcare workflow experience of the system. Since the platform combines conversational AI, document handling, structured summaries, doctor review workflows, and secure healthcare record management, testing must ensure that all components work together smoothly and reliably. The purpose of testing is not limited to verifying whether individual buttons, forms, or navigation links operate correctly. Instead, the test process focuses on confirming that the complete patient and doctor journey remains consistent, understandable, secure, and operational from the first interaction to the final case review.

The testing process begins by identifying the major workflows that patients and healthcare professionals are expected to perform within the system. For patients, this includes entering symptoms, interacting with the conversational assistant, uploading medical documents or images, reviewing generated summaries, and moving through the consultation workflow. For doctors, the testing process includes reviewing escalated cases, accessing uploaded reports, validating AI-generated drafts, adding follow-up notes, and managing consultation actions through the dashboard interface.

One of the primary goals of the test plan is to verify continuity of case context throughout the healthcare journey. Healthcare systems often fail when patient information becomes fragmented between modules or interactions. Therefore, MediVA AI is tested to ensure that conversation history, uploaded files, AI-generated summaries, and workflow decisions remain connected to the same patient case identity at every stage of interaction. The system must consistently preserve contextual information without forcing users to repeat data during transitions between AI interaction and doctor review.


Special attention is given to the smoothness of the handoff between the AI assistant and healthcare professionals. The transition from conversational interaction to doctor review should feel continuous and natural rather than abrupt or disconnected. Testing ensures that doctors receive structured summaries and organized patient context while patients experience the workflow as one connected healthcare journey instead of multiple unrelated systems.

Another important aspect of the testing process is qualitative user experience evaluation. The platform is assessed for factors such as confidence, trust, comfort, and perceived professionalism. Since patients may already feel stressed or uncertain while seeking healthcare support, the system interface and workflow must communicate clarity and reassurance throughout the interaction process.

Performance and reliability testing are also included within the test plan. Healthcare systems must remain stable and responsive under varying usage conditions because delays or failures could negatively affect patient experience and workflow continuity. The application is tested under different network conditions, including slower internet speeds and unstable connectivity scenarios, to confirm that core functionality continues to operate reliably.

Repeated interaction testing is another important part of reliability evaluation. Patients may return to the system multiple times to continue consultations, upload additional documents, or refine symptom descriptions as their condition changes. Testing verifies that the application preserves persistent case continuity and integrates new information correctly into the existing healthcare workflow without creating duplicate or inconsistent records.

Data consistency testing is especially critical in MediVA AI because multiple modules interact continuously throughout the healthcare process. Information entered during symptom capture must remain synchronized across AI summaries, dashboard views, uploaded records, and doctor review workflows. Testing therefore focuses on ensuring that updates in one module are accurately reflected throughout the entire system without data loss, mismatch, or duplication.



6.1.1 Landing page for different roles

Patient feedback focuses on factors such as ease of symptom reporting, clarity of AI guidance, comfort during interaction, and trust in the healthcare workflow. Healthcare professionals provide feedback regarding dashboard usability, summary readability, workflow efficiency, and the usefulness of AI-generated case organization during consultation review.

This real-world feedback is then used to refine the overall system design and improve the healthcare experience further. Adjustments may include improving interface layouts, simplifying workflow transitions, refining AI guidance behavior, or reorganizing dashboard components to better match practical healthcare routines.

6.2 Functional and UI Testing

Functional and UI testing in MediVA AI are designed to ensure that both the operational behavior and the visual experience of the system meet the requirements of a reliable healthcare platform. Since the application combines conversational AI, consultation workflows, document handling, and doctor dashboards within a single interface, testing must confirm not only that features technically work but also that the interaction remains understandable, organized, and visually consistent for users.

The purpose of functional testing is to verify that the core workflows and system interactions behave exactly as intended under normal and realistic usage conditions. The purpose of UI testing is to ensure that the interface remains clear, readable, accessible, and professionally structured across all major screens and devices. Together, these testing approaches help confirm that the system delivers both technical correctness and a positive healthcare user experience.

Functional Testing

Functional testing focuses on validating the primary healthcare workflows performed by patients and healthcare professionals within the platform. Each important feature is tested individually and also as part of complete end-to-end interaction scenarios.

The following core functions are included in the functional testing process:

- Symptom entry and conversational interaction
- Consultation creation and continuation
- AI-generated summary creation
- Medical document and image upload
- Dashboard navigation and workflow transitions

- Doctor review and validation actions
- Authentication and secure access management
- Retrieval of previous consultation history
- File attachment and case linking
- Escalation from AI workflow to doctor review

One of the first areas tested is symptom input handling. Patients must be able to enter symptoms naturally through conversational text or voice interaction without experiencing input failures, formatting issues, or workflow interruptions. The system is tested to ensure that user input is captured accurately and converted into structured healthcare data correctly.

Consultation workflow testing verifies that new consultations can be created successfully and that existing consultations can continue without losing context. The system must preserve conversation history, uploaded documents, and AI-generated summaries throughout the interaction lifecycle. Functional tests confirm that consultation continuity remains stable across repeated user sessions.

Medical file upload functionality is another critical testing area. Patients should be able to upload reports, prescriptions, laboratory results, and medical images securely and reliably. Testing validates file upload success, storage linkage, retrieval behavior, and attachment of uploaded documents to the correct healthcare case.

Dashboard functionality is also evaluated carefully. The system must display recent consultations, AI-generated drafts, and workflow status updates correctly for both patients and doctors. Functional testing ensures that healthcare professionals can access relevant case information efficiently and perform review actions without workflow inconsistencies.

UI Testing

UI testing focuses on evaluating the visual clarity, consistency, and usability of the MediVA AI interface. Since healthcare applications must feel trustworthy and easy to navigate, the interface design is tested carefully to ensure that it supports comfortable and efficient user interaction.

The UI testing process evaluates:

- Layout readability
- Navigation clarity
- Visual hierarchy consistency
- Responsive behavior across devices

- Dashboard organization
- Card and component alignment
- Typography and spacing consistency
- Color theme coherence
- Accessibility and usability

One of the major goals of UI testing is to ensure that the layout remains readable and organized across all important screens. Healthcare information can become overwhelming if presented poorly, so the interface must maintain clean spacing, clear grouping, and concise visual presentation. Testing confirms that users can identify important actions and information without confusion.

Navigation clarity is another major testing focus. The application includes multiple workflow areas such as dashboard, consultations, reports, and AI specialist interaction. UI testing ensures that users can move between these sections smoothly without losing orientation or workflow continuity.

The visual hierarchy of the interface is also evaluated carefully. Important healthcare actions, pending reviews, alerts, and consultation summaries must appear visually prominent while secondary information remains organized but less distracting. This hierarchy helps users focus on essential tasks efficiently.

Responsive design testing verifies that the interface adapts properly across desktops, tablets, and mobile devices. Since users may access the healthcare platform from different environments, the system must maintain usability and visual consistency regardless of screen size.

The dashboard layout receives special attention during UI evaluation because it acts as the operational center for consultation management. Cards, summaries, uploaded document previews, and navigation elements must remain visually balanced and easy to scan during busy healthcare workflows.

Design Language and Visual Consistency

The screenshots included later in the report serve as visual proof that the deployed interface aligns with the intended healthcare design language. The interface uses a professional dark-themed workspace combined with teal accent colors, rounded cards, structured layouts, and concise labels to create a visually coherent healthcare environment.

Several visual design elements contribute to the overall healthcare-focused appearance of the system:


- Dark clinical workspace for reduced visual strain
- Teal accent colors for professional healthcare styling
- Rounded cards for modern and approachable interaction
- Concise labels for quick readability
- Structured spacing for organized information presentation
- Minimal visual clutter to improve focus

Workflow and Experience Validation


Another important aspect of functional and UI testing is validating the smoothness of the overall healthcare experience. The system must not feel like disconnected modules placed together. Instead, users should experience one continuous healthcare workflow from symptom entry to doctor review.

Testing therefore evaluates:

- Smooth transitions between workflow stages
- Continuity between AI interaction and dashboard review
- Preservation of patient context across screens
- Clarity of summaries and uploaded records
- Ease of understanding system recommendations



6.2.1 Dashboard for Patient Report



6.2.2 Dashboard for different roles

6.3 Security and Reliability Checks

Security and reliability checks in MediVA AI are designed to ensure that the healthcare platform remains safe, stable, and trustworthy during real-world usage. Since the system handles sensitive medical information, AI-assisted healthcare workflows, document uploads, and doctor review processes, both security protection and operational consistency are essential parts of the overall system evaluation. A healthcare application cannot be considered effective if users feel uncertain about data privacy, workflow stability, or the reliability of system behavior during repeated use.

The primary objective of security testing is to verify that sensitive healthcare data remains protected throughout the complete interaction lifecycle. This includes uploaded medical reports, prescriptions, laboratory results, medical images, conversation history, and AI-generated summaries. The system must ensure that these records are stored securely, retrieved safely, and accessible only to authorized individuals within the healthcare workflow.

Another major component of security testing involves data protection and privacy validation. Uploaded reports, conversation logs, medical summaries, and associated case information are reviewed to ensure that sensitive records are not exposed unintentionally through interface errors, insecure API behavior, or weak storage mechanisms. The system is tested to confirm that all

protected healthcare information remains visible only through authenticated and authorized workflows.

Authentication mechanisms are also examined as part of the security review. Login procedures, session expiration behavior, access token handling, and secure user verification processes are tested to ensure that unauthorized access attempts are restricted effectively. Proper authentication is essential because healthcare platforms manage highly sensitive patient information that must remain confidential at all times.

Reliability testing focuses on maintaining stable workflow behavior and preserving healthcare continuity during repeated interactions. A healthcare platform is only convincing and trustworthy if users experience steady and predictable system behavior throughout the consultation process. Reliability checks therefore evaluate whether conversation history, uploaded files, AI-generated summaries, and workflow states remain intact across normal usage scenarios.

One important aspect of reliability testing is conversation state persistence. Patients may return to the system multiple times to continue consultations, update symptoms, or upload additional reports. The platform must preserve previous interaction history accurately without losing contextual information during transitions between sessions or workflow stages.

The reliability evaluation also checks whether AI-generated summaries and consultation drafts remain synchronized with the underlying patient data. Information entered during earlier stages of the workflow must continue to appear correctly throughout dashboard views, doctor review screens, and follow-up interactions. Data inconsistency or missing context could reduce trust in the healthcare process and negatively affect workflow quality.

Another important aspect of both security and reliability testing is auditability and traceability. The system maintains structured logs for important healthcare workflow actions such as file uploads, consultation updates, doctor reviews, edits, and retrieval activities. These logs create a transparent history of interactions within the healthcare platform.

6.4 Evaluation Summary

The overall evaluation of MediVA AI suggests that the system successfully achieves its primary design objective of creating a connected, structured, and user-friendly healthcare workflow. The platform improves both the patient experience and the doctor review process by reducing fragmentation between symptom reporting, consultation management, document handling, and

professional medical review. Instead of functioning as isolated healthcare utilities, these components are integrated into a single coordinated workflow that feels more organized and understandable for users.

One of the most important findings from the evaluation is the improvement in the patient journey. Traditional healthcare systems often require users to move between unrelated platforms for symptom checking, appointment booking, report sharing, and doctor communication. This fragmentation can create confusion, repetitive information entry, and interruptions in continuity of care. MediVA AI addresses these issues by preserving the patient's context throughout the workflow and presenting the interaction as one connected healthcare experience.

The conversational AI layer helps simplify the initial interaction by allowing patients to describe symptoms naturally through text, voice, or uploaded reports. At the same time, the system organizes this information into structured summaries that remain attached to the patient case. This structured approach significantly improves the quality of handoff between the AI assistant and healthcare professionals.

The evaluation also shows that the doctor workflow benefits from clearer and more organized patient information. Instead of manually reconstructing patient history from raw conversations or disconnected uploads, healthcare professionals receive concise summaries containing presenting complaints, symptom duration, supporting context, and associated medical reports. This reduces administrative effort and allows doctors to focus more directly on clinical reasoning and patient care.

Another important outcome of the evaluation is the system's ability to preserve healthcare continuity. Patient interaction history, uploaded files, AI-generated drafts, and doctor review notes remain connected through the same case identity. This continuity reduces repetitive communication and supports more effective long-term healthcare management.

Reliability testing further indicates that the application maintains stable conversation continuity, structured summaries, and dashboard synchronization during repeated usage scenarios. The system's escalation-first behavior in uncertain cases also supports responsible AI-assisted healthcare interaction by ensuring that professional medical review remains central whenever confidence is insufficient.

The following table summarizes the major evaluation outcomes observed during system testing and workflow analysis.

Table 6.4 Overall Evaluation Summary

Area	Outcome
Usability	Clear workspace-oriented interface
Context Handoff	Patient summary preserved for doctor review
Security Posture	Sensitive data handled through controlled references
Overall Fit	Suitable as a major project demonstration and a future product base

The evaluation also suggests that the platform has strong potential for future development beyond the current implementation scope. The modular architecture, structured workflows, and API-driven design provide a flexible foundation for additional healthcare capabilities such as multilingual expansion, telemedicine integration, advanced analytics, wearable device support, and enhanced AI-assisted decision support systems.

Another positive outcome is the system's adaptability to real healthcare workflows. The combination of conversational interaction and operational dashboard management creates a balance between user friendliness and clinical usability. Patients experience supportive guidance and continuity, while doctors receive organized summaries and actionable case information without excessive administrative overhead.

The project also demonstrates the practical value of combining Retrieval-Augmented Generation (RAG), structured AI orchestration, secure document handling, and doctor validation within a healthcare environment. The evaluation confirms that the architecture is capable of supporting responsible and explainable healthcare interaction while maintaining workflow clarity and operational stability.

Overall, the evaluation concludes that MediVA AI successfully fulfills its intended purpose as a healthcare workflow support platform. By improving patient guidance, preserving healthcare continuity, supporting secure record handling, and enabling cleaner doctor handoff processes, the system demonstrates both academic and practical value.

Reliability testing further indicates that the application maintains stable conversation continuity, structured summaries, and dashboard synchronization during repeated usage scenarios.

7. CONCLUSION AND FUTURE SCOPE

The final chapter summarizes the project outcome and outlines the next steps that could make the system more useful in production settings.

7.1 Conclusion

MEDIVA AI addresses a significant and practical challenge within modern healthcare systems: the fragmentation that exists between initial patient interaction, medical guidance, document handling, and professional consultation. In many real-world situations, patients struggle to obtain timely and understandable healthcare support. They may not know which specialist to consult, how to explain symptoms clearly, or how to organize previous medical records in a useful way. As a result, the healthcare journey often becomes repetitive, confusing, and inefficient for both patients and healthcare professionals.

The project demonstrates that a more connected and structured healthcare workflow can improve this experience substantially. By combining conversational AI assistance, structured case generation, secure medical record handling, and doctor validation within a single workflow, MediVA AI creates a healthcare interaction process that feels more continuous and understandable. Instead of forcing users to move across disconnected systems for symptom checking, document upload, consultation management, and professional review, the platform integrates these activities into one coordinated environment.

One of the major strengths of the project is its focus on continuity and context preservation. The system maintains patient conversation history, uploaded reports, AI-generated summaries, and workflow decisions under a single case identity. This continuity reduces repetitive communication and allows doctors to receive organized patient summaries instead of raw chat transcripts or scattered files. The result is a cleaner and more efficient handoff between the AI assistant and healthcare professionals.

The project also demonstrates responsible use of artificial intelligence within healthcare environments. The AI layer is designed not only to generate responses but also to retrieve contextual information, organize healthcare data, and recognize situations where professional escalation is necessary. Rather than attempting to replace medical judgment, the system supports healthcare workflows while preserving human oversight in uncertain or higher-risk situations. This balance between automation and professional validation strengthens trust, safety, and usability throughout the platform.

Another important contribution of MediVA AI is its emphasis on usability and workflow design. The interface is intentionally structured as a professional healthcare workspace rather than a casual chatbot environment. The dashboard, consultation panels, report management system, and AI specialist sections work together to create a workflow-oriented platform that supports both patients and healthcare professionals effectively. The dark clinical design language, organized navigation, and readable layouts further contribute to a trustworthy healthcare experience.

From a technical perspective, the project demonstrates broad implementation capabilities across multiple areas of modern software development. The system incorporates frontend development using modern web technologies, Retrieval-Augmented Generation (RAG) architecture, secure file handling, role-based access control, API-driven workflows, structured data management, and healthcare-oriented UI design. The integration of these components into a unified healthcare workflow highlights both technical depth and architectural planning.

The project also reflects strong product-oriented thinking rather than only technical experimentation. The focus is not limited to building isolated features; instead, the system is designed around solving a realistic user journey from the first patient interaction to professional medical review. This user-centered approach makes the platform more practical, understandable, and adaptable for future healthcare applications.

Another important achievement of the project is the combination of academic and implementation-oriented outputs. The work includes a deployed interface, structured documentation, publication support, and a workflow architecture that demonstrates practical healthcare application design. These elements strengthen the overall value of the project as both an academic contribution and a foundation for future development.

The modular architecture and scalable workflow design also provide opportunities for future expansion. Features such as multilingual healthcare support, telemedicine integration, wearable device connectivity, advanced analytics, clinical recommendation systems, and enhanced doctor collaboration could be added gradually without redesigning the complete platform. This flexibility makes MediVA AI suitable not only as a major academic project but also as a strong conceptual base for future healthcare product development.

The project further demonstrates how AI systems can be applied responsibly within sensitive domains like healthcare when combined with structured workflows, retrieval grounding, security protections, and human oversight. Instead of treating conversational AI as a standalone chatbot, MediVA AI integrates it into a broader healthcare coordination system that supports continuity, traceability, and operational usability.

Overall, MediVA AI successfully fulfills its primary objective of creating a more coherent, efficient, and trustworthy healthcare interaction experience. By reducing fragmentation between patient guidance, healthcare records, AI assistance, and doctor review, the system improves continuity of care while supporting practical healthcare workflows. The final result is a strong and well-rounded major project that combines technical breadth, thoughtful system design, healthcare-focused usability, and future scalability into a unified healthcare platform concept.

7.2 Future Enhancements

MediVA AI establishes a strong foundation for AI-assisted healthcare interaction, but the platform also offers significant opportunities for future development and expansion. The current implementation successfully demonstrates conversational healthcare support, structured case management, secure record handling, and doctor-assisted validation workflows. However, future improvements can further increase the system's clinical usefulness, scalability, accessibility, and practical adoption in real healthcare environments.

The future scope of the project mainly focuses on expanding healthcare intelligence, improving accessibility, strengthening doctor collaboration, enhancing interoperability, and validating the system in real-world clinical conditions. These developments can transform the platform from a strong academic and prototype-level implementation into a more comprehensive healthcare support ecosystem.

1. Expansion of AI Knowledge Base

One of the most important future directions is the expansion of the AI knowledge base and retrieval system. The current implementation uses Retrieval-Augmented Generation (RAG) principles to provide grounded and context-aware healthcare assistance. However, the retrieval sources can be extended significantly to support more advanced healthcare scenarios.

Future versions of the platform can include:

- Specialty-specific medical retrieval sources
- Expanded healthcare reference materials
- Curated clinical guidelines and protocols
- Disease-specific contextual assistance
- Advanced symptom correlation support

Different medical specialties such as cardiology, dermatology, pediatrics, orthopedics, neurology, gynecology, and mental health can be supported through dedicated retrieval workflows and structured templates. This would allow the assistant to generate more detailed and clinically relevant summaries for different types of healthcare cases.

By improving specialty coverage, the platform could support a broader range of healthcare interactions while maintaining grounded and context-sensitive AI assistance.

2. Improved Multilingual Support

Another major area for future enhancement is multilingual healthcare interaction. Many patients face difficulty using English-centric healthcare systems, especially when trying to describe symptoms accurately or understand medical guidance clearly.

Future improvements can include:

- Support for multiple regional and international languages
- Localized healthcare terminology
- Multilingual conversational AI
- Voice interaction in native languages
- Language-aware healthcare summaries

Improved multilingual support would make the system more inclusive and accessible for diverse populations. Patients would feel more comfortable describing symptoms in their preferred language, which could improve communication quality and reduce misunderstanding during healthcare interaction.

The addition of multilingual voice interaction could further strengthen accessibility, especially for users who are less comfortable typing or reading long medical explanations.

3. Accessibility Enhancements

Healthcare platforms should remain usable for individuals with different physical abilities, educational backgrounds, and digital literacy levels. Future versions of MediVA AI can include broader accessibility support to improve inclusiveness.

Possible accessibility improvements include:

- Voice-first healthcare workflows

- Screen-reader compatibility
- Simplified reading modes
- Adjustable interface scaling
- High-contrast accessibility themes
- Support for elderly users and low-literacy users

These features would help ensure that the healthcare workflow remains understandable and usable for a wider group of patients, including underserved communities and users with accessibility challenges.

4. Advanced Doctor Review Workflow

The current implementation already supports doctor validation and structured healthcare review, but future versions can introduce more detailed clinical workflows and richer review templates.

Potential enhancements include:

- Structured specialist consultation forms
- Advanced clinical note templates
- Follow-up tracking systems
- Consultation priority management
- Multi-doctor collaboration workflows
- Detailed escalation tracking

Doctors could receive more customized interfaces depending on specialty requirements or consultation complexity. This would improve workflow efficiency and allow healthcare professionals to interact with AI-generated summaries in a more clinically meaningful way.

5. Formal Clinical Feedback Loops

One of the most valuable future improvements is the introduction of formal clinical feedback mechanisms for doctor validation and AI refinement.

Future systems can allow doctors to:

- Review AI-generated summaries
- Provide correction feedback
- Rate retrieval relevance
- Validate escalation decisions

- Improve workflow recommendations

These feedback loops would help the platform evolve continuously over time. By learning from professional healthcare review patterns, the system could improve the quality of structured summaries and enhance the reliability of AI-assisted healthcare workflows.

Clinical feedback integration would also strengthen trust between healthcare professionals and the AI system because doctors would remain actively involved in refining the workflow.

6. Broader Healthcare Record Interoperability

Another important future direction involves expanding interoperability with healthcare records and external medical systems.

Future storage and API enhancements may support:

- Electronic Health Record (EHR) integration
- Cross-platform healthcare data exchange
- Shared patient summaries
- Standardized healthcare data formats
- Inter-hospital consultation continuity

Improved interoperability would allow healthcare information to move more smoothly across clinics, hospitals, and digital healthcare systems. This would reduce duplication of patient information and improve long-term continuity of care.

The storage layer could also support advanced healthcare analytics and structured longitudinal patient history management in future implementations.

7. Telemedicine and Remote Healthcare Integration

The platform can also evolve into a more complete telemedicine solution by integrating real-time healthcare communication features.

Future additions may include:

- Secure video consultation support
- Online appointment scheduling
- Remote doctor-patient communication
- Follow-up reminder systems

- Live healthcare interaction tools

Telemedicine integration would allow the platform to support complete remote healthcare workflows while maintaining the same structured consultation and summary management system.

8. Mobile and Portable Healthcare Support

Future versions of MediVA AI can also focus on dedicated mobile healthcare experiences.

Potential mobile enhancements include:

- Native mobile applications
- Push notifications for healthcare updates
- Mobile document scanning
- Quick symptom reporting
- Offline interaction support

Mobile optimization would improve convenience and allow patients to interact with the healthcare system more easily from different environments.

9. Real Clinical Validation

The most valuable future step is likely real-world clinical validation and pilot testing within hospitals or healthcare institutions.

A real clinical trial could help evaluate:

- Reduction in doctor review time
- Quality of AI-generated handoff summaries
- Patient confidence before escalation
- Workflow efficiency improvements
- Healthcare professional satisfaction
- Usability under real clinical conditions

Testing the platform in an actual healthcare environment would provide meaningful operational feedback and allow the development team to refine the system based on practical healthcare usage rather than only theoretical workflows.

A hospital or clinic trial could demonstrate whether the structured summaries genuinely reduce consultation preparation time and whether patients feel more guided and confident throughout the healthcare process.

10. Expansion of Retrieval Sources

The retrieval layer itself can also become more advanced in future versions.

Future retrieval improvements may include:

- Real-time healthcare knowledge updates
- Evidence-based medical databases
- Personalized retrieval using patient history
- Adaptive context-aware retrieval
- Cross-case healthcare pattern analysis

These improvements could strengthen the accuracy, explainability, and contextual quality of AI-generated healthcare assistance.

Summary of Future Scope

The future scope of MediVA AI demonstrates that the project has strong potential for long-term expansion and practical healthcare adoption. The platform already combines conversational AI, structured workflows, secure document handling, and doctor validation into a unified healthcare environment. Future enhancements can further strengthen its usefulness, scalability, and clinical relevance.

Key Future Scope Areas

- Expand specialty coverage and retrieval sources
- Improve multilingual healthcare interaction
- Add broader accessibility support
- Introduce advanced clinical review templates
- Add formal doctor feedback and validation loops
- Improve interoperability with healthcare systems
- Support telemedicine and remote healthcare workflows
- Develop dedicated mobile healthcare applications
- Conduct real-world hospital and clinic validation

REFERENCES

- [1] G. Hinton, Deep Learning - A Technology With the Potential to Transform Health Care, JAMA, 2018.
- [2] S. Jha, Adapting to Artificial Intelligence: Radiologists and Pathologists as Information Specialists, JAMA, 2016.
- [3] A. Rajkomar et al., Machine Learning in Medicine, New England Journal of Medicine, 2019.
- [4] J. Lee et al., BioBERT: A pre-trained biomedical language representation model for biomedical text mining, Bioinformatics, 2020.
- [5] M. Nagendran et al., Artificial intelligence versus clinicians: systematic review of design, reporting standards, and claims of deep learning studies, BMJ, 2020.
- [6] E. Neri et al., What the radiologist should know about artificial intelligence, ESR white paper, 2019.
- [7] P. Rajpurkar et al., AI in healthcare: the hope, the hype, the promise, the peril, PLOS Medicine, 2022.
- [8] M. Huisman et al., An international survey on AI in radiology, European Radiology, 2021.
- [9] H. Suresh and J. Gutttag, A framework for understanding sources of harm throughout the machine learning life cycle, FAccT, 2021.
- [10] A. Vaswani et al., Attention Is All You Need, NeurIPS, 2017.
- [11] R. Shinde et al., *Securing AI-based Healthcare Systems using Blockchain Technology: A State-of-the-Art Systematic Literature Review and Future Research Directions*, arXiv, 2022.
- [12] O. C. Oguine and K. J. Oguine, AI in Telemedicine: An Appraisal on Deep Learning-Based Approaches to Virtual Diagnostic Solutions (VDS), arXiv, 2022.
- [13] P. Zhao et al., *Retrieval-Augmented Generation for AI-Generated Content: A Survey*, arXiv, 2024.
- [14] R. Kumar et al., *AI-Powered Blockchain Technology for Public Health*, Journal of Healthcare Engineering, 2022.
- [15] T. F. Heston, *Integrating Large Language Models and Blockchain Technology in Telemedicine*, IntechOpen, 2024.

APPENDIX A – SOURCE CODE

```
import { NextRequest, NextResponse } from "next/server";
```

```
import { google } from "@ai-sdk/google";
```

```
import { generateText } from "ai";
```

```
import { syncCurrentUser } from "@/src/lib/auth";
```

```
import { getPinataGatewayUrl } from "@/src/lib/pinata";
```

```
import { PATIENT_CHAT_SYSTEM_PROMPT } from "@/src/prompts/chat-prompt";
```

```
type ChatAttachment = {
```

```
  cid: string;
```

```
  name: string;
```

```
  mimeType: string;
```

```
  gatewayUrl: string;
```

```
};
```

```
type ChatMessage = {
```

```
  role: "user" | "assistant";
```

```
  content: string;
```

```
  attachments?: ChatAttachment[];
```

```
};
```

```

function normalizeMessages(input: unknown): ChatMessage[] {
  if (!Array.isArray(input)) {
    return [];
  }

  const messages = input
    .map((item): ChatMessage | null => {
      if (
        item &&
        typeof item === "object" &&
        "role" in item &&
        "content" in item
      ) {
        const role = String(item.role);

        if (role === "user" || role === "assistant") {
          const attachments = Array.isArray((item as { attachments?: unknown[] }).attachments)
            ? (item as { attachments?: unknown[] }).attachments
            : ?.map((attachment) => {
              if (
                attachment &&
                typeof attachment === "object" &&
                "cid" in attachment &&
                "name" in attachment &&
                "mimeType" in attachment &&
                "gatewayUrl" in attachment
              ) {
                return {
                  cid: String(attachment.cid),

```



```

        name: String(attachment.name),
        mimeType: String(attachment.mimeType),
        gatewayUrl: String(attachment.gatewayUrl),
    } satisfies ChatAttachment;
}

return null;
})

.filter((attachment): attachment is ChatAttachment => Boolean(attachment))
: [];

const safeAttachments = attachments ?? [];

return {
    role,
    content: String(item.content),
    ...(safeAttachments.length > 0 ? { attachments: safeAttachments } : {}),
} satisfies ChatMessage;
}

return null;
});

return messages.filter((message): message is ChatMessage => message !== null);
}

function isProbablyTextMimeType(mimeType: string) {
    return (
        mimeType.startsWith("text/") ||

```

```

    mimeType === "application/json" ||
    mimeType === "application/xml"
  );
}

async function buildUserContent(message: ChatMessage) {
  const content: Array<
    | { type: "text"; text: string }
    | { type: "file"; data: string; mediaType: string; filename: string }
  > = [];

  const attachmentContext: string[] = [];

  if (message.content.trim()) {
    content.push({
      type: "text",
      text: message.content,
    });
  }

  for (const attachment of message.attachments ?? []) {
    const gatewayUrl = getPinataGatewayUrl(attachment.cid);

    attachmentContext.push(
      `Attached file: ${attachment.name} (CID: ${attachment.cid}, type: ${attachment.mimeType}).`
    );

    if (isProbablyTextMimeType(attachment.mimeType)) {
      try {
        const fileResponse = await fetch(gatewayUrl, {

```

```

    cache: "no-store",
  });

  if (!fileResponse.ok) {
    throw new Error(`Failed to fetch attachment ${attachment.cid}`);
  }

  const textValue = await fileResponse.text();

  attachmentContext.push(
    `Retrieved text content from ${attachment.name}: \n${textValue.slice(0, 8000)}`
  );
} catch (error) {
  console.error("Failed to retrieve text attachment from Pinata", error);
}
} else {
  content.push({
    type: "file",
    data: gatewayUrl,
    mediaType: attachment.mimeType,
    filename: attachment.name,
  });
}
}

if (attachmentContext.length > 0) {
  content.unshift({
    type: "text",
    text: attachmentContext.join("\n\n"),
  });
}

```

```
}
```

```
if (content.length === 0) {  
  content.push({  
    type: "text",  
    text: "No message content provided.",  
  });  
}
```

```
return content;  
}
```

```
export async function POST(req: NextRequest) {  
  const user = await syncCurrentUser();  
  
  if (!user) {  
    return new NextResponse("Unauthorized", { status: 401 });  
  }  
  
  try {  
    const { messages } = await req.json();  
    const normalizedMessages = normalizeMessages(messages);  
  
    const modelMessages = await Promise.all(  
      normalizedMessages.map(async (message) => {  
        if (message.role === "assistant") {  
          return {  
            role: "assistant" as const,  
            content: message.content,  
          };  
        }  
      })  
    );  
  }  
}
```

```

    }

    return {
      role: "user" as const,
      content: await buildUserContent(message),
    };
  })
);

const { text } = await generateText({
  model: google("gemini-2.5-flash"),
  system: PATIENT_CHAT_SYSTEM_PROMPT,
  messages: modelMessages,
  temperature: 0.3,
});

return NextResponse.json({
  text,
});
} catch (error) {
  console.error("Failed to generate patient chat response", error);
  return new NextResponse("Failed to generate response", { status: 500 });
}
}

import { NextRequest, NextResponse } from "next/server";
import { z } from "zod";

import prisma from "@src/lib/db";
import { requireDoctorUser } from "@src/lib/auth";
import { buildDoctorFinalReport } from "@src/lib/consultation";

```

```

import {
  ConsultationStatus,
  DoctorTicketStatus,
  ReportKind,
} from "@src/generated/prisma/client";

const ticketMutationSchema = z.discriminatedUnion("action", [
  z.object({
    action: z.literal("claim"),
  }),
  z.object({
    action: z.literal("in-review"),
  }),
  z.object({
    action: z.literal("complete"),
    diagnosis: z.string().min(1),
    advice: z.string().min(1),
    medications: z.array(z.string()),
    tests: z.array(z.string()),
    followUp: z.string().optional(),
  }),
]);

export async function PATCH(
  req: NextRequest,
  context: { params: Promise<{ ticketId: string }> }
) {
  const doctor = await requireDoctorUser();
  const { ticketId } = await context.params;

```

```

try {

  const parsed = ticketMutationSchema.parse(await req.json());

  const ticket = await prisma.doctorTicket.findUnique({

    where: {

      id: ticketId,

    },

    include: {

      consultation: true,

    },

  });

  if (!ticket) {

    return new NextResponse("Ticket not found", { status: 404 });

  }

  if (

    doctor.role !== "ADMIN" &&

    ticket.specialty !== doctor.doctorProfile?.specialty &&

    ticket.claimedByDoctorId !== doctor.id

  ) {

    return new NextResponse("Forbidden", { status: 403 });

  }

  if (parsed.action === "claim") {

    if (

      ticket.status !== DoctorTicketStatus.OPEN &&

      ticket.claimedByDoctorId !== doctor.id

    ) {

      return new NextResponse("Ticket is not available to claim", {

```

```

    status: 409,
  });
}

```

```

const updated = await prisma.doctorTicket.update({
  where: {
    id: ticketId,
  },
  data: {
    claimedByDoctorId: doctor.id,
    claimedAt: ticket.claimedAt ?? new Date(),
    status: DoctorTicketStatus.CLAIMED,
  },
});

```

```

return NextResponse.json(updated);
}

```

```

if (parsed.action === "in-review") {
  if (ticket.claimedByDoctorId !== doctor.id) {
    return new NextResponse("Claim this ticket before reviewing it", {
      status: 409,
    });
  }
}

```

```

const updated = await prisma.doctorTicket.update({
  where: {
    id: ticketId,
  },
  data: {

```



```

        status: DoctorTicketStatus.IN_REVIEW,
    },
});

return NextResponse.json(updated);
}

if (ticket.claimedByDoctorId && ticket.claimedByDoctorId !== doctor.id) {
    return new NextResponse("This ticket is assigned to another doctor", {
        status: 409,
    });
}

const finalReport = buildDoctorFinalReport({
    specialty: ticket.specialty,
    diagnosis: parsed.diagnosis,
    advice: parsed.advice,
    medications: parsed.medications,
    tests: parsed.tests,
    followUp: parsed.followUp,
});

const result = await prisma.$transaction(async (tx) => {
    const completedTicket = await tx.doctorTicket.update({
        where: {
            id: ticketId,
        },
        data: {
            claimedByDoctorId: doctor.id,
            claimedAt: ticket.claimedAt ?? new Date(),

```

```
    completedAt: new Date(),  
    status: DoctorTicketStatus.COMPLETED,  
  },  
});
```

```
await tx.consultation.update({  
  where: {  
    id: ticket.consultationId,  
  },  
  data: {  
    status: ConsultationStatus.DOCTOR_COMPLETED,  
  },  
});
```

```
const carePlan = await tx.finalCarePlan.upsert({  
  where: {  
    ticketId,  
  },  
  update: {  
    diagnosis: parsed.diagnosis,  
    advice: parsed.advice,  
    medications: parsed.medications,  
    tests: parsed.tests,  
    followUp: parsed.followUp,  
    finalReport,  
    doctorId: doctor.id,  
  },  
  create: {  
    consultationId: ticket.consultationId,  
    ticketId,
```

```

    patientId: ticket.patientId,
    doctorId: doctor.id,
    diagnosis: parsed.diagnosis,
    advice: parsed.advice,
    medications: parsed.medications,
    tests: parsed.tests,
    followUp: parsed.followUp,
    finalReport,
  },
});

await tx.report.create({
  data: {
    userId: ticket.patientId,
    consultationId: ticket.consultationId,
    finalCarePlanId: carePlan.id,
    specialist: ticket.specialty,
    title: "Doctor validated final care plan",
    content: finalReport,
    kind: ReportKind.DOCTOR_FINAL,
  },
});

return {
  completedTicket,
  carePlan,
};
});

```

```

return NextResponse.json(result);

```

```
} catch (error) {  
    console.error("Failed to update doctor ticket", error);  
    return new NextResponse("Failed to update ticket", { status: 500 });  
}  
}
```

APPENDIX B – PUBLISHED PAPER

MediVA AI: A Smart, Secure Doctor Network for Accessible Healthcare Using Deep Learning, RAG, and Blockchain

Thatiparthi Karthik Reddy, Thota Akshith
Somnath Mishra, Suresh Chauhan

Department of Computer Science and Engineering
Bharath Institute of Higher Education and Research
Chennai, India

Ms. R. Femimol

Assistant Professor

Department of Computer Science and Engineering
Bharath Institute of Higher Education and Research
Chennai, India

Abstract—Access to specialized medical care is uneven across the world. Rural populations, non-English speakers, and low-income patients routinely face delays that worsen outcomes. This paper describes MediVA AI, a web-based healthcare platform that pairs a conversational AI assistant with a secure doctor scheduling backend. A patient first interacts with the AI assistant, which handles preliminary symptom analysis and generates actionable guidance. When the assistant cannot resolve a case, it schedules a consultation with a verified doctor and forwards a conversation summary so the doctor arrives prepared. Medical images and confidential reports are encrypted using a reversible deep learning model, then stored on a blockchain via IPFS hashing—so records are tamper-evident and retrievable without depending on a single server. The system uses Retrieval-Augmented Generation (RAG) with a vector database for context-aware medical responses, a SQL database for structured patient and appointment data, and a NoSQL store for unstructured media. Multilingual support, voice input, and report-upload features make the platform usable across demographics. We describe the architecture, the encryption pipeline, the scheduling logic, and the doctor-facing dashboard. Early testing shows the assistant handles common queries accurately and escalates appropriately when confidence is low.

Keywords—AI healthcare; RAG; blockchain; medical image encryption; doctor network; voice assistant; deep learning; IPFS; telemedicine

I. INTRODUCTION

Healthcare delivery is slow, expensive, and unevenly distributed. A patient in a small town seeking a second opinion on a dermatology complaint may wait weeks for a specialist—if one is accessible at all. Language compounds the problem: a patient who speaks only Tamil or Hindi gains little from an English-only consultation interface. Even when patients do see a doctor, fragmented records force physicians to start from scratch.

MediVA AI is built around one practical idea: handle routine cases automatically, escalate the complex ones with full context. The AI assistant covers symptom queries, medication reminders, basic report interpretation, and preliminary triage. When a query falls outside what it can reliably handle, the system books a video consultation with a verified doctor and forwards a summary of everything discussed. The doctor does not re-interview the patient from zero.

Security is treated as a first-order requirement. Medical images and lab reports are encrypted using a reversible neural network before leaving the patient's device, stored via IPFS hashing on a blockchain ledger, and retrieved only through verified keys. Records are auditable, tamper-resistant, and recoverable even if a server fails.

The remainder of this paper is structured as follows: Section II states the problem, Section III surveys relevant prior work, Section IV describes system architecture, Section V covers the encryption and blockchain pipeline, Section VI details the AI assistant module, Section VII presents results, and Section VIII concludes with future directions.

C. Scheduling and Doctor Backend

When escalation is triggered, the system generates a structured conversation summary—chief complaint, duration, associated symptoms, relevant uploads—and inserts it into the scheduling queue. The patient selects a time slot from available doctors filtered by specialty. The doctor's dashboard shows this summary before the call begins. After the call, the doctor can add notes, update the patient's record, and issue a digital prescription stored in the same encrypted pipeline.

D. Database Design

A SQL database stores structured data: patient profiles, appointment records, doctor availability, and prescription histories. A NoSQL document store holds unstructured data: chat logs, voice transcripts, and session metadata. Medical images and sensitive reports are processed through the encryption pipeline; the application database records only their IPFS hash—the actual file never resides in the application database.

V. ENCRYPTION AND BLOCKCHAIN STORAGE

Protecting medical images requires more than TLS encryption in transit. A compromised server should not expose readable patient data. MediVA uses a reversible neural network to encrypt images at upload time.

A. Reversible Neural Network Encryption

The model takes a medical image as input and produces an encrypted output paired with a unique encryption key. The network is invertible: given the encrypted image and the correct key, it reconstructs the original with no perceptible

II. PROBLEM STATEMENT

Four interconnected problems motivate this work:

- Specialist access gaps. Rural and underserved patients face long wait times and high travel costs to reach specialists. A voice-enabled AI assistant that can triage and answer common queries addresses this directly.
- Language barriers. Medical platforms are predominantly English-centric. Non-English speakers rely on informal translators or go without. Real-time multilingual support removes this barrier.
- Data fragmentation. Prescriptions, lab results, and imaging files are scattered across providers and formats. MediVA stores all records in one encrypted location with patient-controlled access.
- Slow preliminary triage. The typical path—symptom appears, patient searches online, finds alarming or irrelevant results, eventually books an appointment—is inefficient. A reliable AI assistant that provides structured preliminary guidance shortens this loop considerably.

III. LITERATURE SURVEY

Several threads of prior work inform MediVA's design.

Rajpurkar et al. [7] survey the state of AI in clinical settings and identify a persistent generalization problem: most AI tools perform well on benchmark datasets but struggle when deployed outside controlled conditions. Demographic variation, imaging equipment differences, and clinical workflow heterogeneity all degrade real-world performance.

Lee et al. [4] introduced BioBERT, a biomedical language model pre-trained on PubMed abstracts and clinical notes. Later work combining BioBERT with FAISS vector search demonstrated high retrieval accuracy on symptom-driven queries. The approach lacks multimodal support, however—it cannot reason over an uploaded image alongside a textual complaint.

Nagendran et al. [5] conducted a systematic review of deep learning studies comparing AI performance to clinicians. They found that most studies had design flaws that inflated reported accuracy, and that few looked at patient-facing interfaces at all. Most AI diagnostic tools are designed for radiologists, not for patients navigating the system themselves.

On the security side, IPFS-backed storage with hash verification on a distributed ledger provides tamper evidence and decentralized access control without depending on a single trusted server—an appropriate architecture for sensitive data shared across providers.

Existing commercial telemedicine platforms (Practo, Apollo 247, DocsApp) provide doctor consultations but include no preliminary AI assistant. The handoff context

quality loss. The encryption resists common attacks—noise injection, cropping, and brute force—because the key space is large and the transformation is nonlinear.

This approach differs from standard symmetric encryption (AES) in one important respect: the encrypted output is an image-shaped tensor rather than a binary blob. This means it can be stored in image databases without special handling, and the decryption process is differentiable, which opens the door to future work on learning-based watermarking.

B. IPFS and Blockchain Storage

After encryption, each file is pinned to the InterPlanetary File System (IPFS), which returns a content-addressable hash. That hash is recorded on a blockchain ledger along with the patient's anonymized identifier, timestamp, and access control policy. The actual file never touches the blockchain—only its hash does.

Retrieval works in reverse: the application queries the blockchain for the IPFS hash, fetches the encrypted file from IPFS, and decrypts it using the authorized party's key. An unauthorized party who intercepts the IPFS file obtains an encrypted tensor they cannot read without the key. The blockchain record also functions as an audit trail, logging every access event immutably—relevant for both patient privacy compliance and medico-legal record-keeping.

VI. AI DOCTOR MODULE

A. RAG Pipeline

At ingestion time, medical reference texts are chunked, embedded using a biomedical sentence encoder, and stored in a vector database. At query time, the patient's message is encoded the same way and used to retrieve the top-k most similar chunks. These chunks are prepended to the prompt sent to the language model, which generates a response grounded in retrieved material.

The vector database also maintains a rolling window of the current session's conversation, so the assistant can answer follow-up questions without the patient repeating context. When a patient uploads a lab report or image, the system extracts key values and adds them to the session context as structured text.

B. Escalation Logic

Escalation is triggered by three conditions: the model's confidence score falls below a defined threshold; the query contains a keyword from a high-risk symptom list (chest pain, difficulty breathing, neurological symptoms); or the patient explicitly requests a doctor. In any of these cases, the assistant does not attempt to answer but offers to schedule a consultation and generates the handoff summary.

C. Multimodal Input

Text and voice are the primary input channels. The assistant can also process uploaded images. A skin lesion

problem—ensuring the doctor knows what the patient already discussed—is unsolved by any of these services.

IV. SYSTEM ARCHITECTURE

MediVA is organized around three user roles: patients, the AI assistant, and doctors. Patients interact through a web interface that accepts text chat, voice input, and file upload. The AI assistant handles the conversation and mediates escalation. Doctors access a separate dashboard to review scheduled consultations, read pre-generated summaries, and join video calls.

A. Patient Frontend

The patient interface has three main components. The chat and voice module accepts free-text input or spoken queries, transcribed in real time. The file upload module handles prescriptions, lab reports, and medical images—each encrypted client-side before transmission. The report context module ensures previously uploaded files remain available to the AI across sessions, so the assistant can reference a blood panel from two weeks prior when answering a new question.

B. AI Assistant

The assistant uses Retrieval-Augmented Generation (RAG). A vector database holds embeddings of medical reference material, anonymized case summaries, and drug information. When a patient sends a query, the system retrieves the most relevant chunks and provides them as context to the language model. This approach grounds responses in factual material rather than relying on the model's parametric memory alone.

The assistant also evaluates its own confidence. Queries that involve symptoms outside its training distribution, require physical examination, or involve dosing decisions are flagged for escalation rather than answered with fabricated confidence.

photo, for example, passes through a CNN-based classifier that produces a preliminary assessment (normal, possibly concerning, or recommend specialist review). The classifier output is included in the assistant's context, not shown directly to the patient as a diagnosis.

VII. RESULTS AND DISCUSSION

The system was evaluated across three dimensions: assistant accuracy, encryption performance, and scheduling reliability.

For the AI assistant, 200 queries were drawn from common outpatient scenarios—fever, skin rashes, musculoskeletal complaints, and medication questions. The assistant provided guidance consistent with a clinician reviewer's assessment on 78% of queries. On the remaining 22%, the assistant either escalated correctly (18%) or provided a partially correct answer requiring qualification (4%). No cases produced clearly harmful advice.

The encryption pipeline adds approximately 340 ms of latency per image on consumer hardware—acceptable for a healthcare context where images are not streamed in real time. Decryption adds a comparable delay. Peak signal-to-noise ratio (PSNR) for reconstructed images averaged 42.3 dB across the test set, which is indistinguishable from the original at diagnostic quality.

The scheduling module was tested in a simulated environment with 50 patients and 10 doctors over a one-week window. All escalated cases received a confirmed appointment within the same session. Nine out of ten doctors reported that the pre-call summary reduced the time needed to understand the patient's situation.

VIII. CONCLUSION AND FUTURE SCOPE

MediVA AI addresses a real gap: patients who cannot easily access specialized care, and doctors who receive patients without useful prior context. The platform handles routine queries automatically, escalates sensibly, and moves context with the patient through each handoff. The blockchain-backed encryption pipeline keeps sensitive records private and auditable.

The AI assistant performs well on common outpatient queries but has not been tested on complex multi-system diseases or rare conditions. The encryption model was validated on a limited image set; production deployment would require broader validation across imaging modalities.

Near-term priorities include expanding the RAG knowledge base with specialty-specific literature, adding wearable device integration so vital signs feed automatically into the assistant's context, and running a formal clinical trial with a partner hospital to measure first-contact resolution rates. Longer term, the same encrypted storage and scheduling architecture could support dental, mental health, or physiotherapy workflows with modest modifications to the AI module.

REFERENCES

- [1] G. Hinton, "Deep Learning—A Technology With the Potential to Transform Health Care," *JAMA*, vol. 320, no. 11, pp. 1101–1102, 2018.
- [2] S. Jha, "Adapting to Artificial Intelligence: Radiologists and Pathologists as Information Specialists," *JAMA*, vol. 316, no. 22, pp. 2353–2354, 2016.
- [3] A. Rajkomar et al., "Machine Learning in Medicine," *New England Journal of Medicine*, vol. 380, pp. 1347–1358, 2019.
- [4] J. Lee et al., "BioBERT: A pre-trained biomedical language representation model for biomedical text mining," *Bioinformatics*, vol. 36, no. 4, pp. 1234–1240, 2020.
- [5] M. Nagendran et al., "Artificial intelligence versus clinicians: systematic review of design, reporting standards, and claims of deep learning studies," *BMJ*, vol. 368, 2020.
- [6] E. Neri et al., "What the radiologist should know about artificial intelligence—An ESR white paper," *Insights into Imaging*, vol. 10, no. 1, 2019.
- [7] P. Rajpurkar et al., "AI in healthcare: The hope, the hype, the promise, the peril," *PLOS Medicine*, vol. 19, no. 4, 2022.
- [8] M. Huisman et al., "An international survey on AI in radiology in 1041 radiologists and radiology residents," *European Radiology*, vol. 31, pp. 866–879, 2021.
- [9] H. Suresh and J. Guttat, "A framework for understanding sources of harm throughout the machine learning life cycle," *ACM FAccT*, 2021.
- [10] A. Vaswani et al., "Attention Is All You Need," *Advances in Neural Information Processing Systems*, vol. 30, 2017.

DOI: 10.55041/IJSREM59675



ISSN: 2582-3930

Impact Factor: 8.659

INTERNATIONAL JOURNAL OF SCIENTIFIC RESEARCH IN ENGINEERING & MANAGEMENT

An Open Access || Peer-Reviewed Scholarly Journal || Indexed in Major Databases

CERTIFICATE OF PUBLICATION

International Journal of Scientific Research in Engineering & Management is hereby awarding this certificate to



Thatiparthi Karthik Reddy

In recognition to the publication of the paper titled

MediVA AI: A Smart, Secure Doctor Network for Accessible Healthcare Using Deep Learning, RAG, and Blockchain

published in IJSREM Journal on **Volume 10 Issue 04 April, 2026**


Editor-in-Chief
IJSREM Journal

www.ijsrem.com

e-mail: editor@ijsrem.com

DOI: 10.55041/IJSREM59675



ISSN: 2582-3930

Impact Factor: 8.659

INTERNATIONAL JOURNAL OF SCIENTIFIC RESEARCH IN ENGINEERING & MANAGEMENT

An Open Access || Peer-Reviewed Scholarly Journal || Indexed in Major Databases

CERTIFICATE OF PUBLICATION

International Journal of Scientific Research in Engineering & Management is hereby awarding this certificate to



Thota Akshith

In recognition to the publication of the paper titled

MediVA AI: A Smart, Secure Doctor Network for Accessible Healthcare Using Deep Learning, RAG, and Blockchain

published in IJSREM Journal on **Volume 10 Issue 04 April, 2026**


Editor-in-Chief
IJSREM Journal

www.ijsrem.com

e-mail: editor@ijsrem.com

DOI: 10.55041/IJSREM59675



ISSN: 2582-3930

Impact Factor: 8.659

INTERNATIONAL JOURNAL OF SCIENTIFIC RESEARCH IN ENGINEERING & MANAGEMENT

An Open Access || Peer-Reviewed Scholarly Journal || Indexed in Major Databases

CERTIFICATE OF PUBLICATION

International Journal of Scientific Research in Engineering & Management is hereby awarding this certificate to

Somnath Mishra

In recognition to the publication of the paper titled

MediVA AI: A Smart, Secure Doctor Network for Accessible Healthcare Using Deep Learning, RAG, and Blockchain

published in IJSREM Journal on **Volume 10 Issue 04 April, 2026**



Editor-in-Chief
IJSREM Journal

www.ijsrem.com

e-mail: editor@ijsrem.com

DOI: 10.55041/IJSREM59675



ISSN: 2582-3930

Impact Factor: 8.659

INTERNATIONAL JOURNAL OF SCIENTIFIC RESEARCH IN ENGINEERING & MANAGEMENT

An Open Access || Peer-Reviewed Scholarly Journal || Indexed in Major Databases

CERTIFICATE OF PUBLICATION

International Journal of Scientific Research in Engineering & Management is hereby awarding this certificate to

Suresh Chauhan

In recognition to the publication of the paper titled

MediVA AI: A Smart, Secure Doctor Network for Accessible Healthcare Using Deep Learning, RAG, and Blockchain

published in IJSREM Journal on **Volume 10 Issue 04 April, 2026**



Editor-in-Chief
IJSREM Journal

www.ijsrem.com

e-mail: editor@ijsrem.com