

Flatten Nested List Iterator [\(View\)](#)

You are given a nested list of integers `nestedList`. Each element is either an integer or a list whose elements may also be integers or other lists. Implement an iterator to flatten it.

Implement the `NestedIterator` class:

- `NestedIterator(List<NestedInteger> nestedList)` Initializes the iterator with the nested list `nestedList`.
- `int next()` Returns the next integer in the nested list.
- `boolean hasNext()` Returns `true` if there are still some integers in the nested list and `false` otherwise.

Your code will be tested with the following pseudocode:

```
initialize iterator with nestedList
res = []
while iterator.hasNext()
    append iterator.next() to the end of res
return res
```

If `res` matches the expected flattened list, then your code will be judged as correct.

Example 1:

Input: `nestedList = [[1,1],2,[1,1]]`

Output: `[1,1,2,1,1]`

Explanation: By calling `next` repeatedly until `hasNext` returns `false`, the order of elements returned by `next` should be: `[1,1,2,1,1]`.

Example 2:

Input: `nestedList = [1,[4,[6]]]`

Output: `[1,4,6]`

Explanation: By calling `next` repeatedly until `hasNext` returns `false`, the order of elements returned by `next` should be: `[1,4,6]`.

Constraints:

- `1 <= nestedList.length <= 500`
- The values of the integers in the nested list is in the range `[-106, 106]`.