HD-016

High

Affected User

John Smith | Backup Operator

Domain

aklab.local

Issue:

Backup Operator Unable to Perform File Backup
John Smith, assigned the Backup Operator role, reports that he is unable to back up files and folders on the workstation or server. IT support must investigate his permissions, configure the backup process, and verify that the backup completes successfully and the files can be restored.

Environment: DC01 (domain controller) and CLIENT01 (Windows client)

1. Issue Description

Grant the domain account backup-related privileges on domain controllers to John Smith so that he is able to do backups and validate it.

2. Environment

- User account: AKLAB\john.smith
- Shared resource: N/A

3. Investigation

- Searching for the folder “Backup Operators” in aklab.local inside the Users folder:




Figure 1: List of Users folder

Let’s try finding the folder using cmd:




Figure 2: Using cmd to find the folder

Code utilised:

```
net group “Backup Operators” /domain
```

Let’s try another command:



Figure 3: Finding the folder in the local group

Code utilised:

```
net localgroup
```

The “Backup Operators” folder is in the local group.

Let’s add John Smith to the local Backup Operators group:

Running lusrmgr.msc in Windows + R:




Figure 4: Opening Local User Manager in the Run dialog box




Figure 5: Error message displayed upon running the command

Let’s try another way once again, this time lets try to go though the built-in folder:




Figure 6: List of Builtin folder

Here, we can see the Backup Operators folder inside it, let's add the member in the group:




Figure 7: Backup Operators Properties

Let's check if the name exists:




Figure 8: Name Not Found Tab

The tab shows that the name was not found, let's try another way:




Figure 9: Select Groups Tab

Trying to add John Smith to the Backup Operators group directly, let's check if the name shows up:

4. Resolution




Figure 10: John JS. Smith Properties

The name was found; John Smith is now a member of the group, and the settings are applied.

5. Validation

Verifying the membership:

```
PS C:\WINDOWS\system32> Get-ADGroupMember -Identity "Backup Operators"


distinguishedName : CN=John JS. Smith,CN=Users,DC=aklab,DC=local
name              : John JS. Smith
objectClass       : user
objectGUID        : 4699e380-d429-4e69-beaf-44461853ec0e
SamAccountName    : john.smith
SID               : S-1-5-21-3385950946-3095252808-3155279971-1111
```

Figure 11: John Smith is a member of Backup Operators group

Let's check if the operation works for John Smith by remotely logging into his desktop:




Figure 12: Creating a folder names Test Folder




Figure 13: Created a test file

```
Backup Test Validation - John Smith
```

Figure 14: File contains the information




Figure 15: Windows Backup is started




Figure 16: Setting up the backup




Figure 17: Selecting the destination to save the backup

For now, just to verify that the configurations are working, the slected location is CompanyShare, although not ignoring that it is not safe to do so but this is just a test.




Figure 18: Choosing the permissions

Here, we select “Let me choose” because we want to work on specific folders and file.




Figure 19: Selecting Test Folder to backup




Figure 20: Reviewing backup settings




Figure 21: The backup has started

For some reason, the backup failed:




Figure 22: Backup Failed Dialog Box

Let's try to backup again:




Figure 23: The backup started again




Figure 24: The image displays that the backup is done




Figure 25: The backup folder

The backup folder along with WindowsImageBackup can be found in the CompanyShare folder.

Let’s check the file:




Figure 26: The backup file in the backup folder

After extracting the folders, we found the backup file.

Ticket Resolved!