

Query result					
Script output					
DBMS output					
Explain Plan					
SQL history					
Download					
Execution time: 0.005 seconds					
	LOAN_ID	CUSTOMER_ID	INTEREST_RATE	DUE_DATE	
	101	1	10.5	7/16/2026, 2:38:48	
	102	2	11	8/20/2026, 2:38:48	
	103	3	9.5	7/26/2026, 2:38:48	

Query result					
Script output					
DBMS output					
Explain Plan					
SQL history					
Download					
Execution time: 0.004 seconds					
	CUSTOMER_ID	NAME	DOB	BALANCE	ISVIP
1	1	Asha	5/10/1955, 12:00:00	15000	FALSE
2	2	Ravi	8/20/1990, 12:00:00	8000	FALSE
3	3	Meena	1/1/1950, 12:00:00	20000	FALSE

Scenario 1: Apply 1% Discount to Customers Above 60

```

1 BEGIN
2   FOR c IN (
3     SELECT CUSTOMER_ID,
4            FLOOR(MONTHS_BETWEEN(SYSDATE, DOB)/12) AS AGE
5     FROM CUSTOMERS
6   )
7   LOOP
8     IF c.AGE > 60 THEN
9       UPDATE LOANS
10        SET INTEREST_RATE = INTEREST_RATE - 1
11        WHERE CUSTOMER_ID = c.CUSTOMER_ID;
12      END IF;
13    END LOOP;
14
15    COMMIT;
16    DBMS_OUTPUT.PUT_LINE('Interest rates updated successfully.');

Query result   Script output   DBMS output   Explain Plan   SQL history



  Download   Execution time: 0.006 seconds



|   | LOAN_ID | CUSTOMER_ID | INTEREST_RATE | DUE_DATE           |
|---|---------|-------------|---------------|--------------------|
| 1 | 101     | 1           | 8.5           | 7/16/2026, 2:38:48 |
| 2 | 102     | 2           | 11            | 8/20/2026, 2:38:48 |
| 3 | 103     | 3           | 7.5           | 7/26/2026, 2:38:48 |


```

Scenario 2: Promote Customers to VIP

```

1 BEGIN
2   FOR c IN (SELECT CUSTOMER_ID, BALANCE FROM CUSTOMERS)
3   LOOP
4     IF c.BALANCE > 10000 THEN
5       UPDATE CUSTOMERS
6        SET ISVIP = 'TRUE'
7        WHERE CUSTOMER_ID = c.CUSTOMER_ID;
8     END IF;
9   END LOOP;
10
11   COMMIT;
12   DBMS_OUTPUT.PUT_LINE('VIP status updated.');

Query result   Script output   DBMS output   Explain Plan   SQL history



  Download   Execution time: 0.003 seconds



|   | CUSTOMER_ID | NAME  | DOB                 | BALANCE | ISVIP |
|---|-------------|-------|---------------------|---------|-------|
| 1 | 1           | Asha  | 5/10/1955, 12:00:00 | 15000   | TRUE  |
| 2 | 2           | Ravi  | 8/20/1990, 12:00:00 | 8000    | FALSE |
| 3 | 3           | Meena | 1/1/1950, 12:00:00  | 20000   | TRUE  |


```

Scenario 3: Loan Due Reminder

```
1 BEGIN
2   FOR l IN (
3     SELECT c.NAME,
4            l.LOAN_ID,
5            l.DUE_DATE
6     FROM CUSTOMERS c
7     JOIN LOANS l
8     ON c.CUSTOMER_ID = l.CUSTOMER_ID
9     WHERE l.DUE_DATE BETWEEN SYSDATE AND SYSDATE + 30
10  )
11  LOOP
12    DBMS_OUTPUT.PUT_LINE (
13      'Reminder: Dear ' || l.NAME ||
14      ', Your Loan ID ' || l.LOAN_ID ||
15      ' is due on ' ||
16      TO_CHAR(l.DUE_DATE, 'DD-MON-YYYY')
17    );
18  END LOOP;
```

Query result **Script output** DBMS output Explain Plan SQL history

 

```
SELECT c.NAME,
       l.LOAN_ID,...
```

Show more...

Reminder: Dear Asha, Your Loan ID 101 is due on 16-JUL-2026
Reminder: Dear Meena, Your Loan ID 103 is due on 26-JUL-2026

PL/SQL procedure successfully completed.

Elapsed: 00:00:00.017