

Full Regression Test Report

1. Project Information

Project Name: CleanIT

Members: Michael Grant S. Libato

Date: May, 9, 2026

Branch Name: vertical-slice-regression-refactor

Repository Link:

https://github.com/AksilDev/IT342_CleanIT_G4_Macansantos/tree/vertical-slice-regression-refactor


2. Refactoring Summary

-The CleanIT multi-platform application was refactored to utilize a Vertical Slice Architecture from a traditional horizontal layered architecture. The codebase was successfully restructured to group files by business capabilities (e.g., features/auth, features/booking, features/catalog, features/users), improving module independence and maintainability.

The backend, web frontend, and Android mobile application were all reorganized into matching feature packages with updated imports and manifest references. During the refactoring process, compilation issues were systematically resolved, and a cascade-delete regression bug was fixed in the BookingRepository to ensure proper deletion of child records.


3. Updated Project Structure

OLD Structure:



UPDATED:

vertical-slice-regression-refactor



```
IT342_CLEANIT_G4_MACANSANTOS
├── mobile
│   ├── app
│   │   ├── src
│   │   │   ├── main
│   │   │   │   ├── java\edu\cit\macansantos\cleanit
│   │   │   │   │   ├── features
│   │   │   │   │   │   ├── auth
│   │   │   │   │   │   │   ├── LoginActivity.kt
│   │   │   │   │   │   │   ├── LoginRequest.kt
│   │   │   │   │   │   │   ├── LoginResponse.kt
│   │   │   │   │   │   │   ├── RegisterActivity.kt
│   │   │   │   │   │   │   ├── RegisterRequest.kt
│   │   │   │   │   │   ├── booking
│   │   │   │   │   │   │   ├── BookingDetailActivity.kt
│   │   │   │   │   │   │   ├── BookingRequests.kt
│   │   │   │   │   │   │   ├── BookingsActivity.kt
│   │   │   │   │   │   │   ├── BookingsAdapter.kt
│   │   │   │   │   │   │   ├── CreateBookingActivity.kt
│   │   │   │   │   │   │   ├── PhotosAdapter.kt
│   │   │   │   │   │   ├── catalog
│   │   │   │   │   │   │   ├── AddOn.kt
│   │   │   │   │   │   │   ├── AddOnsAdapter.kt
│   │   │   │   │   │   │   ├── Service.kt
│   │   │   │   │   │   │   ├── ServicesActivity.kt
│   │   │   │   │   │   │   ├── ServicesAdapter.kt
│   │   │   │   │   │   │   ├── Technician.kt
│   │   │   │   │   │   │   ├── TechniciansAdapter.kt
│   │   │   │   │   │   ├── dashboard
│   │   │   │   │   │   │   ├── AdminDashboardActivity.kt
│   │   │   │   │   │   │   ├── DashboardModels.kt
│   │   │   │   │   │   │   ├── TechnicianDashboardActivity.kt
│   │   │   │   │   │   ├── home
│   │   │   │   │   │   │   ├── HomeActivity.kt
│   │   │   │   │   │   │   ├── ProfileActivity.kt
│   │   │   │   │   │   ├── model
│   │   │   │   │   │   ├── network
│   │   │   │   │   │   ├── shared
│   │   │   │   │   │   ├── CleanITApplication.kt
│   │   │   │   │   │   ├── MainActivity.kt
```

EXPLORER

```
IT342_CLEANIT_G4_MACANSANTOS
├── mobile
│   └── settings.gradle.kts
├── web
│   ├── dist
│   ├── node_modules
│   ├── public
│   └── src
│       ├── api
│       ├── components
│       └── features
│           ├── auth
│           │   ├── AuthCallback.tsx
│           │   ├── Login.tsx
│           │   ├── Register.tsx
│           │   ├── RoleSelection.tsx
│           ├── booking
│           │   ├── Booking.tsx
│           │   ├── BookingDetailsModal.tsx
│           ├── dashboard
│           │   ├── Adashboard.tsx
│           │   ├── Dashboard.tsx
│           │   ├── Tdashboard.tsx
│       ├── pages
│       ├── shared
│       ├── App.tsx
│       ├── # index.css
│       ├── main.tsx
│       └── vite-env.d.ts
```

```
> res
└── AndroidManifest.xml
> test
├── .gitignore
├── build.gradle.kts
├── proguard-rules.pro
└── gradle
```

4.Test Plan Documentation

4.1 Functional Requirements Coverage This regression test ensures that the core functionalities of CleanIT remain intact after the architectural shift.

Covered modules include:

- **Authentication:** Login, Registration, Google OAuth2, Session management.
- **Services:** Browsing available services, Viewing service details, Viewing compatible add-ons.
- **Bookings:** Creating bookings with add-ons, Viewing booking history, Rescheduling/canceling bookings.
- **Technician Operations:** Accepting bookings, Updating booking status, Uploading before/after photos.
- **Admin Dashboard:** Viewing statistics, Managing bookings, User verification, System analytics.
- **Profile Management:** Updating user information, Managing availability settings.

4.2 Test cases & Scripts (Manual and Automated)

Test Case ID	Module	Test Case Description	Steps	Expected Result	Automated
TC-001	Auth	User can log in with valid credentials.	1. Navigate to /login. 2. Enter valid email and password. 3. Click "Sign In".	User receives a JWT token and is redirected to the Dashboard.	Yes (Backend)
TC-002	Auth	User cannot log in with invalid password.	1. Navigate to /login. 2. Enter valid email but wrong	Error message displayed; access denied.	Yes (Backend)

			password. 3. Click "Sign In".		
TC-003	Auth	User can register with Google OAuth2.	1. Navigate to /login. 2. Click "Sign in with Google". 3. Complete OAuth flow.	User is authenticated and redirected to appropriate dashboard	No (Manual)
TC-004	Services	User can browse available services.	1. Log in as Client. 2. Navigate to Services page. 3. View service list with images.	All services are displayed with correct pricing and duration.	No (Manual)
TC-005	Booking	User can create a booking with add-ons.	1. Select a service. 2. Add optional add-ons. 3. Pick date/time and confirm.	Booking is created with "Pending" status and stored in database.	Yes (E2E)
TC-006	Booking	User can view booking history with filters.	1. Navigate to "My Bookings". 2. Apply status filters.	Bookings are filtered and displayed correctly.	No (Manual)
TC-007	Booking	User can cancel a booking.	1. Select a pending booking. 2. Click "Cancel". 3. Confirm cancellation.	Booking status changes to "Cancelled".	No (Manual)
TC-008	Technician	Technician can accept pending bookings.	1. Log in as Technician. 2. View pending bookings. 3. Accept a booking.	Booking status changes to "Confirmed".	No (Manual)
TC-009	Technician	Technician can upload	1. Navigate to booking	Photos are saved and	No (Manual)

		before/after photos.	details. 2. Upload photos. 3. Submit.	linked to the booking.	
TC-010	Admin	Admin can view dashboard statistics.	1. Log in as Admin. 2. Navigate to Dashboard. 3. View statistics.	Real-time booking statistics are displayed correctly.	Yes (Backend)
TC-011	Admin	Admin can verify pending users.	1. Navigate to User Management. 2. Select pending user. 3. Click "Verify".	User account status changes to "Verified".	No (Manual)
TC-012	Admin	Admin can void/terminate bookings.	1. Select a booking. 2. Click "Void". 3. Confirm action.	Booking status changes to "Voided".	No (Manual)

5. Regression Test Results Execution Date: May 9,2026

Test Case ID	Status (Pass/Fail)	Tested By	Notes/Observation
TC-001	Pass	System	Login correctly routed through features/auth.
TC-002	Pass	System	Backend properly rejected invalid credentials.
TC-003	Pass	System	Google OAuth2 integration works normally.
TC-004	Pass	System	Service browsing loads correctly with Coil images.

TC-005	Pass	System	Booking creation and add-on logic works normally.
TC-006	Pass	System	Booking history filtering functions correctly.
TC-007	Pass	System	Booking cancellation updates status properly.
TC-008	Pass	System	Technician booking acceptance works as expected.
TC-009	Pass	System	Photo upload and storage functions correctly.
TC-010	Pass	System	Admin dashboard statistics load accurately.
TC-011	Pass	System	User verification updates account status.
TC-012	Pass	System	Booking void/terminate functionality works.

6. Issues Found and Fixes Applied During Refactoring

Issue Encountered	Issue Encountered	Fix Applied
Compilation Errors in Backend	Missed imports after package restructuring in BookingAddon.java and GlobalExceptionHandler.java	Updated import statements to reference new feature package locations
Compilation Errors in Mobile	Cross-feature Activity/model imports and R resource references after moving to feature packages	Updated imports and manifest package declarations for all Activities

Cascade-Delete Regression Bug	Child records (booking photos, checklist rows, add-on join rows) were not being deleted when a booking was removed due to ORM collection state issues	Added explicit repository deletion calls in BookingRepository.java to ensure child records are deleted before the booking record
Model Organization	Booking models were bundled in Service.kt, causing architectural inconsistency	Moved booking-specific model types into the booking feature package

7. Evidence

Backend:

```

Hibernate: insert into users (contact_no,created_at,email,image_url,name,password_hash,role,verified,id) values (?,?,?,?,?,?,?,?)
Hibernate: insert into bookings (add_ons,address,booking_code,booking_date,cancelled_at,client_id,completed_at,confirmed_at,created_at,device_type,estimated_duration,landmark,no_show_at,payment_status,reschedule_reason,rescheduled_at,service_id,service_type,special_instructions,started_at,status,status_reason,technician_id,time_slot,total_amount,updated_at,id) values (?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?)
Hibernate: insert into booking_checklist (checked_at,is_checked,booking_id,checklist_item_id) values (?,?,?,?)
Hibernate: insert into booking_checklist (checked_at,is_checked,booking_id,checklist_item_id) values (?,?,?,?)
Hibernate: insert into booking_checklist (checked_at,is_checked,booking_id,checklist_item_id) values (?,?,?,?)
Hibernate: insert into booking_checklist (checked_at,is_checked,booking_id,checklist_item_id) values (?,?,?,?)
Hibernate: update bookings set add_ons=?,address=?,booking_code=?,booking_date=?,cancelled_at=?,client_id=?,completed_at=?,confirmed_at=?,created_at=?,device_type=?,estimated_duration=?,landmark=?,no_show_at=?,payment_status=?,reschedule_reason=?,rescheduled_at=?,service_id=?,service_type=?,special_instructions=?,started_at=?,status=?,status_reason=?,technician_id=?,time_slot=?,total_amount=?,updated_at=? where id=?
Hibernate: select bc1_0.booking_id,bc1_0.checklist_item_id,bc1_0.checked_at,bc1_0.is_checked from booking_checklist bc1_0 where bc1_0.booking_id=?
Hibernate: select ci1_0.id,ci1_0.created_at,ci1_0.is_active,ci1_0.label from checklist_items ci1_0 where ci1_0.is_active
Hibernate: delete from booking_checklist where booking_id=? and checklist_item_id=?
Hibernate: delete from booking_checklist where booking_id=? and checklist_item_id=?
Hibernate: delete from booking_checklist where booking_id=? and checklist_item_id=?
Hibernate: delete from booking_checklist where booking_id=? and checklist_item_id=?
Hibernate: delete from booking_checklist where booking_id=? and checklist_item_id=?
Hibernate: select bc1_0.booking_id,bc1_0.checklist_item_id,bc1_0.checked_at,bc1_0.is_checked from booking_checklist bc1_0 where bc1_0.booking_id=?
Hibernate: delete from checklist_items where id=?
Hibernate: delete from checklist_items where id=?
Hibernate: delete from checklist_items where id=?
Hibernate: delete from checklist_items where id=?
Hibernate: select ci1_0.id,ci1_0.created_at,ci1_0.is_active,ci1_0.label from checklist_items ci1_0 where ci1_0.is_active
? DataInitializer cleanup order is correct
BookingChecklist deleted first, then ChecklistItem
[INFO] Tests run: 6, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.145 s -- in com.G4.backend.ChecklistPreservationPropertyTest
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 18, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 17.393 s
[INFO] Finished at: 2026-05-09T20:47:33+08:00
[INFO] -----

```

F:\codes\IT342_CleanIT_G4_Macansantos\backend>

Web:

```
Problems Output Debug Console Terminal Ports
Microsoft Windows [Version 10.0.26200.8246]
(c) Microsoft Corporation. All rights reserved.

F:\codes\IT342_CleanIT_G4_Macantos>cd web

F:\codes\IT342_CleanIT_G4_Macantos\web>npm run build

> cleanit-frontend@0.1.0 build
> vite build

vite v7.3.1 building client environment for production...
transforming (1) src\main.tsx(node:22252) [MODULE_TYPELESS_PACKAGE_JSON] Warning: Module type of file:///F:/codes/IT342_CleanIT_G4_Macantos/web/postcss.config.js?t=1778330917202 is not specified and it doesn't parse as CommonJS.
Reparsing as ES module because module syntax was detected. This incurs a performance overhead.
To eliminate this warning, add "type": "module" to F:\codes\IT342_CleanIT_G4_Macantos\web\package.json.
(Use `node --trace-warnings ...` to show where the warning was created)
✓ 1837 modules transformed.
dist/index.html 0.41 kB | gzip: 0.27 kB
dist/assets/index-D1BwhAj.css 32.56 kB | gzip: 6.00 kB
dist/assets/index-DVLSBuD5.js 506.84 kB | gzip: 141.36 kB

(!) Some chunks are larger than 500 kB after minification. Consider:
- Using dynamic import() to code-split the application
- Use build.rollupOptions.output.manualChunks to improve chunking: https://rollupjs.org/configuration-options/#output-manualchunks
- Adjust chunk size limit for this warning via build.chunkSizeWarningLimit.
✓ built in 3.29s

F:\codes\IT342_CleanIT_G4_Macantos\web>
```

Mobile:

```
Problems Output Debug Console Terminal Ports
Microsoft Windows [Version 10.0.26200.8246]
(c) Microsoft Corporation. All rights reserved.

F:\codes\IT342_CleanIT_G4_Macantos>cd mobile

F:\codes\IT342_CleanIT_G4_Macantos\mobile>gradlew :app:testDebugUnitTest

BUILD SUCCESSFUL in 949ms
22 actionable tasks: 22 up-to-date
F:\codes\IT342_CleanIT_G4_Macantos\mobile>
```