Postgre SQL Insert commands and Output:

```
INSERT INTO users (name, email, password_hash)
SELECT
    'User' || i,
    'user' || i || '@email.com',
    'hash' || i
FROM generate_series(1,20) AS s(i);
```

id	name	email	password_hash	created_at
1	User1	user1@email.com	hash1	2026-03-13 12:55:10.991376
2	User2	user2@email.com	hash2	2026-03-13 12:55:10.991376
3	User3	user3@email.com	hash3	2026-03-13 12:55:10.991376
4	User4	user4@email.com	hash4	2026-03-13 12:55:10.991376
5	User5	user5@email.com	hash5	2026-03-13 12:55:10.991376
6	User6	user6@email.com	hash6	2026-03-13 12:55:10.991376
7	User7	user7@email.com	hash7	2026-03-13 12:55:10.991376
8	User8	user8@email.com	hash8	2026-03-13 12:55:10.991376
9	User9	user9@email.com	hash9	2026-03-13 12:55:10.991376
10	User10	user10@email.com	hash10	2026-03-13 12:55:10.991376
11	User11	user11@email.com	hash11	2026-03-13 12:55:10.991376
12	User12	user12@email.com	hash12	2026-03-13 12:55:10.991376
13	User13	user13@email.com	hash13	2026-03-13 12:55:10.991376
14	User14	user14@email.com	hash14	2026-03-13 12:55:10.991376
15	User15	user15@email.com	hash15	2026-03-13 12:55:10.991376
16	User16	user16@email.com	hash16	2026-03-13 12:55:10.991376
17	User17	user17@email.com	hash17	2026-03-13 12:55:10.991376
18	User18	user18@email.com	hash18	2026-03-13 12:55:10.991376
19	User19	user19@email.com	hash19	2026-03-13 12:55:10.991376
20	User20	user20@email.com	hash20	2026-03-13 12:55:10.991376

(20 rows)

```
INSERT INTO products (name, price, stock_quantity, category)
SELECT
    'Product' || i,
    (random()*1000 + 100)::DECIMAL(10,2),
    (random()*50)::INT,
    'Category' || ((i % 5) + 1)
FROM generate_series(1,50) AS s(i);
```

id	name	price	stock_quantity	category
1	Product1	390.41	6	Category2
2	Product2	516.69	47	Category3
3	Product3	416.34	47	Category4
4	Product4	666.32	39	Category5
5	Product5	1000.40	22	Category1
6	Product6	571.80	40	Category2
7	Product7	496.44	26	Category3
8	Product8	328.17	30	Category4
9	Product9	966.58	33	Category5
10	Product10	935.04	23	Category1
11	Product11	138.92	8	Category2
12	Product12	1058.32	26	Category3
13	Product13	245.05	50	Category4
14	Product14	770.99	45	Category5
15	Product15	707.70	49	Category1
16	Product16	403.13	32	Category2
17	Product17	1034.11	32	Category3
18	Product18	275.80	41	Category4
19	Product19	173.98	45	Category5
20	Product20	447.95	4	Category1
21	Product21	354.95	3	Category2
22	Product22	593.77	43	Category3
23	Product23	973.13	21	Category4
24	Product24	808.06	2	Category5
25	Product25	641.04	41	Category1
26	Product26	967.86	4	Category2
27	Product27	101.69	35	Category3
28	Product28	731.32	40	Category4
29	Product29	134.34	28	Category5
30	Product30	960.24	38	Category1
31	Product31	584.73	38	Category2
32	Product32	325.95	38	Category3
33	Product33	444.88	45	Category4
34	Product34	347.83	28	Category5
35	Product35	134.08	41	Category1
36	Product36	223.59	34	Category2
37	Product37	667.04	34	Category3
38	Product38	358.73	40	Category4
39	Product39	452.13	14	Category5
40	Product40	253.44	48	Category1
41	Product41	1090.85	49	Category2
42	Product42	287.96	7	Category3
43	Product43	535.95	6	Category4
44	Product44	323.66	21	Category5
45	Product45	564.28	30	Category1
46	Product46	693.73	18	Category2
47	Product47	463.49	32	Category3
48	Product48	124.27	25	Category4
49	Product49	248.77	49	Category5
50	Product50	245.71	35	Category1

50 rows)

```
INSERT INTO orders (user_id, total_amount, status)
SELECT
    (random()*19 + 1)::INT,
    (random()*500 + 50)::DECIMAL(10,2),
    'completed'
FROM generate_series(1,20);
```

id	user_id	total_amount	status	order_date
1	4	436.58	completed	2026-03-13 12:55:11.595276
2	4	528.36	completed	2026-03-13 12:55:11.595276
3	5	191.01	completed	2026-03-13 12:55:11.595276
4	7	308.86	completed	2026-03-13 12:55:11.595276
5	8	167.06	completed	2026-03-13 12:55:11.595276
6	18	484.52	completed	2026-03-13 12:55:11.595276
7	11	529.50	completed	2026-03-13 12:55:11.595276
8	7	531.14	completed	2026-03-13 12:55:11.595276
9	16	339.47	completed	2026-03-13 12:55:11.595276
10	8	491.25	completed	2026-03-13 12:55:11.595276
11	8	271.63	completed	2026-03-13 12:55:11.595276
12	6	259.18	completed	2026-03-13 12:55:11.595276
13	17	238.90	completed	2026-03-13 12:55:11.595276
14	15	378.21	completed	2026-03-13 12:55:11.595276
15	7	519.45	completed	2026-03-13 12:55:11.595276
16	17	141.25	completed	2026-03-13 12:55:11.595276
17	9	443.69	completed	2026-03-13 12:55:11.595276
18	15	118.23	completed	2026-03-13 12:55:11.595276
19	14	532.27	completed	2026-03-13 12:55:11.595276
20	9	356.30	completed	2026-03-13 12:55:11.595276

(20 rows)

```
INSERT INTO order_items (order_id, product_id, quantity,
price_at_purchase)
SELECT
    i,
    i,
    (random()*5 + 1)::INT,
    (random()*100 + 10)::DECIMAL(10,2)
FROM generate_series(1,20) AS s(i);
```

```
mydatabase=# SELECT * FROM order_items;
 order_id | product_id | quantity | price_at_purchase
----------+------------+----------+------------------
        1 |          1 |        4 |            91.17
        2 |          2 |        2 |            70.93
        3 |          3 |        5 |            72.28
        4 |          4 |        2 |            42.39
        5 |          5 |        4 |            35.31
        6 |          6 |        4 |            62.56
        7 |          7 |        5 |            91.10
        8 |          8 |        5 |           107.33
        9 |          9 |        5 |            13.48
       10 |         10 |        5 |            22.14
       11 |         11 |        4 |            72.32
       12 |         12 |        3 |            43.99
       13 |         13 |        3 |           104.96
       14 |         14 |        3 |            79.71
       15 |         15 |        2 |            17.55
       16 |         16 |        2 |            99.35
       17 |         17 |        2 |            38.41
       18 |         18 |        5 |            92.58
       19 |         19 |        6 |            79.30
       20 |         20 |        3 |            39.49
(20 rows)
```