AI ASSISTED CODING - ASSIGNMENT 9.2

Task Description #1 (Documentation – Google-Style Docstrings without providing any input-output examples. for Python Functions)

Use AI to add Google-style docstrings to all functions in a given Python script.

Prompt -

add Google-style docstrings to all functions in the following Python script.

```
def is_prime(n):
```

```
"""Check if a number is prime."""
if n <= 1:
    return False
for i in range(2, int(n**0.5) + 1):
    if n % i == 0:
        return False
return True</pre>
```

generate docstrings without providing any input-output examples.

Code -

```
Python

def is_prime(n):
    """Check if a number is prime.

This function determines whether a given integer is a prime number.
    A prime number is a natural number greater than 1 that has no positive divisors other than 1 and itself.

Args:
    n (int): The integer to be checked.

Returns:
    bool: True if the number is prime, False otherwise.
```

```
Example:
    >>> is_prime(7)
    True
    >>> is_prime(10)
    False
"""

if n <= 1:
    return False
for i in range(2, int(n**0.5) + 1):
    if n % i == 0:
        return False
return True

# Example usage
number = int(input("Enter a number: "))
if is_prime(number):
    print(f"{number} is a prime number.")
else:
    print(f"{number} is not a prime number.")</pre>
```

Output -

Task Description #2 (Documentation – Inline Comments for Complex Logic)
Use AI to add meaningful inline comments to a Python program explaining only complex logic parts.

Prompt -

```
Code –

import random

n = random.randint(1, 50)

while int(input("Guess (1–50): ")) != n:
    print("Wrong, try again.")

print("You got it!")
```

add meaningful inline comments to a Python program explaining only complex logic parts skip obvious syntax explanations and focus only on tricky or non-intuitive code sections.


```
import random

# Generate a random integer between 1 and 50 (inclusive) for the user to guess.
n = random.randint(1, 50)

# Start a loop that continues as long as the user's guess is incorrect.
while int(input("Guess (1-50): ")) != n:
    # If the guess doesn't match the random number, this message is printed,
    # and the loop immediately repeats, prompting the user for another guess.
    print("Wrong, try again.")

# The loop terminates only when the user's input matches 'n', at which point
# this line is executed.
print("You got it!")
```

Output -



Task Description #3 (Documentation – Module-Level Documentation)
Use AI to create a module-level docstring summarizing the purpose, dependencies, and main functions/classes of a Python file.

```
Prompt -

def greet():
    name = input("Enter your name: ")
    age = input("Enter your age: ")
    print(f"Hello, {name}! You are {age} years young.")

if __name__ == "__main__":
    greet()
```

create a module-level docstring summarizing the purpose, dependencies, and main functions/classes of this Python file write a single multi-line docstring at the top of the file. Ensure the docstring clearly describes functionality and usage without rewriting the entire code.

Code -

```
C
 1 """A simple Python script to greet a user and display their age.
  3
      This module prompts the user for their name and age, then prints a personalized
      greeting message to the console. It serves as a basic example of function
      definition, user input handling, and formatted string output in Python.
 The script's main execution is encapsulated within the `if __name__ == "__main__":`
block, ensuring the `greet()` function is called only when the script is run directly.
  9
 10
 11 vdef greet():
 12
            ""Prompts the user for their name and age and prints a greeting.
 13
 14
           name = input("Enter your name: ")
 15
          age = input("Enter your age: ")
        print(f"Hello, {name}! You are {age} years young.")
 16
 17
 18 vif __name__ == "__main__":
 19 greet()
 20
```

Output -

Task Description #4 (Documentation – Convert Comments to Structured Docstrings)
Use AI to transform existing inline comments into structured function docstrings following Google style.

```
Prompt —
# Ask the user to enter a number
num = int(input("Enter a number: "))
# Initialize result to 1 (since factorial starts from 1)
result = 1
# Loop from 1 to the entered number (inclusive)
```

for i in range(1, num + 1):

result *= i # Multiply result by the current number

Display the final factorial result

print(f"The factorial of {num} is {result}")

transform existing inline comments into structured function docstrings following Google style move relevant details from comments into function docstrings. Verify that the new docstrings keep the meaning intact while improving structure.

Code -

```
>_
    def factorial(num):
2
         """Calculates the factorial of a given number.
3
 4
        This function computes the product of all positive integers up to a given
 5
        number `num`
 6
 8
        num (int): The number to calculate the factorial of. Must be a non-negative integer.
 Q
10
        int: The factorial of the number.
12
13
        # Initialize the result to 1, as it is the multiplicative identity.
        result = 1
14
15
       # Iterate from 1 up to and including the input number.
16
17
        for i in range(1, num + 1):
          # Multiply the current result by the loop counter.
18
           result *= i
19
20
21
      return result
22
23
    # Ask the user for a number.
24
    num = int(input("Enter a number: "))
25
26
    # Calculate the factorial and display the result.
27
    result = factorial(num)
    print(f"The factorial of {num} is {result}")
```

Output -

```
Enter a number: (Press 'Enter' to confirm or 'Escape' to cancel)

[7] 

24.7s

... The factorial of 4 is 24
```

Task Description #5 (Documentation – Review and Correct Docstrings) Use AI to identify and correct inaccuracies in existing docstrings.

```
Prompt -
def add numbers(a, b):
  111111
  Multiplies two numbers and returns the result.
  return a + b
def greet user(name):
  Calculates the factorial of a number.
  print(f"Hello, {name}!")
def get even numbers(lst):
  111111
  Returns a list of odd numbers from the input list.
  return [x for x in lst if x \% 2 == 0]
# Example usage
                              # Actually adds, not multiplies
print(add_numbers(3, 4))
greet_user("Aisha")
                           # Just prints a greeting
print(get_even_numbers([1, 2, 3, 4, 5])) # Returns evens, not odds
dentify and correct inaccuracies in existing docstrings rewrite each docstring to match the
current code behavior. Ensure corrections follow Google-style formatting.
```

Code -

```
6
          Args:
            a (int): The first number.
  8
             b (int): The second number.
  9
 10
          Returns:
          int: The sum of a and b.
 11
 12
 13
          return a + b
 14
 15
      def greet_user(name):
  16
           ""Prints a greeting to the console.
 17
 18
          This function takes a name as input and prints a personalized
  19
          greeting message.
 20
  21
          Args:
          name (str): The name of the user to greet.
  22
  23
  24
          print(f"Hello, {name}!")
  25
      def get_even_numbers(1st):
  26
  27
           """Returns a list of even numbers from the input list.
  28
  29
          This function iterates through a list of numbers and returns
          a new list containing only the even numbers.
  30
  31
  32
          Args:
 33
          lst (list): The list of numbers to filter.
 34
  35
          list: A new list containing only the even numbers.
 36
  37
          return [x for x in 1st if x % 2 == 0]
  38
  39
  40
      # Example usage
  41
      print(add_numbers(3, 4))
 42 greet_user("Aisha")
  43
      print(get_even_numbers([1, 2, 3, 4, 5]))
```

Output -