

MySQL Workbench

MySQL Model (sakila_full.mwb) x EER Diagram x Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

Query 1 x

Limit to 1000 rows

```
30 FROM sales
31 GROUP BY category;
32 • SELECT category,
33     SUM(quantity * price) AS revenue
34 FROM sales
35 GROUP BY category
36 HAVING revenue > 20000;
```

Result Grid

category	average_price
Electronics	19100.000000
Furniture	6166.666667
Stationery	60.000000

Administration Schemas

Schema: sys

Object Info Session

Output

Action Output

#	Time	Action	Message	Duration / Fetch
92	22:44:12	SELECT product_name, SUM(quantity) AS total_quantity FROM sales GROUP BY ...	10 row(s) returned	0.000 sec / 0.000 sec
93	22:44:12	SELECT * FROM sales ORDER BY price DESC LIMIT 1	1 row(s) returned	0.000 sec / 0.000 sec
94	22:44:12	SELECT * FROM sales WHERE category = 'Electronics' LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
95	22:44:12	SELECT * FROM sales WHERE city = 'Hyderabad' LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
96	22:44:12	SELECT category, AVG(price) AS average_price FROM sales GROUP BY category...	3 row(s) returned	0.000 sec / 0.000 sec
97	22:44:12	SELECT category, SUM(quantity * price) AS revenue FROM sales GROUP BY cate...	2 row(s) returned	0.000 sec / 0.000 sec

Context Help Snippets

MySQL Workbench

MySQL Model (sakila_full.mwb) x EER Diagram x Local instance MySQL80 x

View Query Database Server Tools Scripting Help

Query 1 x

Limit to 1000 rows

```
30 FROM sales
31 GROUP BY category;
32 • SELECT category,
33     SUM(quantity * price) AS revenue
34 FROM sales
35 GROUP BY category
36 HAVING revenue > 20000;
```

Result Grid

order_id	order_date	customer_name	product_name	category	quantity	price	city
101	2025-01-05	Rahul	Laptop	Electronics	2	55000.00	Hyderabad
104	2025-01-10	Sneha	Table	Furniture	2	7000.00	Hyderabad
107	2025-01-18	Ravi	Pen	Stationery	20	20.00	Hyderabad
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Administration Schemas

Schema: sys

Object Info Session

Output

Action Output

#	Time	Action	Message	Duration / Fetch
92	22:44:12	SELECT product_name, SUM(quantity) AS total_quantity FROM sales GROUP BY ...	10 row(s) returned	0.000 sec / 0.000 sec
93	22:44:12	SELECT * FROM sales ORDER BY price DESC LIMIT 1	1 row(s) returned	0.000 sec / 0.000 sec
94	22:44:12	SELECT * FROM sales WHERE category = 'Electronics' LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
95	22:44:12	SELECT * FROM sales WHERE city = 'Hyderabad' LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
96	22:44:12	SELECT category, AVG(price) AS average_price FROM sales GROUP BY category...	3 row(s) returned	0.000 sec / 0.000 sec
97	22:44:12	SELECT category, SUM(quantity * price) AS revenue FROM sales GROUP BY cate...	2 row(s) returned	0.000 sec / 0.000 sec

Context Help Snippets

MySQL Model (sakila_full.mwb) x EER Diagram x Local instance MySQL80 x

File View Query Database Server Tools Scripting Help

Query 1 x

Limit to 1000 rows

```
30 FROM sales
31 GROUP BY category;
32 • SELECT category,
33     SUM(quantity * price) AS revenue
34 FROM sales
35 GROUP BY category
36 HAVING revenue > 20000;
```

Result Grid

order_id	order_date	customer_name	product_name	category	quantity	price	city
101	2025-01-05	Rahul	Laptop	Electronics	2	55000.00	Hyderabad
102	2025-01-07	Priya	Mobile	Electronics	1	25000.00	Bangalore
105	2025-01-12	Kiran	Headphones	Electronics	3	2000.00	Mumbai
108	2025-01-20	Meena	Monitor	Electronics	2	12000.00	Bangalore
109	2025-01-22	Vikram	Keyboard	Electronics	5	1500.00	Chennai

Result Grid Form Editor

sales 81 sales 82 Result 83 Result 84 Result 85 Result 86 sales 87 sales 88 x sales 89 Result 90 Result 91 Apply Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration
92	22:44:12	SELECT product_name, SUM(quantity) AS total_quantity FROM sales GROUP BY ...	10 row(s) returned	0.000 sec
93	22:44:12	SELECT * FROM sales ORDER BY price DESC LIMIT 1	1 row(s) returned	0.000 sec
94	22:44:12	SELECT * FROM sales WHERE category = 'Electronics' LIMIT 0, 1000	5 row(s) returned	0.000 sec
95	22:44:12	SELECT * FROM sales WHERE city = 'Hyderabad' LIMIT 0, 1000	3 row(s) returned	0.000 sec
96	22:44:12	SELECT category, AVG(price) AS average_price FROM sales GROUP BY category...	3 row(s) returned	0.000 sec
97	22:44:12	SELECT category, SUM(quantity * price) AS revenue FROM sales GROUP BY cate...	2 row(s) returned	0.000 sec

MySQL Model (sakila_full.mwb) x EER Diagram x Local instance MySQL80 x

File View Query Database Server Tools Scripting Help

Query 1 x

Limit to 1000 rows

```
30 FROM sales
31 GROUP BY category;
32 • SELECT category,
33     SUM(quantity * price) AS revenue
34 FROM sales
35 GROUP BY category
36 HAVING revenue > 20000;
```

Result Grid

order_id	order_date	customer_name	product_name	category	quantity	price	city
101	2025-01-05	Rahul	Laptop	Electronics	2	55000.00	Hyderabad

Result Grid Form Editor

sales 81 sales 82 Result 83 Result 84 Result 85 Result 86 sales 87 x sales 88 sales 89 Result 90 Result 91 Apply Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
92	22:44:12	SELECT product_name, SUM(quantity) AS total_quantity FROM sales GROUP BY ...	10 row(s) returned	0.000 sec / 0.000
93	22:44:12	SELECT * FROM sales ORDER BY price DESC LIMIT 1	1 row(s) returned	0.000 sec / 0.000
94	22:44:12	SELECT * FROM sales WHERE category = 'Electronics' LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000
95	22:44:12	SELECT * FROM sales WHERE city = 'Hyderabad' LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000
96	22:44:12	SELECT category, AVG(price) AS average_price FROM sales GROUP BY category...	3 row(s) returned	0.000 sec / 0.000
97	22:44:12	SELECT category, SUM(quantity * price) AS revenue FROM sales GROUP BY cate...	2 row(s) returned	0.000 sec / 0.000

MySQL Workbench interface showing a query execution. The query is:

```
30 FROM sales
31 GROUP BY category;
32 • SELECT category,
33     SUM(quantity * price) AS revenue
34 FROM sales
35 GROUP BY category
36 HAVING revenue > 20000;
```

The result grid shows the following data:

product_name	total_quantity
Pen	20
Notebook	10
Keyboard	5
Chair	4
Headphones	3
Laptop	2
Table	2
Monitor	2

The output pane shows the execution log:

#	Time	Action	Message	Duration
92	22:44:12	SELECT product_name, SUM(quantity) AS total_quantity FROM sales GROUP BY ...	10 row(s) returned	0.000
93	22:44:12	SELECT * FROM sales ORDER BY price DESC LIMIT 1	1 row(s) returned	0.000
94	22:44:12	SELECT * FROM sales WHERE category = 'Electronics' LIMIT 0, 1000	5 row(s) returned	0.000
95	22:44:12	SELECT * FROM sales WHERE city = 'Hyderabad' LIMIT 0, 1000	3 row(s) returned	0.000
96	22:44:12	SELECT category, AVG(price) AS average_price FROM sales GROUP BY category...	3 row(s) returned	0.000
97	22:44:12	SELECT category, SUM(quantity * price) AS revenue FROM sales GROUP BY cate...	2 row(s) returned	0.000

MySQL Workbench interface showing a query execution. The query is:

```
30 FROM sales
31 GROUP BY category;
32 • SELECT category,
33     SUM(quantity * price) AS revenue
34 FROM sales
35 GROUP BY category
36 HAVING revenue > 20000;
```

The result grid shows the following data:

city	total_revenue
Hyderabad	124400.00
Bangalore	49000.00
Chennai	21500.00
Mumbai	14000.00
Delhi	1000.00

The output pane shows the execution log:

#	Time	Action	Message	Duration / Fetch
92	22:44:12	SELECT product_name, SUM(quantity) AS total_quantity FROM sales GROUP BY ...	10 row(s) returned	0.000 sec / 0.000 sec
93	22:44:12	SELECT * FROM sales ORDER BY price DESC LIMIT 1	1 row(s) returned	0.000 sec / 0.000 sec
94	22:44:12	SELECT * FROM sales WHERE category = 'Electronics' LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
95	22:44:12	SELECT * FROM sales WHERE city = 'Hyderabad' LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
96	22:44:12	SELECT category, AVG(price) AS average_price FROM sales GROUP BY category...	3 row(s) returned	0.000 sec / 0.000 sec
97	22:44:12	SELECT category, SUM(quantity * price) AS revenue FROM sales GROUP BY cate...	2 row(s) returned	0.000 sec / 0.000 sec

MySQL Model (sakila_full.mwb) | EER Diagram | Local instance MySQL80

View | Query | Database | Server | Tools | Scripting | Help

Query 1

Limit to 1000 rows

30 FROM sales
31 GROUP BY category;
32 • SELECT category,
33 SUM(quantity * price) AS revenue
34 FROM sales
35 GROUP BY category
36 HAVING revenue > 20000;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Result Grid

Form Editor

category	total_revenue
Electronics	172500.00
Furniture	36000.00
Stationery	1400.00

sales 81 | sales 82 | Result 83 | Result 84 | Result 85 | Result 86 | sales 87 | sales 88 | sales 89 | Result 90 | Result 91 | Read Only | Context Help | Snippets

Output

Action Output

#	Time	Action	Message	Duration
92	22:44:12	SELECT product_name, SUM(quantity) AS total_quantity FROM sales GROUP BY ...	10 row(s) returned	0.000 s
93	22:44:12	SELECT * FROM sales ORDER BY price DESC LIMIT 1	1 row(s) returned	0.000 s
94	22:44:12	SELECT * FROM sales WHERE category = 'Electronics' LIMIT 0, 1000	5 row(s) returned	0.000 s
95	22:44:12	SELECT * FROM sales WHERE city = 'Hyderabad' LIMIT 0, 1000	3 row(s) returned	0.000 s
96	22:44:12	SELECT category, AVG(price) AS average_price FROM sales GROUP BY category...	3 row(s) returned	0.000 s
97	22:44:12	SELECT category, SUM(quantity * price) AS revenue FROM sales GROUP BY cate...	2 row(s) returned	0.000 s

SQLAdditions

Automatic context disabled. Use the manually get help current caret position toggle automatic

MySQL Model (sakila_full.mwb) | EER Diagram | Local instance MySQL80

View | Query | Database | Server | Tools | Scripting | Help

Query 1

Limit to 1000 rows

30 FROM sales
31 GROUP BY category;
32 • SELECT category,
33 SUM(quantity * price) AS revenue
34 FROM sales
35 GROUP BY category
36 HAVING revenue > 20000;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Result Grid

Form Editor

total_sales
209900.00

sales 81 | sales 82 | Result 83 | Result 84 | Result 85 | Result 86 | sales 87 | sales 88 | sales 89 | Result 90 | Result 91 | Read Only | Context Help | Snippets

Output

Action Output

#	Time	Action	Message	Duration
92	22:44:12	SELECT product_name, SUM(quantity) AS total_quantity FROM sales GROUP BY ...	10 row(s) returned	0.000 sec /
93	22:44:12	SELECT * FROM sales ORDER BY price DESC LIMIT 1	1 row(s) returned	0.000 sec /
94	22:44:12	SELECT * FROM sales WHERE category = 'Electronics' LIMIT 0, 1000	5 row(s) returned	0.000 sec /
95	22:44:12	SELECT * FROM sales WHERE city = 'Hyderabad' LIMIT 0, 1000	3 row(s) returned	0.000 sec /
96	22:44:12	SELECT category, AVG(price) AS average_price FROM sales GROUP BY category...	3 row(s) returned	0.000 sec /
97	22:44:12	SELECT category, SUM(quantity * price) AS revenue FROM sales GROUP BY cate...	2 row(s) returned	0.000 sec /

SQLAdditions

Automatic context disabled. Use the manually get help current caret position toggle automatic

full.mwb) x EER Diagram x Local instance MySQL80 x

Database Server Tools Scripting Help

Query 1 x

Limit to 1000 rows

```
30 FROM sales
31 GROUP BY category;
32 • SELECT category,
33     SUM(quantity * price) AS revenue
34 FROM sales
35 GROUP BY category
36 HAVING revenue > 20000;
```

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

	order_id	order_date	customer_name	product_name	category	quantity	price	city
▶	101	2025-01-05	Rahul	Laptop	Electronics	2	55000.00	Hyderabad
	102	2025-01-07	Priya	Mobile	Electronics	1	25000.00	Bangalore
	103	2025-01-08	Arjun	Chair	Furniture	4	3500.00	Chennai
	104	2025-01-10	Sneha	Table	Furniture	2	7000.00	Hyderabad
	105	2025-01-12	Kiran	Headphones	Electronics	3	2000.00	Mumbai
	106	2025-01-15	Anjali	Notebook	Stationery	10	100.00	Delhi
	107	2025-01-18	Ravi	Pen	Stationery	20	20.00	Hyderabad
	108	2025-01-20	Meena	Monitor	Electronics	2	12000.00	Bangalore

Result Grid Form Editor

sales 81 x sales 82 Result 83 Result 84 Result 85 Result 86 sales 87 sales 88 sales 89 Result 90 Result 91 Apply Context Help

Output

Action Output

#	Time	Action	Message
✓ 92	22:44:12	SELECT product_name, SUM(quantity) AS total_quantity FROM sales GROUP BY ...	10 row(s) returned
✓ 93	22:44:12	SELECT * FROM sales ORDER BY price DESC LIMIT 1	1 row(s) returned
✓ 94	22:44:12	SELECT * FROM sales WHERE category = 'Electronics' LIMIT 0, 1000	5 row(s) returned
✓ 95	22:44:12	SELECT * FROM sales WHERE city = 'Hyderabad' LIMIT 0, 1000	3 row(s) returned
✓ 96	22:44:12	SELECT category, AVG(price) AS average_price FROM sales GROUP BY category...	3 row(s) returned
✓ 97	22:44:12	SELECT category, SUM(quantity * price) AS revenue FROM sales GROUP BY cate...	2 row(s) returned

MySQL Model (sakila_full.mwb) x EER Diagram x Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

sys

Tables

Views

Stored Procedures

Functions

Query 1 x

Limit to 1000 rows

```
30 FROM sales
31 GROUP BY category;
32 • SELECT category,
33     SUM(quantity * price) AS revenue
34 FROM sales
35 GROUP BY category
36 HAVING revenue > 20000;
```

Result Grid

Filter Rows:

Export:

Result Grid

Form Editor

	category	revenue
▶	Electronics	172500.00
	Furniture	36000.00

sales 62 sales 63 sales 64 Result 65 Read Only x Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 67	22:39:07	SELECT product_name, SUM(quantity) AS total_quantity FROM sales GROUP...	10 row(s) returned	0.000 sec / 0.000 sec
✓ 68	22:39:07	SELECT * FROM sales ORDER BY price DESC LIMIT 1	1 row(s) returned	0.000 sec / 0.000 sec
✓ 69	22:39:07	SELECT * FROM sales WHERE category = 'Electronics' LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 70	22:39:07	SELECT * FROM sales WHERE city = 'Hyderabad' LIMIT 0, 1000	3 row(s) returned	0.016 sec / 0.000 sec
✓ 71	22:39:07	SELECT category, AVG(price) AS average_price FROM sales GROUP BY cat...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 72	22:39:07	SELECT category, SUM(quantity * price) AS revenue FROM sales GROUP BY ...	2 row(s) returned	0.000 sec / 0.000 sec

Administration Schemas

Information

Schema: sys

Object Info Session

MySQL Workbench

MySQL Model (sakila_full.mwb) | EER Diagram | Local instance MySQL80

File | Edit | View | Query | Database | Server | Tools | Scripting | Help

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration | Schemas

Information

No object selected

Object Info | Session

Query 1

- Limit to 1000 rows

1 • SELECT * FROM sales;

Result Grid

order_id	order_date	customer_name	product_name	c
101	2025-01-05	Rahul	Laptop	El
102	2025-01-07	Priya	Mobile	El
103	2025-01-08	Arjun	Chair	Fl
104	2025-01-10	Sneha	Table	Fl
105	2025-01-12	Kiran	Headphones	El
106	2025-01-15	Anjali	Notebook	Sl
107	2025-01-18	Ravi	Pen	Sl
108	2025-01-20	Meena	Monitor	El

Apply | Revert

Context Help | Snippets

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
2	22:32:04	CREATE DATABASE sales_analysis	Error Code: 1007. Can't create database 'sales_analysis'; database exists	0.047 sec
3	22:33:07	CREATE DATABASE sales_analysis	Error Code: 1007. Can't create database 'sales_analysis'; database exists	0.000 sec
4	22:33:54	USE sales_analysis	0 row(s) affected	0.000 sec
5	22:35:12	CREATE TABLE sales (order_id INT PRIMARY KEY, order_date DATE, cu...	0 row(s) affected	0.125 sec
6	22:35:37	INSERT INTO sales VALUES (101,'2025-01-05','Rahul','Laptop','Electronics',2,550...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec
7	22:36:03	SELECT * FROM sales LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec