

Cucumber Report

Dec 29, 2022, 1:13:57 AM

Start : Dec 29, 1:13:37.158 AM

End : Dec 29, 1:13:55.762 AM

Duration : 18.604 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 3

SKIPPED - 0

PASSED - 0



FAILED - 13


SKIPPED - 0

PASSED - 10


FAILED - 13

SKIPPED - 28






#	Feature Name	T	P	F	S	Duration
1	Login page feature	3	0	3	0	16.227 s
2	Contact Us Feature	6	0	6	0	16.318 s
3	Account Page Feature	4	0	4	0	18.577 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login page feature</u>	<u>Forgot Password link</u>	2	1	1	0	10.596 s
2	<u>Login page feature</u>	<u>Login page title</u>	3	2	1	0	9.949 s
3	<u>Login page feature</u>	<u>Login with correct credentials</u>	6	1	1	4	7.475 s
4	<u>Contact Us Feature</u>	<u>Contact Us scenario with different set of data</u>	4	1	1	2	9.656 s
5	<u>Contact Us Feature</u>	<u>Contact Us scenario with different set of data</u>	4	1	1	2	8.687 s
6	<u>Contact Us Feature</u>	<u>Contact Us scenario with different set of data</u>	4	1	1	2	10.475 s
7	<u>Contact Us Feature</u>	<u>Contact Us scenario with different set of data</u>	4	1	1	2	10.278 s
8	<u>Contact Us Feature</u>	<u>Contact Us scenario with different set of data</u>	4	1	1	2	16.307 s
9	<u>Contact Us Feature</u>	<u>Contact Us scenario with different set of data</u>	4	1	1	2	9.790 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>Account Page Feature</u>	<u>Accounts section count</u>	4	0	1	3	10.630 s
11	<u>Account Page Feature</u>	<u>Accounts page title</u>	4	0	1	3	8.701 s
12	<u>Account Page Feature</u>	<u>Accounts page title</u>	4	0	1	3	7.579 s
13	<u>Account Page Feature</u>	<u>Accounts section count</u>	4	0	1	3	8.913 s


(F)- Login page feature

FAILED	DURATION - 16.227 s	Scenarios		Steps	
/ 1:13:37.158 AM // 1:13:53.385 AM /		Total - 3		Total - 11	
		Pass - 0		Pass - 4	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 4	



(S)- Forgot Password link

<div>FAILED</div> <div>DURATION - 10.596 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:13:37.162 AM // 1:13:47.758 AM /</div>				
<div>Login page feature</div>				


#	Step / Hook Details	Status	Duration
1	Given - Given user is on login page	PASSED	2.436 s
2	<p>Then - Then forgot your password link should be displayed</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Forgot your password?111"} (Session info: chrome=108.0.5359.125) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'IVILTPRCL039', ip: '192.168.1.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\Mouli\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:60548}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 596d57a631a0bceb1eadc1452d88d93a *** Element info: {Using=link text, value=Forgot your password?111}</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p>	FAILED	0.063 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByLinkText(RemoteWebDriver.java:380) at org.openqa.selenium.By\$ByLinkText.findElement(By.java:220) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at com.pages.LoginPage.isForgotPwdLinkExist(LoginPage.java:28) at parallel.LoginPageSteps.forgot_your_password_link_should_be_displayed(LoginPageSteps.java:37) at ?.forgot your password link should be displayed(file:///D:/Mouli%20bkp/LatestCucumber6WithPOM-master/src/test/resources/parallel/ LoginPage.feature:10) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.125 s
	Forgot_Password_link		
			



(S)- Login page title

<div>FAILED</div> <div>DURATION - 9.949 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:13:37.182 AM // 1:13:47.131 AM /</div>				
<div>Login page feature</div>				


#	Step / Hook Details	Status	Duration
1	Given - Given user is on login page	PASSED	1.785 s
2	When - When user gets the title of the page	PASSED	0.021 s
3	Then - Then page title should be "Login - My Store"	FAILED	0.012 s
	<pre> java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) </pre>		

#	Step / Hook Details	Status	Duration
	at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at parallel.LoginPageSteps.page_title_should_be(LoginPageSteps.java:32) at ?.page title should be "Login - My Store"(file:///D:/Mouli%20bkb/LatestCucumber6WithPOM-master/src/test/resources/parallel/LoginPage.feature:6) * Not displayable characters are replaced by '?'.		
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.180 s
	Login_page_title		
			



(S)- Login with correct credentials

<div>FAILED</div> <div>DURATION - 7.475 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 1:13:45.910 AM // 1:13:53.385 AM /</div>				
<div>Login page feature</div>				

#	Step / Hook Details	Status	Duration
1	Given - Given user is on login page	PASSED	3.220 s
2	When - When user enters username "dec2020secondbatch@gmail.com"	FAILED	0.092 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#email"} (Session info: chrome=108.0.5359.125) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'IVILTPRCL039', ip: '192.168.1.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\Mouli\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60667}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7109e5be05752240fbd1d374d07369dc *** Element info: {Using=id, value=email} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372) at org.openqa.selenium.By\$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at com.pages.LoginPage.enterUserName(LoginPage.java:32) at parallel.LoginPageSteps.user_enters_username(LoginPageSteps.java:42) at ?.user enters username "dec2020secondbatch@gmail.com"(file:///D:/Mouli%20bcp/LatestCucumber6WithPOM-master/src/test/resources/parallel/LoginPage.feature:14) * Not displayable characters are replaced by '?'. </pre>		
3	And - And user enters password "Selenium@12345"	SKIPPED	0.001 s
4	And - And user clicks on Login button	SKIPPED	0.000 s
5	Then - Then user gets the title of the page	SKIPPED	0.000 s
6	And - And page title should be "My account - My Store"	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.253 s
	Login_with_correct_credentials		
			

(F)- Contact Us Feature



FAILED	DURATION - 16.318 s	Scenarios		Steps	
/ 1:13:37.177 AM // 1:13:53.495 AM /		Total - 6		Total - 24	
		Pass - 0		Pass - 6	
		Fail - 6		Fail - 6	
		Skip - 0		Skip - 12	


(S)- Contact Us scenario with different set of data

<div><div>FAILED</div><div>DURATION - 9.656 s</div></div>		<div><div><div></div><div></div><div></div><div></div></div><div><div>1</div><div>2</div><div>3</div><div>4</div></div></div>	<div><div>Steps</div><div>Total - 4</div><div>Pass - 1</div><div>Fail - 1</div><div>Skip - 2</div></div>	<div><div><div></div><div></div><div></div><div></div></div><div>4</div></div>
/ 1:13:37.179 AM // 1:13:46.835 AM /				
Contact Us Feature				



#	Step / Hook Details	Status	Duration
1	Given - Given user navigates to contact us page	PASSED	2.328 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 1 <pre> java.io.FileNotFoundException: \Users\naveenautomationlabs\Desktop\automation.xlsx at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:317) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:295) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:276) at com.qa.util.ExcelReader.getWorkBook(ExcelReader.java:44) at com.qa.util.ExcelReader.getSheetByName(ExcelReader.java:34) at com.qa.util.ExcelReader.getData(ExcelReader.java:23) at parallel.ContactUsSteps.user_fills_the_form_from_given_sheetname_and_rownumber(ContactUsSteps.java:32) at ?.user fills the form from given sheetname "contactus" and rownumber 1(file:///D:/Mouli%20bkb/LatestCucumber6WithPOM-master/src/test/resources/parallel/ContactUs.feature:5) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	And - And user clicks on send button	SKIPPED	0.000 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.174 s
	Contact_Us_scenario_with_different_set_of_data		
			


(S)- Contact Us scenario with different set of data

<div>FAILED</div> <div>DURATION - 8.687 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 1:13:37.181 AM // 1:13:45.868 AM /</div>				
<div>Contact Us Feature</div>				



#	Step / Hook Details	Status	Duration
1	Given - Given user navigates to contact us page	PASSED	1.536 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 3 <pre> java.io.FileNotFoundException: \Users\naveenautomationlabs\Desktop\automation.xlsx at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:317) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:295) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:276) at com.qa.util.ExcelReader.getWorkBook(ExcelReader.java:44) at com.qa.util.ExcelReader.getSheetByName(ExcelReader.java:34) at com.qa.util.ExcelReader.getData(ExcelReader.java:23) at parallel.ContactUsSteps.user_fills_the_form_from_given_sheetname_and_rownumber(ContactUsSteps.java:32) at ?.user fills the form from given sheetname "contactus" and rownumber 3(file:///D:/Mouli%20bkp/LatestCucumber6WithPOM-master/src/test/resources/parallel/ContactUs.feature:5) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.018 s
3	And - And user clicks on send button	SKIPPED	0.001 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.001 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.190 s
	Contact_Us_scenario_with_different_set_of_data		
			


(S)- Contact Us scenario with different set of data

<div>FAILED</div> <div>DURATION - 10.475 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div> <div></div>
<div>/ 1:13:37.181 AM // 1:13:47.656 AM /</div>		
<div>Contact Us Feature</div>		



#	Step / Hook Details	Status	Duration
1	Given - Given user navigates to contact us page	PASSED	2.341 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 5 <pre> java.io.FileNotFoundException: \Users\naveenautomationlabs\Desktop\automation.xlsx at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:317) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:295) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:276) at com.qa.util.ExcelReader.getWorkBook(ExcelReader.java:44) at com.qa.util.ExcelReader.getSheetByName(ExcelReader.java:34) at com.qa.util.ExcelReader.getData(ExcelReader.java:23) at parallel.ContactUsSteps.user_fills_the_form_from_given_sheetname_and_rownumber(ContactUsSteps.java:32) at ?.user fills the form from given sheetname "contactus" and rownumber 5(file:///D:/Mouli%20bkb/LatestCucumber6WithPOM-master/src/test/resources/parallel/ContactUs.feature:5) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
3	And - And user clicks on send button	SKIPPED	0.000 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.001 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.134 s
	Contact_Us_scenario_with_different_set_of_data		
			


(S)- Contact Us scenario with different set of data

<div>FAILED</div> <div>DURATION - 10.278 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 1:13:37.182 AM // 1:13:47.460 AM /</div>			
<div>Contact Us Feature</div>			



#	Step / Hook Details	Status	Duration
1	Given - Given user navigates to contact us page	PASSED	1.937 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 0 <pre> java.io.FileNotFoundException: \Users\naveenautomationlabs\Desktop\automation.xlsx at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:317) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:295) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:276) at com.qa.util.ExcelReader.getWorkBook(ExcelReader.java:44) at com.qa.util.ExcelReader.getSheetByName(ExcelReader.java:34) at com.qa.util.ExcelReader.getData(ExcelReader.java:23) at parallel.ContactUsSteps.user_fills_the_form_from_given_sheetname_and_rownumber(ContactUsSteps.java:32) at ?.user fills the form from given sheetname "contactus" and rownumber 0(file:///D:/Mouli%20bkb/LatestCucumber6WithPOM-master/src/test/resources/parallel/ContactUs.feature:5) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	And - And user clicks on send button	SKIPPED	0.000 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.188 s
	Contact_Us_scenario_with_different_set_of_data		
			


(S)- Contact Us scenario with different set of data

<div>FAILED</div> <div>DURATION - 16.307 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 1:13:37.188 AM // 1:13:53.495 AM /</div>				
<div>Contact Us Feature</div>				



#	Step / Hook Details	Status	Duration
1	Given - Given user navigates to contact us page	PASSED	2.446 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 4 <pre>java.io.FileNotFoundException: \Users\naveenautomationlabs\Desktop\automation.xlsx at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:317) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:295) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:276) at com.qa.util.ExcelReader.getWorkBook(ExcelReader.java:44) at com.qa.util.ExcelReader.getSheetByName(ExcelReader.java:34) at com.qa.util.ExcelReader.getData(ExcelReader.java:23) at parallel.ContactUsSteps.user_fills_the_form_from_given_sheetname_and_rownumber(ContactUsSteps.java:32) at ?.user fills the form from given sheetname "contactus" and rownumber 4(file:///D:/Mouli%20bnp/LatestCucumber6WithPOM-master/src/test/resources/parallel/ContactUs.feature:5) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
3	And - And user clicks on send button	SKIPPED	0.000 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.002 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.237 s
	Contact_Us_scenario_with_different_set_of_data		
			

(S)- Contact Us scenario with different set of data



<div>FAILED</div> <div>DURATION - 9.790 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 1:13:37.188 AM // 1:13:46.978 AM /</div>				
<div>Contact Us Feature</div>				

#	Step / Hook Details	Status	Duration
1	Given - Given user navigates to contact us page	PASSED	1.926 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 2 <pre> java.io.FileNotFoundException: \Users\naveenautomationlabs\Desktop\automation.xlsx at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:317) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:295) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:276) at com.qa.util.ExcelReader.getWorkBook(ExcelReader.java:44) at com.qa.util.ExcelReader.getSheetByName(ExcelReader.java:34) at com.qa.util.ExcelReader.getData(ExcelReader.java:23) at parallel.ContactUsSteps.user_fills_the_form_from_given_sheetname_and_rownumber(ContactUsSteps.java:32) at ?.user fills the form from given sheetname "contactus" and rownumber 2(file:///D:/Mouli%20bnp/LatestCucumber6WithPOM-master/src/test/resources/parallel/ContactUs.feature:5) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	And - And user clicks on send button	SKIPPED	0.000 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.189 s
	Contact_Us_scenario_with_different_set_of_data		
			

(F)- Account Page Feature

FAILED	DURATION - 18.577 s	Scenarios		Steps	
/ 1:13:37.185 AM // 1:13:55.762 AM /		Total - 4		Total - 16	
		Pass - 0		Pass - 0	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 12	



(S)- Accounts section count

<div>FAILED</div> <div>DURATION - 10.630 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 1:13:37.185 AM // 1:13:47.815 AM /				
Account Page Feature				
@accounts				

#	Step / Hook Details	Status	Duration				
1	<div>Given - Given user has already logged in to application</div> <table><tr><td>username</td><td>password</td></tr><tr><td>dec2020secondbatch@gmail.com</td><td>Selenium@12345</td></tr></table> <div>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#email"} (Session info: chrome=108.0.5359.125) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'IVILTPRCL039', ip: '192.168.1.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\Mouli\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60536}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fc2b04b7121364891eee0e42415f0f62 *** Element info: {Using=id, value=email} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</div>	username	password	dec2020secondbatch@gmail.com	Selenium@12345	FAILED	2.495 s
username	password						
dec2020secondbatch@gmail.com	Selenium@12345						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372) at org.openqa.selenium.By\$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at com.pages.LoginPage.doLogin(LoginPage.java:45) at parallel.AccountsPageSteps.user_has_already_logged_in_to_application(AccountsPageSteps.java:30) at ?.user has already logged in to application(file:///D:/Mouli%20bkp/LatestCucumber6WithPOM-master/src/test/resources/parallel/AccountsPage.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given - Given user is on Accounts page	SKIPPED	0.000 s
3	Then - Then user gets accounts section	SKIPPED	0.000 s
	<div> <div>ORDER HISTORY AND DETAILS</div> <div>MY CREDIT SLIPS</div> <div>MY ADDRESSES</div> <div>MY PERSONAL INFORMATION</div> <div>MY WISHLISTS</div> <div>Home</div> </div>		
4	And - And accounts section count should be 6	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.154 s
	Accounts_section_count		



(S)- Accounts page title

<div><div>FAILED</div><div>DURATION - 8.701 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 4</div><div>Pass - 0</div><div>Fail - 1</div><div>Skip - 3</div></div> <div></div>
/ 1:13:37.193 AM // 1:13:45.894 AM /			
Account Page Feature			
@accounts			


#	Step / Hook Details	Status	Duration				
1	<div>Given - Given user has already logged in to application</div> <table><tr><td>username</td><td>password</td></tr><tr><td>dec2020secondbatch@gmail.com</td><td>Selenium@12345</td></tr></table> <div>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#email"} (Session info: chrome=108.0.5359.125) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'IVILTPRCL039', ip: '192.168.1.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\Mouli\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60517}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6f1bdd381f31808542a3fb5fa2f44708 *** Element info: {Using=id, value=email} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372) at org.openqa.selenium.By\$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at com.pages.LoginPage.doLogin(LoginPage.java:45) at parallel.AccountsPageSteps.user_has_already_logged_in_to_application(AccountsPageSteps.java:30)</div>	username	password	dec2020secondbatch@gmail.com	Selenium@12345	FAILED	2.024 s
username	password						
dec2020secondbatch@gmail.com	Selenium@12345						

#	Step / Hook Details	Status	Duration
	at ?.user has already logged in to application(file:///D:/Mouli%20bnp/LatestCucumber6WithPOM-master/src/test/resources/parallel/AccountsPage.feature:4) * Not displayable characters are replaced by '?'. 2 Given - Given user is on Accounts page 3 When - When user gets the title of the page 4 Then - Then page title should be "My account - My Store"		
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.158 s
	Accounts_page_title		
	Account Suspended This Account has been suspended. Contact your trading advisor for more information.		



(S)- Accounts page title

FAILED	DURATION - 7.579 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 1:13:45.931 AM // 1:13:53.510 AM /				
Account Page Feature				
@accounts				


#	Step / Hook Details	Status	Duration				
1	<div>Given - Given user has already logged in to application</div> <table><tr><td>username</td><td>password</td></tr><tr><td>dec2020secondbatch@gmail.com</td><td>Selenium@12345</td></tr></table> <div>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#email"} (Session info: chrome=108.0.5359.125) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'IVILTPRCL039', ip: '192.168.1.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\Mouli\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60669}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,</div>	username	password	dec2020secondbatch@gmail.com	Selenium@12345	FAILED	3.565 s
username	password						
dec2020secondbatch@gmail.com	Selenium@12345						

#	Step / Hook Details	Status	Duration
	<pre>webauthn:virtualAuthenticators: true} Session ID: d410ada6a3e8f8b181d83b0b3c52f460 *** Element info: {Using=id, value=email} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372) at org.openqa.selenium.By\$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at com.pages.LoginPage.doLogin(LoginPage.java:45) at parallel.AccountsPageSteps.user_has_already_logged_in_to_application(AccountsPageSteps.java:30) at ?.user has already logged in to application(file:///D:/Mouli%20bkp/LatestCucumber6WithPOM-master/src/test/resources/parallel/acc. feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given - Given user is on Accounts page	SKIPPED	0.000 s
3	When - When user gets the title of the page	SKIPPED	0.000 s
4	Then - Then page title should be "My account - My Store"	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.186 s
	Accounts_page_title		
	<div> <input type="checkbox"/> Account Suspended <div>  </div> </div>		

(S)- Accounts section count

<div><div>FAILED</div><div>DURATION - 8.913 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 4</div><div>Pass - 0</div><div>Fail - 1</div><div>Skip - 3</div></div>	<div></div>
/ 1:13:46.849 AM // 1:13:55.762 AM /				
Account Page Feature				
@accounts				

#	Step / Hook Details	Status	Duration				
1	<div>Given - Given user has already logged in to application</div> <table><tr><td>username</td><td>password</td></tr><tr><td>dec2020secondbatch@gmail.com</td><td>Selenium@12345</td></tr></table> <div>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#email"} (Session info: chrome=108.0.5359.125) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'IVILTPRCL039', ip: '192.168.1.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\Mouli\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60687}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6297e344d7917625c8508ea872d21d7a *** Element info: {Using=id, value=email} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372) at org.openqa.selenium.By\$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at com.pages.LoginPage.doLogin(LoginPage.java:45) at parallel.AccountsPageSteps.user_has_already_logged_in_to_application(AccountsPageSteps.java:30)</div>	username	password	dec2020secondbatch@gmail.com	Selenium@12345	FAILED	1.910 s
username	password						
dec2020secondbatch@gmail.com	Selenium@12345						

#	Step / Hook Details	Status	Duration
	<p>at ?.user has already logged in to application(file:///D:/Mouli%20bkp/LatestCucumber6WithPOM-master/src/test/resources/parallel/acc.feature:4)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	Given - Given user is on Accounts page	SKIPPED	0.000 s
3	Then - Then user gets accounts section	SKIPPED	0.000 s
	<div>ORDER HISTORY AND DETAILS</div> <div>MY CREDIT SLIPS</div> <div>MY ADDRESSES</div> <div>MY PERSONAL INFORMATION</div> <div>MY WISHLISTS</div> <div>Home</div>		
4	And - And accounts section count should be 6	SKIPPED	0.001 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.146 s
	Accounts_section_count		
	<p>Account Suspended</p> <p>This Account has been suspended. Contact your hosting provider for more information.</p> 		

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Forgot Password link

(F) Login page feature

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Login page title

(F) Login page feature



This Account has been suspended.

Contact your hosting provider for more information.

Account Suspended

This Account has been suspended.

Contact your hosting provider for more information.

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Login with correct credentials

(F) Login page feature

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Contact Us scenario with different set
of data

(F) Contact Us Feature

Account Suspended

This Account has been suspended.

[Contact your hosting provider](#) for more information.

Account Suspended

This Account has been suspended.

[Contact your hosting provider](#) for more information.

Account Suspended

This Account has been suspended.

[Contact your hosting provider](#) for more information.

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Contact Us scenario with different set
of data

(F) Contact Us Feature

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Contact Us scenario with different set
of data

(F) Contact Us Feature



This Account has been suspended.

[Contact your hosting provider](#) for more information.

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Contact Us scenario with different set
of data

(F) Contact Us Feature

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Contact Us scenario with different set
of data

(F) Contact Us Feature



Account Suspended

This Account has been suspended.

[Contact your hosting provider](#) for more information.



Account Suspended

This Account has been suspended.

[Contact your hosting provider](#) for more information.

Account Suspended

This Account has been suspended.

[Contact your hosting provider](#) for more information.

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Contact Us scenario with different set
of data

(F) Contact Us Feature

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Accounts section count

(F) Account Page Feature



This Account has been suspended.

[Contact your hosting provider](#) for more information.

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

Account Suspended

This Account has been suspended.

Contact your hosting provider for more information.

(S) Accounts page title

(F) Account Page Feature

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

☐ Account Suspended

This Account has been suspended.

Contact your hosting provider for more information.

(S) Accounts page title

(F) Account Page Feature

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

Account Suspended

This Account has been suspended.

[Contact your hosting provider](#) for more information.

(S) Accounts section count

(F) Account Page Feature