

# DOCUMENT TECHNICAL BLUEPRINT

## What

The Technical Blueprint describes the ServiceNow components, data structures, mappings, and automation logic used to implement the Automated Network Request Management solution.

The blueprint provides a technical reference for understanding how the Service Catalog, custom tables, Flow Designer, approvals, and Service Portal components work together.

## Why

Documenting the technical architecture helps:

- Explain how the solution is implemented.
- Make the configuration easier to reproduce.
- Support troubleshooting and maintenance.
- Provide a clear handover reference for administrators and developers.
- Show how user-submitted data moves through the application.
- Demonstrate how automation and approval logic are implemented.

## How

### Flow Designer Configuration

Flow Designer is the primary automation component used in the solution.

The Network Request flow is triggered when the Network Request catalog item is submitted.

The flow contains the following major actions:

| Component               | Technical Purpose                                            |
|-------------------------|--------------------------------------------------------------|
| Service Catalog Trigger | Starts the automation when a Network Request is submitted    |
| Get Catalog Variables   | Retrieves values entered through the catalog form            |
| Create Record           | Creates a corresponding record in the Network Database table |
| Send Email              | Generates automated request notifications                    |
| Ask for Approval        | Initiates the required approval process                      |
| Flow Logic              | Evaluates the approval result                                |
| Update Record           | Updates the Network Database record according to the outcome |

## Variable-to-Field Mapping

### What

The catalog variables entered by the requester are mapped to corresponding fields in the Network Database custom table.

### How

The Get Catalog Variables action retrieves the submitted values. These values are then used as data inputs for the Create Record action.

Example mapping:

| Catalog Variable              | Network Database Field               | Purpose                                                 |
|-------------------------------|--------------------------------------|---------------------------------------------------------|
| <b>Requested For</b>          | Requested For                        | Identifies the requester                                |
| <b>Mobile Number</b>          | Mobile Number                        | Stores contact information                              |
| <b>Type of Connection</b>     | Type of Connection                   | Identifies the requested connection                     |
| <b>Enter your Existing ID</b> | Existing ID /<br>corresponding field | Stores existing connection information where applicable |
| <b>Total Amount</b>           | Total Amount                         | Stores the requested amount                             |
| <b>Mode of Payment</b>        | Mode of Payment                      | Stores payment preference                               |
| <b>Address</b>                | Customer Address                     | Stores the service/request address                      |

Use the exact field names from your ServiceNow instance in the final screenshot and table. If a field does not exist in your actual custom table, do not include it as an implemented mapping.

## Custom Table Schema

The solution uses a custom Network Database table to store structured information generated from Network Requests.

The technical table name should be documented according to the actual table created in the instance.

### Network Database Table

**Table Label:** Network Database

**Technical Name:** u\_network\_database

The table contains fields for request and customer information, including:

- Database Number

- Assignment to
- Mobile Number
- Total Amount
- Mode of Payment
- Type of Connection
- Customer Address
- Approval Status
- Requested For

### **Network Task Table**

The technical blueprint also references:

**Technical Name:** u\_network\_task

If this table has been created and used in your actual implementation, document its fields and relationships here.

If u\_network\_task has not actually been created or used, do not present it as an implemented component. Instead, mark it as Not implemented / Future enhancement.

### **Approval Condition Logic**

#### **What**

The approval result is evaluated within Flow Designer before the request proceeds to its next processing stage.

#### **How**

The Ask for Approval action generates the approval request.

The subsequent conditional logic evaluates the approval state.

The implemented logic can be documented as:

### **Approval Result Processing**

**Approved**            Network Database record is updated with the approved status

**Rejected**            Network Database record is updated with the rejected status

### **Service Portal / Widget References**

The Network Request is accessed through the ServiceNow Service Portal.

The standard Service Portal/catalog functionality is used to provide the requester-facing interface.

If custom widgets were created, document them here with:

- Widget name
- Purpose
- Pages where the widget is used
- Custom HTML/CSS/Client Script, if applicable
- Server-side logic, if applicable

### **Important**

If no custom Service Portal widgets were created, document this explicitly:

**Custom Portal Widgets: Not implemented.** The solution uses the standard ServiceNow Service Portal and catalog functionality for Network Request submission.

This is better than implying that custom widgets exist when they do not.

### **Technical Blueprint Summary**

| <b>Technical Component</b>    | <b>Implementation</b>                               |
|-------------------------------|-----------------------------------------------------|
| <b>User Interface</b>         | ServiceNow Service Portal                           |
| <b>Catalog Item</b>           | Network Request                                     |
| <b>Variables</b>              | Request-specific catalog variables and variable set |
| <b>Form Logic</b>             | UI Policies and minimal Client Scripts              |
| <b>Automation</b>             | Flow Designer                                       |
| <b>Data Storage</b>           | u_network_database                                  |
| <b>Approval</b>               | Flow Designer Ask for Approval                      |
| <b>Notifications</b>          | Flow Designer Send Email                            |
| <b>Access Control</b>         | ServiceNow ACLs                                     |
| <b>Custom Script Includes</b> | Not used                                            |
| <b>Custom Business Rules</b>  | Not used                                            |
| <b>Custom Portal Widgets</b>  | Only if actually implemented                        |

## **Outcome**

The Technical Blueprint provides a consolidated technical reference for the Automated Network Request Management solution.

It documents the relationship between the Service Catalog, variables, custom table, Flow Designer automation, approval logic, notifications, and Service Portal, making the implementation easier to understand, reproduce, maintain, and hand over.

## **Replicability Note**

A future administrator can reproduce the solution by creating the required catalog item and variables, configuring the custom Network Database table and fields, mapping catalog variables through Flow Designer, configuring approval and notification actions, and validating the resulting records and workflow execution.