Multiple Inheritance in Uber

1.

```python
class Person:
    def __init__(self, name, contact):
        self.name = name
        self.contact = contact
class Driver:
    def __init__(self, license_no, rating):
        self.license_no = license_no
        self.rating = rating
class UberDriver(Person, Driver):
    def __init__(self, name, contact, license_no, rating, car):
        Person.__init__(self, name, contact)
        Driver.__init__(self, license_no, rating)
        self.car = car
    def show(self):
        print(f"Name: {self.name}, Contact: {self.contact}")
        print(f"License No: {self.license_no}, Rating: {self.rating}")
        print(f"Car: {self.car}")
d1 = UberDriver("Rahul", "9876543210", "DLX12345", 4.9, "Hyundai i20")
```

output:

Name: Rahul, Contact: 9876543210

License No: DLX12345, Rating: 4.9

Car: Hyundai i20

2. Multiple Inheritance in Blinkit

```python
class Person:
    def __init__(self, name, contact):
        self.name=name
        self.contact=contact

class Employee:
    def __init__(self,emp_id, salary):
        self.emp_id=emp_id
        self.salary= salary

class DeliveryPartner(Person, Employee):
    def __init__(self, name, contact, emp_id, salary, vehicle):
        Person.__init__(self, name, contact)
        Employee.__init__(self, emp_id, salary)
        self.vehicle = vehicle

    def show(self):
        print(f"Name: {self.name}, Contact: {self.contact}")
        print(f"Employee ID: {self.emp_id}, Salary: {self.salary}")
        print(f"Vehicle: {self.vehicle}")

dp1 = DeliveryPartner("Anil", "9876543210", "BKP101", 12000, "Scooter")
```

dp1.show()

output:

Name: Anil, Contact: 9876543210

Employee ID: BKP101, Salary: 12000

Vehicle: Scooter