

Python Classes and Review for Exam #2

November 9, 2020

Reminder - Exam 2 is Wednesday

During the class period

On Blackboard

Similar to Exam 1

- 75 points
- True/False - Multiple Choice; Short Answer; Debugging; Programming

Sample Exam on Blackboard; we'll review it today

Classes

This material is NOT on the test, but you need it to do Lab 10 this week

“Classes”, “objects”, “object-oriented programming” - buzzwords, but what are they really?

Abstractions that make programming easier

Help programmers think about ‘objects’ with properties to which they can relate

- A “car” has properties like engine type; speed; fuel consumption; number of seats; ...
- It can also have properties like “who’s the driver; who are the passengers”

We want to implement “objects” to make programming easier

Done slightly differently in each programming language

Python is somewhat unique in that it is not inherently an object-oriented language

- Classes are not a fundamental part of Python
- You can do a lot of programming in Python without ever getting into classes/objects - and most people do!!

But since this is a first programming course, students need to be introduced to the topic

Classes in Python

First you have to define a class. Use the reserved word `class`, followed by the name of the class - any valid Python variable name. In CMSC 201, we use UpperCamelCase for class names, to make it apparent to the reader

```
class MyClass:
```

```
    """A simple example class"""
```

```
    i = 12345
```

```
    def f(self):
```

```
        return 'hello world'
```

Class instantiation

To create an object that is an instance of a class, use an assignment statement

```
x = MyClass()
```

But that produces an empty object, which is not really useful. So Python defines a “constructor method” that lets you create a new object with properties that you want

```
class Car:
    def __init__(self):
        self.make = 'Toyota'
        self.model = 'Camry'
        self.vin = '123412341234'
        self.license_plate = '3AB1234'
```

Two underscore characters

From lab 10

Class “car”

(from the previous slide)

That code will let you define an object that is of class ‘car’ and has the properties that you want.

But that means every car you create is a Toyota Camry with *that* VIN and *that* license plate - which is likely not what you want

So you can define the class using a skeleton

Skeleton:

```
class Car:
    def __init__(self, make, model, vin, license_plate):
        self.make = make
        self.model = model
        self.vin = vin        self.license_plate = license_plate
```

Now you can create a car:

It looks like a function call

```
my_car = Car('Toyota', 'Corolla', '12345', 'GoDogs')
```

The arguments get mapped to the variables in the class

```
your_car = Car('Honda', 'CRV', '98765', 'GoTerps')
```


Accessing those variables

`my_car.make`

`your_car.model`

`my_car.vin`

Methods

Functions can be defined inside of classes to operate on the variables and values internal to the class - these are called “methods” - you’ve seen that word before!!!

```
class Passenger:  
    def __init__(self, name):  
        self.name = name
```

A method to add a passenger to a car

```
def add_passenger(self, passenger):  
    self.passengers.append(passenger)
```

```
class Car:  
    def __init__(self, make, model, vin, license_plate):  
        self.make = make  
        self.model = model  
        self.vin = vin  
        self.license_plate = license_plate  
        self.passengers = []
```

Add a passenger to my_car

```
eric = Passenger('Eric')  
my_car.add_passenger(eric)
```

Going over the rest of Lab 10:

Exam 2

The rest of the class will go over the sample exam and answer any other questions