

# CATALOG

First-class corporate reputation  
First-class after-sales service  
First-class product quality

## HIGH-END DECORATIVE STRIP

Your Guide to New Products

# CONTENTS

## LED skirting board

P4-P19

RMS-A3 (8/10/12CM 卡扣灯带款) -----	P4
RMS-A7 (5CM 卡扣灯带款) -----	P6
RMS-A8 (内嵌灯带款) -----	P8
RMS-A9 (明装灯带款) -----	P10
RMS-A12 (弧形灯带款) -----	P12
RMS-A32 (典雅灯带款) -----	P14
RMS-A36 (上发光卡扣款) -----	P16
Light Strip (灯带) -----	P18
Transformer (变压器 / 接线) -----	P19

## Skirting board

P20-P44

RMS-A1 (经典卡扣款) -----	P20
RMS-A2 (极简打胶款) -----	P22
RMS-A4 (嵌入式安装款) -----	P24
RMS-A5 (轻奢卡扣款) -----	P26
RMS-A5N (自然木韵款) -----	P28
RMS-A39 (轻奢特厚款) -----	P30
RMS-A13 (钻石卡扣款) -----	P32
RMS-A16 (斜面卡扣款) -----	P34
RMS-A18 (不锈钢款) -----	P36
RMS-A19 (2CM 款) -----	P38
RMS-A20 (无痕直边款) -----	P40
RMS-A33 (双层扣式款) -----	P42
RMS-A34 (弧形直边款) -----	P44

## Plaster-coated skirting board

P46-P52

RMS-A30 (免开槽批灰款) -----	P46
RMS-A31 (内嵌批灰款) -----	P48
RMS-A37 (折弯批灰款) -----	P50
RMS-A38 (平墙批灰款) -----	P52

HIGH-END  
DECORATIVE  
STRIP



## LED skirting board——RMS-A-3



### FRONT INSTALLATION ILLUSTRATION



### ACCESSORIES



**Left /Right End Cap**  
RMS-A-3-A8-EC



**Outside Corner**  
RMS-A-3-A8-OC



**Connector**  
RMS-A-3-A8-CO




**Inside Corner**  
RMS-A-3-A8-IC



**Light Slot Cover**  
RMS-A-3-A8-LSC

## Product parameters

### Installation Diagram



RMS-A-3-A8	RMS-A-3-A10 <b>(Custom)</b>	RMS-A-3-A12 <b>(Custom)</b>
	10 10 100 10 10	10 10 120 10 10
<b>Material:</b>		<b>Length(mm):</b> 2500

### COLOR



**Black brushed**  
80/100/120mm



**Iron grey brushed**  
80mm



**White**  
100/120mm**(Custom)**



**Rose gold brushed**  
80mm



**Black brushed**  
80/100/120mm



**Iron grey brushed**  
80mm



**White**  
100/120mm**(Custom)**



**Rose gold brushed**  
80mm

## LED skirting board——RMS-A-7



### FRONT INSTALLATION ILLUSTRATION



### ACCESSORIES



**Left /Right End Cap**  
RMS-A-7-A5-EC



**Inside Corner**  
RMS-A-7-A5-IC



**Outside Corner**  
RMS-A-7-A5-OC




**Connector**  
RMS-A-7-A5-CO



**Light Slot Cover**  
RMS-A-7-A5-LSC

## Product parameters

### Installation Diagram



RMS-A-7-A5	Material:	Length(mm):
Aluminum	2500	


### COLOR




**Sand black**  
50mm




**Sand grey**  
50mm



**White**  
50mm



**Sand black**  
50mm




**Sand grey**  
50mm




**White**  
50mm


## LED skirting board——RMS-A-8



### FRONT INSTALLATION ILLUSTRATION




### ACCESSORIES



## Product parameters

### Installation Diagram



RMS-A-8-A4-I2	RMS-A-8-A6.5-I2	RMS-A-8-A4-9	RMS-A-8-A6.5-9
12	12	9	9
12	16	12	16
6	6	6	6
40	65	40	65
13	13	13	13
Material:		Length(mm):	
Aluminum		2500	


### COLOR



## LED skirting board——RMS-A-9



### FRONT INSTALLATION ILLUSTRATION



### ACCESSORIES



**Left End Cap**  
RMS-A-9-A5-LEC



**Inside Corner**  
RMS-A-9-A5-IC



**Outside Corner**  
RMS-A-9-A5-OC




**Right End Cap**  
RMS-A-9-A5-REC



**Light Slot Cover**  
RMS-A-9-LSC

## Product parameters

### Installation Diagram



RMS-A-9-A5	RMS-A-9-A8
<b>Material:</b> Aluminum  	<b>Length(mm):</b> 2500  

### COLOR

(Off Light Effect)



**Black**  
50/80mm

(Off Light Effect)



**Dark grey**  
50/80mm

(Off Light Effect)



**White**  
50/80mm

(Off Light Effect)



**Matte gold**  
50/80mm

(On Light Effect)



**Black**  
50/80mm

(On Light Effect)



**Dark grey**  
50/80mm

(On Light Effect)



**White**  
50/80mm

(On Light Effect)




**Matte gold**  
50/80mm


## LED skirting board——RMS-A-12



### FRONT INSTALLATION ILLUSTRATION




### ACCESSORIES



**Left End Cap**  
RMS-A-12-A6-LEC




**Outside Corner**  
RMS-A-12-A6-OC



**Inside Corner**  
RMS-A-12-A6-IC




**Right End Cap**  
RMS-A-12-A6-REC



**Light Slot Cover**  
RMS-A-12-LSC

## Product parameters

### Installation Diagram



RMS-A-12-A6	RMS-A-12-A8
<b>Material:</b> Aluminum	<b>Length(mm):</b> 2500

### COLOR



**Black**  
60/80mm



**Dark grey**  
60/80mm




**Black**  
60/80mm




**Dark grey**  
60/80mm


## LED skirting board——RMS-A-32



### FRONT INSTALLATION ILLUSTRATION



### ACCESSORIES



**Left End Cap**




**Inside Corner**  
RMS-A-32-A6-IC




**Outside Corner**  
RMS-A-32-A6-OC



**Connector**  
RMS-A-32-A6-CO




**Right End Cap**  
RMS-A-32-A6-REC



**Light Slot Cover**  
RMS-A-32-LSC

## Product parameters

### Installation Diagram



RMS-A-32-A6	RMS-A-32-A8
<b>Material:</b> Aluminum  <b>Length(mm):</b> 2500	<b>Length(mm):</b> 2500

### COLOR




**Black**  
60/80mm



**Dark grey**  
60/80mm



**Black**  
60/80mm



**Dark grey**  
60/80mm

## LED skirting board——RMS-A-36



### FRONT INSTALLATION ILLUSTRATION



### ACCESSORIES



**Left End Cap**  
RMS-A-36-A5-LEC

**Inside Corner**  
RMS-A-36-A5-IC


**Outside Corner**  
RMS-A-36-A5-OC

**Right End Cap**  
RMS-A-36-A5-REC

**Light Slot Cover**  
RMS-A-36-LSC

## Product parameters

### Installation Diagram



RMS-A-36-A5	RMS-A-36-A8
Material: Aluminum Length(mm): 2500	

### COLOR



**Sand black**  
50mm



**Sand black**  
80mm




**Sand black**  
50mm



**Sand black**  
80mm

## Light Strip Parameters



**Voltage:** 12V/24V

**Power:** 1M ≤ 12W

**IPS:** IP20

**Color Temperature:** 6000K/4000K/3000K



**Voltage:** 12V/24V

**Power:** 1M ≤ 7W

**IPS:** IP20


**Color Temperature:** 6000K/4000K/3000K



**Length:** 10m/ Reel

**Color rendering index:** Ra ≥ 80

**Lamp:** 320D/M



**3000K**

**Length:** 5m/ Reel

**Color rendering index:** Ra ≥ 80

**Lamp:** 480D/M

## Transformer / Joint

**Output voltage :** 12V / 24V

**Output current :** 8.3A

**Rated power:** 200W

**Size:** 177x49x22mm



**Output voltage :** 12V / 24V

**Output current :** 12A


**Rated power:** 300W

**Size:** 204x50x22mm



**Solderless crystal head**


Crystal Head



**Model :** 2 / 3 / 4pin

**Intermediate crystal head**


Crystal Head



## SKITING PROFILE——RMS-A-1



## FRONT INSTALLATION ILLUSTRATION




## ACCESSORIES



**Inside Corner**  
RMS-A-1-A6-IC

## Product parameters

### Installation Diagram



RMS-A-1-A4	RMS-A-1-A5	RMS-A-1-A6	RMS-A-1-A8	RMS-A-1-A10
11	11	11	11.5	11.5
40	50	60	80	100
1.3	1.3	1.3	1.3	1.3
<b>Material:</b>				<b>Length(mm):</b>
Aluminum				2500

## COLOR



**Ru Celadon**  
40/50/60mm



**Pale Latte**  
40/50/60mm



**Alkali sand silver**  
40/50/60/80mm



**White**  
50/60/80/100mm



**Rose gold Brushed**  
50/60/80/100mm



**Silver Brushed**  
50/60/80/100mm



**Champagne Brushed**  
50/60/80/100mm



**Iroy Grey Brushed**  
50/60/80/100mm



**Black Brushed**  
40/50/60/80/100mm



**Sand Black**  
40/50/60/80/100mm




**Sand Grey**  
40/50/60/80/100mm




**Bronze Brushed**  
60mm


## SKITING PROFILE——RMS-A-2



### FRONT INSTALLATION ILLUSTRATION



### ACCESSORIES




## Product parameters

### Installation Diagram





RMS-A-2-A4	RMS-A-2-A6	RMS-A-2-A8	RMS-A-2-A10
3	3	3	3
40	60	80	100
12	12	12	12
<b>Material:</b>			<b>Length(mm):</b>
Aluminum			2500

### COLOR



## SKITING PROFILE——RMS-A-4




### FRONT INSTALLATION ILLUSTRATION



### ACCESSORIES (3/5cm)

Note: This model 2/2.5cm has no accessories



**Left End Cap**  
RMS-A-4-A5-LEC



**Connector**  
RMS-A-4-A5-CO



**Inside Corner**  
RMS-A-4-A5-IC



**Outside Corner**  
RMS-A-4-A5-OC




**Right End Cap**  
RMS-A-4-A5-REC

## Product parameters

RMS-A-4-A2A	RMS-A-4-A2B	RMS-A-4-A3	RMS-A-4-A5	RMS-A-4-A8
19	16	26	46	76
25	5	5	10	5
9	9	9	9	9
20	20	30	50	80
<b>Material:</b>			<b>Length(mm):</b>	
Aluminum			2500	


### Installation Diagram



### COLOR




**Iron grey**  
80mm



**Iron grey**  
50mm



**Iron grey**  
30mm



**Iron grey**  
20mm



**Black**  
80mm



**Black**  
50mm



**Black**  
30mm




**Black**  
20mm



**Gold**  
50mm



**Gold**  
30mm




**Gold**  
20mm

## SKITING PROFILE——RMS-A-5



## Product parameters

### Installation Diagram




RMS-A-5-A4.6	RMS-A-5-A6	RMS-A-5-A8	RMS-A-5-A10
4.6	4.6	4.6	4.6
46	60	80	100
15	15	15	15
Material:			Length(mm):
Aluminum			2500


### FRONT INSTALLATION ILLUSTRATION



### COLOR



### ACCESSORIES



## SKITING PROFILE——RMS-A-5N




## Product parameters

RMS-A-5N-A6	
Material: Aluminum	Length(mm): 2500

## Installation Diagram



## FRONT INSTALLATION ILLUSTRATION



## ACCESSORIES



Left End Cap  
RMS-A-5N-A6-LEC


Connector  
RMS-A-5N-A6-CO

Inside Corner  
RMS-A-5N-A6-IC

Outside Corner  
RMS-A-5N-A6-OC

Right End Cap  
RMS-A-5N-A6-REC

## COLOR




Walnut  
60mm

Red rose wood  
60mm


Teak  
60mm

## SKITING PROFILE——RMS-A-39




## Product parameters

### Installation Diagram




RMS-A-39-A4	RMS-A-5-A6	RMS-A-5-A8
Material:		Length(mm):
Aluminum		2500

### FRONT INSTALLATION ILLUSTRATION



### ACCESSORIES



**Left End Cap**  
RMS-A-39-LEC

**Connector**  
RMS-A-39-CO

**Inside Corner**  
RMS-A-39-IC

**Outside Corner**  
RMS-A-39-OC

**Right End Cap**  
RMS-A-39-REC

### COLOR



**Pale latte**  
40/60/80mm



**White**  
40/60/80mm



**Warm white**  
40/60/80mm




**Grey**  
40/60/80mm




**Milk grey**  
40/60/80mm



**Meridian grey**  
40/60/80mm



**Black**  
40/60/80mm



**Gunmetal grey**  
40/60/80mm



**Dark grey**  
40/60/80mm


## SKITING PROFILE——RMS-A-13




## Product parameters

RMS-A-13-A2.6	RMS-A-13-A4	RMS-A-13-A6	RMS-A-13-A8
			4.8
Material: Aluminum			Length(mm): 2500

## Installation Diagram



## FRONT INSTALLATION ILLUSTRATION



## COLOR



## ACCESSORIES




## SKITING PROFILE——RMS-A-16



### FRONT INSTALLATION ILLUSTRATION



### ACCESSORIES



**Left End Cap**  
RMS-A-16-A7-LEC

**Outside Corner**  
RMS-A-16-A7-OC


**Connector**  
RMS-A-16-A7-CO




**Inside Corner**  
RMS-A-16-A7-IC

**Right End Cap**  
RMS-A-16-A7-REC

## Product parameters

### Installation Diagram



RMS-A-16-A3	RMS-A-16-A5	RMS-A-16-A7
		
<b>Material:</b> Aluminum	<b>Length(mm):</b> 2500	

### COLOR



**Black**  
30/50/70mm

**Grey**  
30/50/70mm

**Vanilla White**  
30/50/70mm

**Apricot**  
30/50/70mm




**Dark grey**  
30/50/70mm


**Meridian grey**  
30/50/70mm

**Pale latte**  
30/50/70mm

## SKITING PROFILE——RMS-A-18



### FRONT INSTALLATION ILLUSTRATION




### ACCESSORIES




## Product parameters

RMS-A-18-A4	RMS-A-18-A6	RMS-A-18-A8
10 40	10 60	10 80
<b>Material:</b> Stainless Steel		<b>Length(mm):</b> 2440


### Installation Diagram



### COLOR



## SKITING PROFILE——RMS-A-19




### FRONT INSTALLATION ILLUSTRATION




### ACCESSORIES



**Left End Cap**  
RMS-A-19-A2-LEC




**Inside Corner**  
RMS-A-19-A2-IC



**Outside Corner**  
RMS-A-19-A2-OC




**Connector**  
RMS-A-19-A2-CO



**Right End Cap**  
RMS-A-19-A2-REC


## Product parameters

### Installation Diagram



RMS-A-19-A2	
Material: Aluminum	Length(mm): 2500

### COLOR



**Black**  
20mm



**Iron grey**  
20mm




**Ru Celadon**  
20mm

## SKITING PROFILE——RMS-A-20



### Installation Diagram



RMS-A-20-A3	RMS-A-20-A4	RMS-A-20-A5	RMS-A-13-A6
			8.2
Material:		Length(mm):	
Aluminum		2500	

### SEAMLESS ACCESSORIES (3/4/5/6cm)



**Inside Corner**  
RMS-A-20-A5-IC


**Outside Corner**  
RMS-A-20-A5-OC

**Connector**  
RMS-A-20-A5-CO

**Left End Cap**  
RMS-A-20-A5-LEC

**Right End Cap**  
RMS-A-20-A5-REC

### PARCEL ACCESSORIES (3/4/5/6cm)



**Inside Corner**  
RMS-A-20-A5-IC

**Outside Corner**  
RMS-A-20-A5-OC

**Connector**  
RMS-A-20-A5-CO

**Left End Cap**  
RMS-A-20-A5-LEC

**Right End Cap**  
RMS-A-20-A5-REC

### COLOR



**Apricot**  
30/40/50/60mm

**Coco cream**  
30/40/50/60mm

**Ru Celadon**  
30/40/50/60mm

**Light grey**  
30/40/50/60mm

**Milk grey**  
30/40/50/60mm

**Pale Latte**  
30/40/50/60mm

**Black**  
30/40/50/60mm

**Gunmetal grey**  
30/40/50/60mm


**Iron grey**  
30/40/50/60mm

## SKITING PROFILE——RMS-A-33



## Product parameters

### Installation Diagram



RMS-A-33-A4	RMS-A-33-A6	RMS-A-33-A8
	60	80
Material:		Length(mm):
Aluminum		2500

## FRONT INSTALLATION ILLUSTRATION



## COLOR



**Warm white**  
40/60/80mm



**Vast sky**  
40/60/80mm



**Pale Latte**  
40/60/80mm



**Meridian gray**  
40/60/80mm



**Milk grey**  
40/60/80mm



**Black**  
40/60/80mm

## ACCESSORIES



**Inside Corner**  
RMS-A-33-A6-IC

**Outside Corner**  
RMS-A-33-A6-OC

**Connector**  
RMS-A-33-A6-CO


**Left End Cap**  
RMS-A-33-A6-LEC

**Right End Cap**  
RMS-A-33-A6-REC

## SKITING PROFILE——RMS-A-34



### Installation Diagram



RMS-A-34-A4	RMS-A-34-A6	RMS-A-34-A8
8.2	8.2	8.2
40	60	80
<b>Material:</b>		<b>Length(mm):</b>
Aluminum		2500


### SEAMLESS ACCESSORIES



**Left End Cap**



**Inside Corner**



**Connector**



**Outside Corner**



**Right End Cap**

### PARCEL ACCESSORIES



**Left End Cap**



**Inside Corner**



**Connector**



**Outside Corner**



**Right End Cap**

### COLOR



**Black**  
40/60/80mm



**Gummetal grey**  
40/60/80mm



**Meridian Gray**  
40/60/80mm



**White**  
40/60/80mm



**Pale Latte**  
40/60/80mm



**Coco Cream**  
40/60/80mm



**White Oak**  
40/60/80mm



**American oak**  
40/60/80mm



**Yellow Oak**  
40/60/80mm



**Manchurian Ash**  
40/60/80mm



**Black walnut**  
40/60/80mm



**Silver Pear**  
40/60/80mm



**Teak wood**  
40/60/80mm

## Product parameters

## SKITING PROFILE——RMS-A-30




## Product parameters

RMS-A-30-A2	RMS-A-30-A3	RMS-A-30-A4
42	52	62
2,5	2,5	2,5
20	30	40
8	8	8
Material:		
Aluminum		
Length(mm):		
2500		

## FRONT INSTALLATION ILLUSTRATION




## COLOR



## ACCESSORIES




## SKITING PROFILE——RMS-A-31



### FRONT INSTALLATION ILLUSTRATION







### ACCESSORIES



## Product parameters

### Installation Diagram



RMS-A-31-A2	RMS-A-31-A3	RMS-A-31-A4
		
<b>Material:</b> Aluminum	<b>Length(mm):</b> 2500	

### COLOR



**White**  
20mm



**White**  
30mm



**White**  
40mm



**Black**  
20mm



**Black**  
30mm




**Black**  
40mm

## SKITING PROFILE——RMS-A-37



### FRONT INSTALLATION ILLUSTRATION




### ACCESSORIES




## Product parameters

### Installation Diagram




RMS-A-37-A2	RMS-A-37-A3	RMS-A-37-A4
2.5	2.5	2.5
42	52	62
20	30	40
1.1	1.1	1.1
Material:		Length(mm):
Aluminum		2500

### COLOR




## SKITING PROFILE——RMS-A-38




### FRONT INSTALLATION ILLUSTRATION



### ACCESSORIES



### Product parameters



RMS-A-38-A2	RMS-A-38-A3	RMS-A-38-A4
42	52	62
20	30	40
4.2	4.2	4.2
Material:		Length(mm):
Aluminum		2500

### COLOR

