

Command Prompt



Microsoft Windows [Version 10.0.22631.3296]
(c) Microsoft Corporation. All rights reserved.

C:\Users\ACER>md pertemuan02

C:\Users\ACER>cd pertemuan02

C:\Users\ACER\pertemuan02>git clone https://github.com/Al-bomber/pb01-pertemuan02.git
Cloning into 'pb01-pertemuan02'...
warning: You appear to have cloned an empty repository.

C:\Users\ACER\pertemuan02>cd pbo1-pertemuan02
The system cannot find the path specified.

C:\Users\ACER\pertemuan02>cd pb01-pertemuan02

C:\Users\ACER\pertemuan02\pb01-pertemuan02>javac Main.java
Main.java:3: error: package Syste does not exist
 Syste.out.println("Ini program main");
 ^
1 error

C:\Users\ACER\pertemuan02\pb01-pertemuan02>javac Main.java

C:\Users\ACER\pertemuan02\pb01-pertemuan02>java Main
Ini program main

C:\Users\ACER\pertemuan02\pb01-pertemuan02>git status
On branch main

Command Prompt

```
C:\Users\ACER\pertemuan02\pb01-pertemuan02>java Main
Ini program main
```

```
C:\Users\ACER\pertemuan02\pb01-pertemuan02>git status
On branch main
```

```
No commits yet
```

```
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Main.class
    Main.java
    koneksi/
```

```
nothing added to commit but untracked files present (use "git add" to track)
```

```
C:\Users\ACER\pertemuan02\pb01-pertemuan02>git add .
```

```
C:\Users\ACER\pertemuan02\pb01-pertemuan02>git commit -m "Buat Class Main dan Database"
[main (root-commit) 7b2352d] Buat Class Main dan Database
 3 files changed, 12 insertions(+)
 create mode 100644 Main.class
 create mode 100644 Main.java
 create mode 100644 koneksi/Database.java
```

```
C:\Users\ACER\pertemuan02\pb01-pertemuan02>javac Main.java
Main.java:4: error: cannot find symbol
    Database.hubungkan();
    ^
symbol:   variable Database
```

```
C:\Users\ACER\pertemuan02\pb01-pertemuan02>javac Main.java
```

```
Main.java:4: error: cannot find symbol
```

```
    Database.hubungkan();
```

```
    ^
```

```
symbol:   variable Database
```

```
location: class Main
```

```
1 error
```

```
C:\Users\ACER\pertemuan02\pb01-pertemuan02>javac Main.java
```

```
C:\Users\ACER\pertemuan02\pb01-pertemuan02>java Main
```

```
Ini program main
```

```
Database Terhubung..
```

```
C:\Users\ACER\pertemuan02\pb01-pertemuan02>git status
```

```
On branch main
```

```
Your branch is based on 'origin/main', but the upstream is gone.
```

```
(use "git branch --unset-upstream" to fixup)
```

```
Changes not staged for commit:
```

```
(use "git add <file>..." to update what will be committed)
```

```
(use "git restore <file>..." to discard changes in working directory)
```

```
    modified:   Main.class
```

```
    modified:   Main.java
```

```
Untracked files:
```

```
(use "git add <file>..." to include in what will be committed)
```

```
    koneksi/Database.class
```

```
Command Prompt
modified: Main.java

Untracked files:
  (use "git add <file>..." to include in what will be committed)
  koneksi/Database.class

no changes added to commit (use "git add" and/or "git commit -a")

C:\Users\ACER\pertemuan02\pb01-pertemuan02>git add .

C:\Users\ACER\pertemuan02\pb01-pertemuan02>git commit -m "Memanggil method dari Class di package lain"
[main adfdb4f] Memanggil method dari Class di package lain
3 files changed, 3 insertions(+)
create mode 100644 koneksi/Database.class

C:\Users\ACER\pertemuan02\pb01-pertemuan02>javac Main.java

C:\Users\ACER\pertemuan02\pb01-pertemuan02>java Main
Ini program main
Database Terhubung..

== Data Dosen =====
NIDN : 1103058602
Nama : Mirza Yogy Kurniawan
=====

== Data Mahasiswa =====
NPM : 17639999
Nama : Mirza Yogy Kurniawan
=====
```

Command Prompt

+

▼

=====

== Data Mahasiswa ==

NPM : 17639999

Nama : Mirza Yogy Kurniawan

=====

== Data Mata Kuliah ==

Kode : TIF3402

Nama : Pemrograman Berbasis Objek 1

=====

C:\Users\ACER\pertemuan02\pb01-pertemuan02>git status

On branch main

Your branch is based on 'origin/main', but the upstream is gone.

(use "git branch --unset-upstream" to fixup)

Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

modified: Main.class

modified: Main.java

Untracked files:

(use "git add <file>..." to include in what will be committed)

model/

no changes added to commit (use "git add" and/or "git commit -a")

C:\Users\ACER\pertemuan02\pb01-pertemuan02>git add .

Command Prompt

× + ▾

(use "git add <file>..." to include in what will be committed)

model/

no changes added to commit (use "git add" and/or "git commit -a")

C:\Users\ACER\pertemuan02\pb01-pertemuan02>git add .

C:\Users\ACER\pertemuan02\pb01-pertemuan02>git commit -m "Memanggil method dari banyak Class di package lain"

[main 84dbc8a] Memanggil method dari banyak Class di package lain

8 files changed, 39 insertions(+)

create mode 100644 model/Dosen.class

create mode 100644 model/Dosen.java

create mode 100644 model/Mahasiswa.class

create mode 100644 model/Mahasiswa.java

create mode 100644 model/MataKuliah.class

create mode 100644 model/MataKuliah.java

C:\Users\ACER\pertemuan02\pb01-pertemuan02>git push origin master

error: src refspec master does not match any

error: failed to push some refs to 'https://github.com/Al-bomber/pb01-pertemuan02.git'

C:\Users\ACER\pertemuan02\pb01-pertemuan02>git branch -b

error: unknown switch 'b'

usage: git branch [<options>] [-r | -a] [--merged] [--no-merged]

or: git branch [<options>] [-f] [--recurse-submodules] <branch-name> [<start-point>]

or: git branch [<options>] [-l] [<pattern>...]

or: git branch [<options>] [-r] (-d | -D) <branch-name>...

or: git branch [<options>] (-m | -M) [<old-branch>] <new-branch>

or: git branch [<options>] (-c | -C) [<old-branch>] <new-branch>

or: git branch [<options>] [-r | -a] [--points-at]

Command Prompt

```
--merged <commit>      print only branches that are merged
--no-merged <commit>   print only branches that are not merged
--[no-]column[=<style>]
                        list branches in columns
--[no-]sort <key>      field name to sort on
--[no-]points-at <object>
                        print only branches of the object
-i, --[no-]ignore-case
                        sorting and filtering are case insensitive
--[no-]recurse-submodules
                        recurse through submodules
--[no-]format <format>
                        format to use for the output
```

```
C:\Users\ACER\pertemuan02\pb01-pertemuan02>git checkout -b master
Switched to a new branch 'master'
```

```
C:\Users\ACER\pertemuan02\pb01-pertemuan02>git push origin master
Enumerating objects: 23, done.
Counting objects: 100% (23/23), done.
Delta compression using up to 12 threads
Compressing objects: 100% (22/22), done.
Writing objects: 100% (23/23), 3.45 KiB | 393.00 KiB/s, done.
Total 23 (delta 8), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (8/8), done.
To https://github.com/Al-bomber/pb01-pertemuan02.git
 * [new branch]      master -> master
```

```
C:\Users\ACER\pertemuan02\pb01-pertemuan02>
```