eurostat: Eurostat Open Data R Tools

Leo Lahti, Janne Huovari, Markus Kainu, Przemyslaw Biecek

Abstract The eurostat R package provides a suite of tools to access open data from Eurostat, including functions to search, download, and manipulate these data sets in an automated and reproducible manner. The function help pages, package vignette and blog posts give further examples on how to visualize, summarize and interpret these spatio-temporal data sets. The package builds on and extends the preceding SmarterPoland and statfi packages and has been extensively tested by the user community. This package contributes to the growing ecosystem of R packages that provide generic tools for reproducible computational research in social science and humanities.

Governmental institutions have started to release increasing amount of their data resources for the public as open data in the recent years. This is opening novel opportunities for research and citizen science. Eurostat, for instance, provides a rich collection of demographic and economic data through its open data portal. The portal currently includes ... data sets on ... between years ...

Efficient tools to access and analyse such data collections can greatly benefit reproducible research. When the data is available, the analytical methodology spanning from raw data to the final publication can also be made available following reproducible research principles (Gandrud, 2013). Standardization and automatization of common data analysis tasks via dedicated software packages can greatly facilitate reproducibility and code sharing, making the research more transparent and efficient.

Here, we introduce the eurostat R package that implements R tools to access open data from Eurostat ¹. The package has been actively developed by several independent contributors and based on the community feedback in Github, and its first CRAN release was on.. We are now reporting the first mature version of the package that has been improved and tested by multiple users, and includes features like cache, handling dates, and using the tidy data principles (Wickham, 2014), with the help of the tidyr R package (Wickham, 2015c).

Despite many efforts to this direction, a dedicated R package for eurostat open data has been missing. Our work extends our earlier CRAN packages statfi (Lahti et al., 2013) and smarterpoland (Biecek, 2015). Compared to this earlier work, we have now implemented an expanded set of tools specifically focusing on the eurostat data collection. The datamart (Weinert, 2014) and the quandl (Raymond McTaggart et al., 2015) R packages provide also access to certain versions of eurostat data. In contrast to these generic database packages, our work is fully focused on the Eurostat open data portal and provides specific functionality suited for this data collection. There is a development version for R package reurostat² but it does not seem to be actively maintained at the moment. The eurostat R package takes advantage of the following external R packages: devtools (Wickham and Chang, 2015), dplyr (Wickham and Francois, 2015), knitr (Xie, 2015), ggplot2 (Wickham, 2009), mapproj (for R by Ray Brownrigg et al., 2015), plotrix (J, 2006), reshape2 (Wickham, 2007), rmarkdown (Allaire et al., 2015), stringi (Gagolewski and Tartanus, 2015), testthat (Wickham, 2011), and tidyr (Wickham, 2015c). The eurostat R package is part of the rOpenGov project (Leo Lahti and Kainu, 2013), which provides reproducible research tools for computational social science and digital humanities.

Overview of the functionality

The package includes tools to search and retrieve specific data sets from the Eurostat open data portal, converting identifiers in human-readable formats, selecting, modifying and visualizing the data. Further examples are provided in the package vignette³, and a blog post⁴.

The unified interface to data sets can make data analysis more straightforward and transparent by providing a standardized and automated way to access the data sets. Here we describe the functionality of the current CRAN release version (1.2.1). To install this, simply use

install.packages("eurostat")

install.packages("eurostat")

You can download the complete table of contents of the database with the function get_eurostat_toc(), or use search_eurostat() to make a more focused search over the table of contents. To retrieve data sets for 'disposable income', for instance, use:

¹http://ec.europa.eu/eurostat

²https://github.com/Tungurahua/reurostat

³https://github.com/rOpenGov/eurostat/vignette/eurostat_tutorial.Rmd

⁴http://ropengov.github.io/r/2015/05/01/eurostat-package-examples

```
library(eurostat)
income <- search_eurostat("disposable income", type = "dataset")</pre>
```

The data type to search for is also specified. The options include *table*, *dataset* or *folder*, referring to different levels of hierarchy in data organization: a 'table' resides in 'dataset' that are stored in a 'folder'. You can focus the search on a selected type.

The first lines of the output are shown above. Use values from the 'code' column to refer to a specific data set in the subsequent download commands. The dataset identifier codes can also be browsed at the Eurostat database⁵, which gives codes in the Data Navigation Tree after every dataset in parenthesis.

Download the selected data with 'get_eurostat()'. To retrieve the data set with a particular identifier, use

| dat | / - | σ _Φ t\ | aurostat (| hi | time\ | format | _ | "num") | ι |
|------------|------------|-------------------|------------|-----|-------|--------|---|--------|---|
| \coder dat | <- | get \ | eurostati | 1a. | time | Tormat | = | num) | ` |

| | unit | vehicle | geo | time | values |
|---|------|---------|-----|---------|--------|
| 1 | PC | BUS_TOT | AT | 1990.00 | 11.00 |
| 2 | PC | BUS_TOT | BE | 1990.00 | 10.60 |
| 3 | PC | BUS_TOT | BG | 1990.00 | |
| 4 | PC | BUS_TOT | CH | 1990.00 | 3.70 |
| 5 | PC | BUS_TOT | CY | 1990.00 | |
| 6 | PC | BUS_TOT | CZ | 1990.00 | |

Table 1: This is a table.

This looks like Table 1

The original data is annual in this example, hence we have here selected a numeric time variable as it is more convient for annual time series than the default date format. To improve the interpretability of the output, the eurostat variable identifiers could be further replaced with human-readable labels based on definitions from Eurostat dictionaries with the label_eurostat() function. The data is provided in the standard data.frame format, and all standard tools for data subsetting and reshaping can be conveniently applied.

The downloaded data sets are stored in cache by default. This can help to avoid repeated downloading of identical data and helps to speed up the analysis. Another advantage is that by storing an exact copy of the data on the hard disk, it is possible to reproduce the analysis results afterwards even if the source database has been updated.

Data sets containing geographic information can be visualized on a map. Most indicators are of country-year -type, although some indicators have data also at lower level of regional breakdown

The disposable income of private households at NUTS2⁶ level can be visualized, for instance, as in Figure 1. For a more detailed treatment of this example, see our related blog post⁷.

Here, we have combined the data retrieved with the eurostat package with additional map visualization tools and utilities including grid (R Core Team, 2015), maptools (Bivand and Lewin-Koh, 2015), rgdal (Bivand et al., 2015), rgeos (Bivand and Rundel, 2015), scales (Wickham, 2015a), and stringr (Wickham, 2015b).

Example on spatio-temporal data visualization: let us look at the indicator tgs00026⁸, (Disposable income of private households by NUTS 2 regions) from Eurostat. We are looking at the disposable household income. In addition to downloading and manipulating data from EUROSTAT, we demonstrate how to access and use shapefiles of Europe published by EUROSTAT at Administrative units / Statistical units⁹.

Further examples

To make a triangle map from the plotrix (J, 2006) package provides an example on visualizing passenger transport data distributions (Figure 2):

⁵http://ec.europa.eu/eurostat/data/database

⁶http://en.wikipedia.org/wiki/Nomenclature_of_Territorial_Units_for_Statistics

⁷http://ropengov.github.io/r/2015/05/01/eurostat-package-examples

⁸http://ec.europa.eu/eurostat/en/web/products-datasets/-/TGS00026

 $^{{}^9} http://ec.europa.eu/eurostat/web/gisco/geodata/reference-data/administrative-units-statistical-units$




Figure 1: Test caption for map example.




Figure 2: Test caption2.




Figure 3: Road accidents caption

To facilitate fast plotting of standard European geographic areas, the package provides readymade lists of the country codes used in the eurostat database for EFTA (efta_countries), Euro area (ea_countries), EU (eu_countries) and EU candidate countries (candidate_countries). This helps to select specific groups of countries for closer investigation. For conversions with other standard country coding systems, see the countrycode R package (Arel-Bundock, 2014). To retrieve the eurostat country code list for EFTA, for instance, use:

data(efta_countries)
print(xtable(efta_countries))

| | code | name |
|---|------|---------------|
| 1 | IS | Iceland |
| 2 | LI | Liechtenstein |
| 3 | NO | Norway |
| 4 | CH | Switzerland |

Applications

The package or its predecessors have already been applied in several case studies by us and independent developers. Financial Times, for instance, have used R to access data from Eurostat¹⁰ using functions from SmarterPoland, the direct predecessor of our revised and expanded eurostat package.

The archivist R package¹¹ for archivisation of objects has exemplified¹² its functionality by using eurostat to plot the number of people killed by road accidents, showing a decreasing trend of road accidents in many countries (Figure 3).

We can also look at the distribution of BMI between different age groups (Figure 4).

Summary

The eurostat R package provides convenient tools to access open data from Eurostat. When automated access to the data sets is integrated with data analytical tools from other packages, this allows a seamless automation of the data analytical process from raw data access to statistical analysis and the final publication.

The package source code can be freely used, modified and distributed under the BSD-2-clause (modified FreeBSD) license. A reproducible version of this article is available at .. and can be used

 $^{^{10}} http://blog.revolution analytics.com/2015/04/financial\text{-}times\text{-}tracks\text{-}unemployment\text{-}with\text{-}r.html}$

¹¹http://pbiecek.github.io/archivist

¹²http://pbiecek.github.io/archivist/justGetIT.html




Figure 4: BMI caption

to generate the manuscript text along with up-to-date figures and tables with the latest version of the eurostat data. Manuscript automation provides transparent documentation with full algorithmic details on how to access, preprocess, analyse, and report data and analyses, thus serving a template for good reproducible research practice. The reproducible source code for this manuscript is available at eurostat github page¹³.

The package exemplifies also the challenges and possible solutions to reproducible research and automated open data retrieval. Possible future extensions and improvements include design of specific data representation class structures. This could facilitate harmonization of the data representation with similar governmental data sets and subsequent tool development. The latest development version of the package can be installed from Github by following the instructions at the github site¹⁴. We welcome issues, bug reports and other feedback via the development site¹⁵.

Acknowledgements

We are grateful to Eurostat¹⁶ for maintaining the open data portal and the rOpenGov¹⁷ for supporting package development. This work has been partially funded by Academy of Finland (decision 293316). We also wish to thank Juuso Parkkinen and Joona Lehtomaki for their feedback on this work.

Bibliography

- J. Allaire, J. Cheng, Y. Xie, J. McPherson, W. Chang, J. Allen, H. Wickham, A. Atkins, and R. Hyndman. *rmarkdown: Dynamic Documents for R*, 2015. URL http://rmarkdown.rstudio.com. R package version 0.8.1. [p1]
- V. Arel-Bundock. countrycode: Convert Country Names and Country Codes, 2014. URL http://CRAN.R-project.org/package=countrycode. R package version 0.18. [p4]
- P. Biecek. SmarterPoland: Tools for Accessing Various Datasets Developed by the Foundation SmarterPoland.pl, 2015. URL http://CRAN.R-project.org/package=SmarterPoland. R package version 1.5. [p1]
- R. Bivand and N. Lewin-Koh. *maptools: Tools for Reading and Handling Spatial Objects*, 2015. URL http://CRAN.R-project.org/package=maptools. R package version 0.8-37. [p2]
- R. Bivand and C. Rundel. rgeos: Interface to Geometry Engine Open Source (GEOS), 2015. URL http://CRAN.R-project.org/package=rgeos. R package version 0.3-14. [p2]

 $^{^{13}} https://github.com/rOpenGov/eurostat/blob/master/vignettes/manuscript.Rmd$

¹⁴https://github.com/rOpenGov/eurostat

¹⁵https://github.com/ropengov/eurostat

¹⁶http://ec.europa.eu/eurostat

¹⁷https://github.ropengov.io

- R. Bivand, T. Keitt, and B. Rowlingson. *rgdal: Bindings for the Geospatial Data Abstraction Library*, 2015. URL http://CRAN.R-project.org/package=rgdal. R package version 1.0-7. [p2]
- D. M. P. for R by Ray Brownrigg, T. P. Minka, and transition to Plan 9 codebase by Roger Bivand. *mapproj: Map Projections*, 2015. URL http://CRAN.R-project.org/package=mapproj. R package version 1.2-4. [p1]
- M. Gagolewski and B. Tartanus. *R package stringi: Character string processing facilities*, 2015. URL http://stringi.rexamine.com/. [p1]
- C. Gandrud. Reproducible Research with R and R Studio. Chapman & Hall/CRC, July 2013. [p1]
- L. J. Plotrix: a package in the red light district of r. R-News, 6(4):8–12, 2006. [p1, 2]
- L. Lahti, J. Parkkinen, and J. Lehtomaki. statfi r package, 2013. [p1]
- J. L. Leo Lahti, Juuso Parkkinen and M. Kainu. ropengov: open source ecosystem for computational social sciences and digital humanities. Presentation at ICML/MLOSS workshop (Int'l Conf. on Machine Learning Open Source Software workshop)., December 2013. URL http://ropengov.github.io. [p1]
- R Core Team. *R: A Language and Environment for Statistical Computing*. R Foundation for Statistical Computing, Vienna, Austria, 2015. URL https://www.R-project.org/. [p2]
- Raymond McTaggart, Gergely Daroczi, and Clement Leung. *Quandl: API Wrapper for Quandl.com*, 2015. URL http://CRAN.R-project.org/package=Quandl. R package version 2.7.0. [p1]
- K. Weinert. datamart: Unified access to your data sources, 2014. URL http://CRAN.R-project.org/package=datamart. R package version 0.5.2. [p1]
- H. Wickham. Reshaping data with the reshape package. *Journal of Statistical Software*, 21(12):1–20, 2007. URL http://www.jstatsoft.org/v21/i12/. [p1]
- H. Wickham. *ggplot2: elegant graphics for data analysis*. Springer New York, 2009. ISBN 978-0-387-98140-6. URL http://had.co.nz/ggplot2/book. [p1]
- H. Wickham. testthat: Get started with testing. *The R Journal*, 3:5–10, 2011. URL http://journal.r-project.org/archive/2011-1/RJournal_2011-1_Wickham.pdf. [p1]
- H. Wickham. Tidy data. Journal of Statistical Software, 59(10), 2014. [p1]
- H. Wickham. scales: Scale Functions for Visualization, 2015a. URL http://CRAN.R-project.org/package=scales. R package version 0.3.0. [p2]
- H. Wickham. *stringr: Simple, Consistent Wrappers for Common String Operations*, 2015b. URL http://CRAN.R-project.org/package=stringr. R package version 1.0.0. [p2]
- H. Wickham. tidyr: Easily Tidy Data with 'spread()' and 'gather()' Functions, 2015c. URL http://CRAN.R-project.org/package=tidyr. R package version 0.3.1. [p1]
- H. Wickham and W. Chang. devtools: Tools to Make Developing R Packages Easier, 2015. URL http://CRAN.R-project.org/package=devtools. R package version 1.9.1. [p1]
- H. Wickham and R. Francois. *dplyr: A Grammar of Data Manipulation*, 2015. URL http://CRAN.R-project.org/package=dplyr. R package version 0.4.3. [p1]
- Y. Xie. *knitr: A General-Purpose Package for Dynamic Report Generation in R*, 2015. URL http://yihui.name/knitr/. R package version 1.11. [p1]

Leo Lahti Department of Mathematics and Statistics PO Box 20014 University of Turku Finland leo.lahti@iki.fi

Janne Huovari Affiliation Address

Country

author2@work

Markus Kainu Affiliation Address Country author3@work

Przemyslaw Biecek
Faculty of Mathematics, Informatics, and Mechanics
University of Warsaw
Banacha 2, 02-097 Warsaw
Poland
P.Biecek@mimuw.edu.pl